

The Catalog

2023



Contents

Company	Starting on Page 4
Major added value	4
A brief portrait of C+P	8
Industrial solutions and planning supp	ort 10
Sustainability: Made of steel-naturally	/ 12
Innovations and awards	14
The C+P logistics concept	16
Corrosion protection and quality assu	rance 22
Our references	24
Trend products	36

Color concept	Starting on Page 44
Color moods and effects	46
The new C+P color concept	48
C+P decor fronts	50
C+P office furniture decors	52

Changing room & wardrobe Starting on Page 54 Changing room and wardrobe Classic PLUS lookers

60
98
158
166
186
192
214
220
232
242

Workshop & factory Starting on Page 258 Cabinets, workbenches and shelving Hinged-door cabinets 262

262
312
326
340

Office & archive Cabinet and filing systems 356 Hinged-door cabinets Sliding-door cabinets 386 Tambour cabinets 400 Drawer and filing cabinets 414 Office furniture & accessories 440 Counters and lounge furniture **Tables** 446 Around the desk 454 Chairs and stools 460 Cabinets, pedestals and caddies 470

Order number and weight register

482

496

Catalog valid as of 10/1/23


Index

What kind of added value

does C+P offer to retailers?







Catalog

The new catalog provides retailers with a digital tool. Prices are updated automatically from a database, ensuring that the contents are up to date. The chapters can be flexibly compiled using our catalog configuration tool based on the customer's wishes and the respective subject area. The digital version itself can also be generated with branding (logo and project name) free of charge. Internal links guide the user through the world of C+P products.

Website

Our new website offers retailers quick and easy processing. This makes custom price inquires possible and rebate information available via retailer login. Orders are entered digitally and processed automatically.

Trade shows

C+P exhibits at a large number of trade shows. We also offer retailers roll-ups and advertising materials for ideal sales support. We'd also be happy to provide support through our sales team.



Sales team

Our sales team provides support for project inquiries, product listings and customer catalog designs both digitally and on site. C+P is also represented internationally by competent contact partners.



Follow us on social media: C+P Möbelsysteme GmbH & Co. KG cp_derstahlschrank









cater to target groups and applications in particular, so as to present our products in a more detailed way.

Brochures

In addition to our catalog, we also

provide our customers with product-

specific brochures. This allows us to

(1) Heinze



Heinze is Germany's leading portal for building products, company profiles and architectural projects.

C+P Möbelsysteme is represented with tender specifications on all products here. Printed documentation can also be ordered directly through Heinze by logging in. **Oxomi** is a platform for marketing and product information. It connects associations, retailers and industry.

C+P Möbelsysteme is a member of OXOMI. Retailers can download our current documentation, such as price lists, the catalog and guidelines, at this portal.

BMEcat

BMEcat is a standardized exchange format for electronic product catalogs and multimedia catalog data between suppliers and customers. "BME" stands for the "Bundesverband Materialwirtschaft, Einkauf und Logistik e. V." (German Federal Association of Materials Management, Purchasing and Logistics), one of the initiators.

A comprehensive selection from the C+P range can be provided for further use electronically. For this purpose, we can make the corresponding data available in the customary BMEcat format or, if desired, as a CSV file.


The benefits to you:

- + Save time/money through data transfer
- + Comprehensive item information in a file, incl. the associated image data for download
- + The probability of error is reduced both here and during the subsequent ordering process.
- + Up-to-date product prices and data, which improves master data quality

Our image database is also available:

Following a brief registration, you'll be able to download images of our products in all common colors from our image database. These are excellent-quality images which can be used by you accordingly. Three different resolutions are available here: low, medium and high.





Why choose the number-one locker?



Suitable solutions for every industry






Responsibility for people and the environment



Innovation with a vision





<u>C+P</u>

A brief portrait.

The Christmann + Pfeifer (C+P) company was founded in Breidenbach in the state of Hesse in Germany in 1925, making it nearly 100 years old. In addition to the company headquarters, production locations of C+P currently include factories in Gotha, Thuringia and Legnica, Poland. We've compiled key facts and figures on the company in a brief overview for you here:



C+P by the numbers:

Founded in 1925

Employees

at C+P Einrichten Around 650

Production sites Breidenbach (Hesse, Germany)

Gotha (Thuringia, Germany)

Legnica (Poland)

Sales Worldwide

Production capacity Over 100 truck loads leave

C+P factories every week

Material volume C+P plants process around

1,000 metric tons of steel

every month

Orders C+P handles over 65,000 orders

per year, from individual items to entire furnishings for major projects

Claim to fame Specialist and market leader

in steel furniture





Long service life

through tradition!

Since its founding, C+P has developed countless product innovations together with its customers and successfully brought them to market. A lot's changed since then, but one constant has always remained the same: the level of quality which became the trademark of C+P long ago. It's reflected in the entire process chain, from material purchasing to production and painting to the delivery and installation of our products.









Trusting is good...

...but it's better to check. As least as far as quality assurance is concerned. This is precisely why both our production processes and C+P products themselves are subjected to extremely demanding quality management based on two pillars: our company-internal test laboratory on the one hand and, of course, regular external inspections and checks on the other.

Our certifications:



Quality management ISO 9001



Energy management ISO 50001



Environmental management ISO 14001





Many of our products have been tested by TÜV Thüringen GS (Thuringia Technical Inspection Agency). We would be happy to send you copies of the relevant certificates if required.



HPQR certificate



EcoVadis certificate

Suitable solutions

for EVERY industry.

Across the globe, thousands of specialist dealers, companies and institutes trust furniture solutions from C+P-from craftsmen's businesses to large industrial corporations. A crucial reason for this is that C+P products aren't one-size-fits-all solutions. Instead, they're always oriented toward the specific requirements of the industry in which they're used. This already starts with the planning phase.

Our expertise is your advantage!

Each and every one of our customers benefits from the nearly 100 years of experience boasted by C+P in the planning and implementation of furnishing projects in a wide variety of different economic sectors. Our sales department is familiar with the specific nature of different industries, which is why it knows exactly what it all comes down to- both when selecting custom-tailored products & suitable equipment and during the overall implementation later on.

- Industry & trade
- Banks & insurance
- Police/Fire service/ **Technical Relief Agency**
- Hotels & restaurants

- + Kindergartens & schools
- + Self-employed & freelancers
- + Hospitals & clinics
- + Sports facilities & swimming pools
- **Building companies**

- **Recreation & vacation complexes**
- + Colleges & universities
- + Transport & logistics
- + Transportation companies
- Retail & service
- **Public administration & authorities**















PCon

Planning support.

Whether it's office furniture, changing rooms, workshop equipment or outdoor transfer stations: We have a solution for everything! Our project planning team creates specific plans according to your needs. In special cases, measurements are taken and details on the rooms are clarified so as to avoid obstacles and interfering factors during the furniture planning process. Virtual scanning allows the rooms to be transferred directly into a 3D model which can be provided to the project planner.

Individuality & product configuration

Using the pCon OFML data, all C+P Möbelsysteme product groups can be individually designed and precisely planned in your floor plans by our project planners. More than 24 standard colors, 4 MDF and 8 HPL decors are available for the decor front area and 8 MCPB and 4 HPL decors for office furniture. Naturally, additional RAL and decor colors can be requested and provided. This means that furniture personalization is of paramount importance here. Configure, visualize and download your product using our website or the pCon.planner/pCon.box.










Responsibility

for people and the environment.

Sustainability →

Social and ecological sustainability have always characterized C+P's conduct and economic activity. We also accept that we serve as an example of a market-leading company here. This being the case, we're always working on meeting this major responsibility continually and to the best of our ability in every area. Some of the ways we're making this happen:





Outstanding sustainability

At the end of 2022, C+P was awarded the silver medal for sustainable economic activity by the renowned "EcoVadis" rating agency.

This was preceded by an intensive and demanding evaluation of our conduct in the areas of "environment," "employment and human rights, "ethics" and "procurement." The internationally recognized sustainability standards of the Global Reporting Initiative, the UN Global Compact and best practice guideline ISO 26000 were applied here.

Quality on the highest level—from the products to the processes. C+P has been certified in the areas of

- + quality management (ISO 9001)
- + environmental management (ISO 14001) and
- + energy management (ISO 50001)

by the Deutschen Managementsystem Zertifizierungsgesellschaft mbH certification company. This ensures consistently high quality in every area and process.









The material of steel: A sustainable all-rounder!

Steel forms the basis of all our products. No other material boasts as many positive features when it comes to stability, design and the long-term value of storage area furnishings. Add to this the fact that steel makes an important contribution to resource conservation. The material can always be melted down again and processed for new purposes without any loss in quality. Incidentally, half of all steel in Germany is already being produced from this secondary raw material.





Steel furnishings are

- + extremely sturdy and resilient
- + extremely long-lasting
- + able to be moved any number of times
- + up to 100 percent recyclable
- + available in the latest designs
- + available in any color
- + combinable with other materials
- + easy to care for and especially hygienic
- + fire protection in practice



Our high-quality steel furniture comes with a **10-year warranty**! The C+P warranty conditions can be found at www.cp.de/en/complaint-1-1/

Innovation


with a vision.

Innovations from the C+P brand are never gimmicky—they always pursue clear goals: making working life easier, increasing comfort and well-being, making processes more efficient and, most importantly, ensuring sustainability! This is why our developers are always thinking 1 or 2 steps ahead when carrying out their work, for example:

Less is more!

BIONIC steel frame

For the new PLUS-series steel locker, C+P developed a design form which sets new standards in stability and resource conservation. The models of the series are reinforced in a targeted way in crucial places and feature a sophistical internal structure consisting of folds, braces and intermediate spaces—similar to the leaves of a tree. The result is increased torsion resistance with less raw material and resource consumption.







New world of working?

SmartLocker!

With the C+P SmartLocker, we've developed storage area furnishings which—unlike conventional solutions—are no longer content being a passive place for storage. Indeed, it rises to the occasion as a true asset at its place of use. Digitally controllable and networked, suitable for just about any desired customization and exuding timeless elegance, the SmartLocker creates solutions for the requirements of the modern world of working—both today and tomorrow!

Designs

with distinction.


For decades, the classic design of our steel furniture has shaped the appearance of countless commercial spaces around the world. Thanks to their rugged elegance, several different C+P lockers became true design icons long ago. Nevertheless, C+P products remained—and still remain—in touch with the times, such as the new PLUS-series steel locker and our SmartLocker digital locker system. As an aside, the latter was distinguished with the internationally renowned German Design Award and the iF Design Award in 2023.








DESIGN AWARD 2023











Logistics with Service PLUS

Long ago, it became yet another element of advertising for our company: C+P logistics. With 40 of our own trucks and 80 furniture trailers in all it ensures the on-time delivery of our steel furniture reliably, safely and in an environmentally friendly way.



Reliable and on time

C+P's in-house scheduling department plans our deliveries from a central location, in a customer-oriented way and using the fastest possible routes. Direct shipping means there's no need for any transshipment.

This saves time and avoids potential sources of delay.



Safe and protected

Thanks to our proprietary loading system, our products are protected from any damage throughout the entire shipping process.

Our specially trained drivers and installers work extremely carefully and personally ensure flawless delivery of the furniture.



Comprehensive service

As standard, we deliver to our customers over direct routes, on coordinated delivery dates and with no shipping charges. This also includes advance notification of the exact delivery time.

A whole host of optional additional services are also available to you—up to and including full installation of the furniture.



Steel lockers that get there safely Quickly and reliably.

As one of the few manufacturers in our industry, C+P has its own vehicle fleet. 40 of our own trucks and 80 furniture trailers ensure delivery which has been delighting our customers for decades. Our in-house centralized scheduling department plans our order volume in a customer-oriented way.

Our own vehicle fleet is supplemented by 15 permanent partner shipping companies. All vehicles comply with the Euro 6 standard. Trailers generally feature a lifting platform for conveying the lockers to you safely.



Our in-house scheduling department handles customer requests.







The team in Breidenbach is proud of the new fleet of trucks.

The advantages of C+P logistics

- + Just about everywhere in Germany and in many countries in Europe, we carry out delivery directly to the desired unloading point using our own fleet of trucks and without any transshipment. That's why we don't need to use any packaging material and can avoid waste.
- + Trained loaders, drivers and installers know "their" products and handle them carefully.
- + You can expect on-time and professional delivery, which saves time, money and your nerves.



The C+P logistics concept

If you do not specify any special wishes with the order, the standard conditions of delivery will apply. We deliver FREE OF CHARGE TO THE GROUND FLOOR in Germany (behind the first lockable building door).

General requirements

Truck deliveries generally only take place on weekdays (Monday through Friday) from around 8 a.m. to 5 p.m. For all scheduled event types, the minimum delivery time established on the day of order clarification must be taken into account.

Applies within the Federal Republic of Germany.

This does not apply for islands, locations inaccessible by private transport or downtown areas and streets blocked off to truck traffic.

Parcel delivery

Items which can be delivered as parcels are packaged properly and shipped at a reasonable flat rate.

Environmentally friendly delivery

Shipments transported by truck are generally unpackaged.


Note on service packages B1 through M1

Existing elevators, doors, passageways, ceiling heights and paths must be large enough and safe. No spiral, marble or wood staircases.

For truck delivery

The unloading point must be accessible by a large semi-trailer (18 m). Ability to park in the immediate vicinity.

Size examples:





Standard conditions of delivery

Service package B1

Service package B2

Service package T1

Service package T2

Service package M1

Notification

Scheduled event types

Notice

A location is considered accessible if it can be reached by a wheelchair user without the aid of anyone else.

Service scope Price

Truck delivery within Germany

DELIVERY FREE OF CHARGE TO THE GROUND FLOOR: Arrival, unloading and transport to behind the first lockable building door on the ground floor, accessible.

B1: Accessible delivery

Free delivery to the location of use, if transport path is accessible, only for products up to 99 kg.. Transport in the building on a normal path to the location of use, excluding set-up, excluding installation.

Same as B1, plus additional charge for heavy products (100 kg or more).

T1: Free delivery to location of use with transport on stairs.
For products up to 99 kg, excluding set-up, excluding installation.

T2: Transport on stairs

Possible with a product weight of 100 kg or more. To create your custom offer, we require a description of the transport path: www.cp.de/twb

Installation services

Free delivery to the location of use, including set-up, alignment and installation at the usage site, excluding configuration of the interior fittings. To create your custom offer, we require a description of the transport path: www.cp.de/twb

Notification of delivery around 1 to 3 days prior to the planned delivery date, free of charge, via e-mail to the responsible contact person.

Scheduled event types without additional charge:

Approx. delivery week: Anticipated delivery time frame within one calendar week.

Fixed delivery week: Binding delivery during a predefined calendar week.

Scheduled event types with an additional charge:

From-to dates: Binding delivery within a time frame of at least 3 days.

Specific date: Binding delivery on a specific delivery date with a time window of 8 a.m. to 5 p.m.

All prices, packaging costs and delivery conditions for orders inside and outside Germany can be found here (always up to date):

www.cp.de/en/ services/our-logisticsmove-steel-cabinetssafely/



Leading the way in

corrosion protection, quality assurance

and environmental protection



For almost 100 years, products from C+P have been known for their high quality standard.

Environmental protection is a key issue when it comes to painting at C+P. We rely on German-made paint products. Our paint suppliers are certified according to EMAS, ISO 9001, ISO 14001, ISO 45001 and IATF. We work in a sustainable way and use only VOC-free paints in efficient systems.

We're able to meet our customers' color needs through continual quality testing during the coloration process. We offer high-quality enamel coating with robust, environmentally friendly immersion and powder coating systems for high light resistance. C+P's coatings follow the RAL color register. Thanks to continual system monitoring and color analytics in accordance with the RAL 840-HR color register, this level of quality is ensured for the long term.







Immersion painting at C+P




Powder coating at C+P

Corrosion protection classes according to the C+P company standard

Corrosion protection classes	Class I Dry zones	Class II Damp zones
	Furniture to be set up in dry rooms with average ventilation*	Furniture for rooms with increased humidity
Version	Coated sheet metal	Sheet metal electrolytically zinc plated and powder coated
Coating	High quality enamel coating	High quality enamel coating
Approved cleaning agents	The original C+P cleaner	The original C+P cleaner
Guarantee	10-year guarantee against rusting through	10-year guarantee against rusting through
Additional charges	No additional charge, as C+P standard	See catalog/www.cp.de/en.

Note: Corrosion-protected locks for wet areas can be found on our accessory pages.

^{*}When using the lockers in public areas in which the increased use of road salt is to be expected during the winter months, we recommend using the electrolytically zinc-plated sheet metal and shoe trays.



C+P the cleaner

Guarantees optimal surface cleaning of your C+P locker. Item no. 99699-00000

- + Cleans without leaving residue or streaks
- + For automated and manual cleaning
- + Reliably and quickly removes dust, fingerprints and light oil soiling
- + Easy, safe and ready to use
- + Made in Germany

Application:

Spray cleaner onto the steel surfaces and then wipe off with a soft cloth or soft paper



Quality assurance at C+P

In order to maintain and expand our quality standard, continual testing and experimentation are required. At our **in-house laboratory** and in the adjacent testing chamber, we test more than just product details—we test the entire product. The latest scientific testing methods are applied here. One important criterion requiring constant monitoring is the surface and corrosion protection, particularly for our steel lockers.

The following testing methods are regularly used at the C+P testing laboratory

- + Load and bay load of components and lockers (up to 4,500 N)
- Long-term durability of drawers and pull-outs through at least 50,000 opening and closing cycles
- + Door opening overextension test (up to 190° opening angle)
- + Durability of structural connections
- + Continual loading and service life
- + Surface quality
- + Drying behavior in lockers

DIN 50021	Salt spray test with
	subsequent inspection
	as per DIN 53167
DIN 50017	Condensation test with
	subsequent inspection
	according to DIN 53209
DIN 53151	Cross-cut adhesion test
DIN 67530	Evaluation of gloss
DIN 53153	Buchholz indentation
	resistance test
DIN 5033	Colorimetry



Price per bottle incl. spray head: See price list



Contents: 500 ml





Our references

As a market-leading furniture manufacturer of changing room and assembled box locker solutions, C+P isn't just an absolute professional when it comes to interior design—our comprehensive product range offers solutions for the office, archiving, greening and climate control, as well as warehouse and workshop equipment. C+P is a full-service provider accompanying its customers from initial planning to delivery and installation to after-sales service, thereby ensuring a smooth overall process. On the following pages, we present a selection of our references.

Schneider GmbH & Co. KG



SCHNEIDER is one of the world's leading suppliers of processing solutions to the eyeglass and precision-optics industry. The company is headquartered in Fronhausen (Marburg), Germany with additional branches in the US, Brazil, Hong Kong and Thailand.

The company's success and that of their customers is ensured by high-quality machines, innovative technological concepts and networked production solutions. The fascination with innovation becomes tangible the minute you enter the headquarters.

The company's headquarters, on a floor space of over 9,500 m², are characterized by state-of-the-art climate and heating technology as well as communication and media technology, modern demonstration and training rooms and ergonomically optimized workstations.

People form the heart of a company, and their commitment is the pulse. To foster enthusiasm for innovation, emphasis was placed on a working environment which meets various needs. The result is a unique building that promotes well-being and creates space for new ideas.

The team offices are generously laid out and spacious with a view of the outside grounds, but still allow for privacy thanks to the layout of the double workstations. The furnishings—kept in white with black accents—underline the friendly effect of the space. The intelligent integration of technology allows for the easy reach of connections which can be stored neatly in the cable trough.









Many offices, including those of the divisional management, can be used for spontaneous meetings in addition to their function as workstation. Brief meetings can be held at the mobile occasional tables. They're also ideal for quickly extending the work surfaces with flexible sit/stand solutions.







The Bucharest thermal bath is setting standards nationally and internationally. The investor's requirements were correspondingly high for the top-quality changing rooms, which were designed to reflect the uniqueness of the overall complex in their materials and function.



The Prefino series with its highly flexible steel body was used, which allows all cable routing to be cleverly integrated into the slanted roofs of the lockers.

The decision was made for glass doors that require no visible fittings, creating a completely smooth and elegant external front.

Prefino assembled box lockers make optimum use of the interior space available in the changing room system, enabling user capacity to be utilized to the full. The combination with the existing natural marble base creates harmonious interplay among the various components and materials.

The base highlights the fine design of the interior fittings while serving as a practical bench.





The changing cubicles with floating appearance blend in perfectly with the room's stylish design.





Inspired by the Erding thermal bath in Germany, the Bucharest thermal bath is one of Europe's largest thermal springs. A spa complex with a tropical twist was built in an area totaling 25,000 m².

It's a popular destination both nationally and internationally thanks to its central location. The thermal bath has three themed areas to meet the varied needs of its visitors. They can find relaxation in the jacuzzis and aromatherapy pools at The Palm. Six saunas, sunbathing areas and massage areas invite visitors to relax in the Elysium.

UCLA Wasserman Football Center

Changing room and assembled box locker solutions for players, coaches and employees.



The newly built Wasserman Football Center of the University of California, Los Angeles (UCLA) gives players and coaches a modern training environment with unrestricted access to the latest football equipment over an area of 7,000 m².

Custom storage space solutions for the players, coaches and employees which harmoniously fit into the design concept of the Wasserman Football Center had to be created for the changing room and assembled box locker areas.

Requirement: Custom storage area solutions for different user groups

As a market-leading furniture specialist in changing room and assembled box locker solutions, C+P was able to impress the customer with its custom solutions. High-quality lockers and assembled box lockers of the Prefino product series tailored to the individual wishes f the customer were used.

A pleasant atmosphere in the changing room

Optimally adjusted to suit the needs of players, the football lockers not only feature technical details but also meet the high design standards of the Wasserman Football Center. Thanks to the harmonious design of the changing room, a space has been created for football players that will positively affect their mood, passion to win and team spirit. In addition to the lockers, the changing area includes a spacious lounge zone that functions as a meeting point for communication and recreation.

Football locker with bench and mirrored sides

Both the body and the underframe of the lockers are made of steel, a long-lasting material that conserves resources. Designed in accordance with customer requirements, the steel underframes can absorb high dynamic loads. The frame cladding also serves as a comfortable place for the players to sit. The sides, with a large mirrored area, frame the fold-in doors of the football lockers made of white solid-surface material that elegantly disappear into the body and provide rapid access to the locker interior.





Personalized lockers for each player on the football team

Matching the consistent color concept of the rooms, the doors are marked with the individual player numbers in blue and gold. The numbers are attached to the door by means of punched holes and can be changed rapidly as required. Each locker also has a plaque personally naming the donors and supporters of UCLA. Four spacious drawers and one changing room rail per compartment offer sufficient space for clothing and shoes.

Personal security compartments with electronic safety lock

Each player also has access to a high-quality security compartment fitted with an electronic safety lock to store personal items such as smartphones and jewelry. Each security compartment has a power supply and is equipped with a USB port.

Player equipment distributed via the assembled box locker

The top-quality high-pressure laminate feed-through security compartments, also with milled numbering, contain the players' personal equipment. Clean clothing and helmets can be given to the players from the rear side via central doors. The player enters the PIN code via the electronic lock to open the security compartment.

User-oriented storage space for coaches and staff

The equipment for the changing areas for coaches and staff, like that of the player lockers, is especially high-quality and perfectly suits the needs of the users. The trainer lockers contain three stainless steel drawers with pull-outs, with the top drawer functioning as a security compartment with PIN code lock, power supply and USB port. The staff locker area is fitted with fine HPL material in black. The doors can be opened via a PIN code lock and have been given milled numbering.



University of Oregon

Hatfield-Dowlin Complex, Oregon Football Performance Center.



The newest home of the Oregon Ducks, the football team of the University of Oregon, is a unique and visionary project which has yet to meet its match. The Football Performance Center follows a holistic concept combining architecture and interior fitting in order to perfectly tailor them to the needs of the players. Facades made of glass, granite and metal simultaneously convey both lightness and strength. What seems impenetrable and secretive from the outside is flooded with light and bright on the inside.

Go Ducks!


"We wanted a locker which had never been seen before. C+P really succeeded in catching the ball and exceeding our expectations."

(Randy Stegmeier, interior designer, Firm 151)



The interior fittings are just as multifaceted

The attention to detail reflects the care taken during planning. The designers never lost sight of the actual focus of the project: the well-being of the players. Every aspect of their everyday life, from classes to dining to medical care to recreational activities were carefully considered, and everything was coordinated with everything else down to the smallest detail.








Luxurious, high-efficiency and ergonomic equipment

The equipment is luxurious, yet still highly efficient and ergonomic. The whole concept is designed to attract the best players and to win the College Football National Championships with the Oregon Ducks team going forward.



Munich Sparkasse



The office of the future with C+P SmartLockers

A place of well-being. That's the first thing that comes to mind when entering the "new world of work" at the Sparkasse in Munich. In a pilot space of 750 square meters, the vision for the workplace of the future was implemented in the pavilion of the office tower. Part of this future is C+P SmartLockers. They fit stylishly into the wonderfully created ambiance in the entrance area.

After having supplied new lockers for the fitness changing cubicles at the Munich Sparkasse last year, C+P received an order for 80 C+P SmartLockers for the "new world of work" early this year, according to C+P Key Account Manager André Reis.



48 large compartments and 32 smaller ones were supplied for this visionary project and set up in the pilot space area. The time came in late May of 2022, when the first 55 employees moved into the new rooms. There are also eight trial employment spots for staff from other departments.

Since then, the SmartLockers have proven themselves to be perfect support for the office world of the future in every regard thanks to their flexible options for operation. "The strength of the SmartLocker lies primarily in its decentralized control and flexibility," stressed Project Manager Moritz Seger. "Control is provided wherever it's needed."

The SmartLockers are the first place to go every morning and the last one every evening. Employees don't just leave their personal belongings there, but their keyboard, headset, mouse and laptop when leaving their workstation as well. This facilitates smooth switching from a home office to in-person work at the office, as well as working in different places within the new office world.

"It's very practical to be able to open a compartment for a colleague from your desk," said Martina Seidel, who was impressed with object management. She's been working permanently in the pilot area since the end of May. She likes keyless security compartments much better. She also finds her new environment to be very comfortable and likes the color and spatial concept very much. "You can work in a much more peaceful environment and with greater focus, while still being closer to colleagues," reported the employee, who uses one of the large Smart-Lockers herself. She's pleased that the large compartments have been outfitted with an additional shelf, which allows her to make even better use of the space there.



The office of the future is here today, including all its opportunities and possibilities. This also includes the option of using the locker compartments in a more flexible way. "Up until now, every employee has had their own compartment," explained André Reis. "If this is changed over the long term, the number of compartments can be reduced by 10 to 15 percent."

As Florian Seidl sees things, the options presented by C+P lockers are nowhere near exhausted: "In the short amount of time available, we haven't explored it in depth at all. There's still so much potential there."





Trend products


The products we present to you on the following pages go far beyond our motto, "the steel locker." They feature optimal solutions for meeting the needs of long-term trends and developments.

A world where keys are no longer important? A box which opens precisely when its moment has come? Dividing rooms without separating them? Designing working environments motivated by the "biophilic design" principle? It's all possible with C+P.

Discover innovative solutions which have already been tried and tested in practice many times.

Your doorway to a magically efficient time C+P SmartLockers.


A world where keys aren't important. A compartment which opens precisely when its moment has come. Objects which appear behind a different door than they did yesterday. What seems to be magic—like any stage show—is actually sophisticated technology. Our SmartLockers differ from typical magic tricks in one way, though: Their primary purpose isn't to fool and entertain, but to make workflows at your company smarter and more efficient. This saves you time, space and money, allowing you and your team to concentrate on your own tasks. It also means that cabinets are no longer just a passive storage place, but rather a true asset of your organization. But can't they be fun, too? Open the curtain for the new C+P SmartLockers...



The advantages to you at a glance:

- + Reduces costs: You don't need to acquire a separate compartment for each employee
- + Productivity: Familiar complications due to lost keys etc. are a thing of the past
- + Saves time: Bothersome and distracting transfer situations are no longer an issue
- + Source of income: Compartments can earn you money with pay/rent functions
- + Compatibility: C+P SmartLockers can be connected to a wide variety of different networks
- + Individuality: Flexible configuration for your needs thanks to a modular system
- + Convenience: Lockers can be individually arranged with one another as a locker wall
- + Usability: For social spaces, contactless transfer, employee mail, as a meeting point etc.
- + Independence: The doors can still be opened even in case of a power failure
- + Full service: At C+P, you get everything from a single source: locker, software and support

















Compartments can be opened and information on the contents provided using the screen

Dividing rooms without separating them C+P partitions.



C+P Monotop® Classy transparency.

Create generous width for the latest office architecture with the transparent and sophisticated design of our unique C+P Monotop partition system. With all the advantages of a relocatable partition system, no less. C+P Monotop impresses with its outstanding design, in particular the elegant connection between two glazing segments. The connection principle of the new segment design requires only the installation space in the 6 mm-wide shadow gap. This means that the visible post width of glazed structures is only 28 mm!

Attractive room-in-room solutions in modern office landscapes are on the rise, whether as a think tank for concentrated working and conferring or as a solo office with consultation spaces. Combination office concepts with individual offices and a central zone "marketplace" demand creative and flexible room solutions.

With C+P Monotop, you can create the ideal basis for the successful implementation of these trendy office structures and remain flexible for the future. There are no limits to the design: Classic hinged doors, or rather the elegant sliding door? Full transparency, frosted glass or even "matte glass at the push of a button" with electrically controlled liquid crystals? From the classic think tank to high-tech room solutions, C+P Monotop opens up every possibility.







C+P Monotop room-in-room solutions aren't just limited to wall systems. From RGB-lit stretch ceilings to the integration of media technology, we've thought of everything with Monotop.

C+P Light

Modern glass architecture.




Extension grids, planning, acoustics and style—partition systems involve them all. To make the right choices in all these areas, there's one thing that comes before everything else: experience.

C+P has been manufacturing partitions for more than 40 years. A team of experienced product specialists stand ready to assist you with competent consultation and planning.



Features of modern architecture, as well as many office concepts, include great clarity and openness of the rooms being designed. C+P Light—glass to glass—creates maximum transparency.





Climate Office – Shaping rooms according to the biophilic design principle



Climate Office, as an approach based on biophilic design principles

Based on the principles of biophilic design, C+P has developed holistic and sustainable furniture solutions for air purification, greening, climate and acoustics with "Climate Office." Central themes here include:

- + Room climate optimization
- + Increasing personal well-being

Increasing well-being and motivation at the workplace

In combination with plants and water, these future-oriented products made of steel—a resource-conserving material—ensure an optimal comfort level on the interior. Biophilic design principles can make a decisive contribution to greater motivation and less sick leave.

Advantages:

- + Healthy air humidity
- + Improved cognitive features
- + Purified air

Custom C+P green walls Implementation of various different customer projects



Looking for custom wall greening? No problem! Feel free to contact us! We can also design custom green walls tailored to your wishes and needs. Gain inspiration from existing customer projects.

The green wall is a true eye-catcher in light-flooded administrative buildings. A direct view of the yard also enhances the experience of nature on the interior.



Arrive and feel at ease—the bright reception counter, in combination with custom green walls, is especially inviting. Optimally integrated into the green wall, even the screen behind the counter is an attention-grabber.



<< Sparkasse Biedenkopf

Nature within a developed environment—the plants fit perfectly into this modern spatial concept. Shapes, colors and the interior form a design unit and lend the room its own character.





The new C+P color concept

For decades, C+P has made a name for itself with the motto "Show your colors." It's said that better is the enemy of good, so our **new color concept** not only features trendy and attractive colors for every environment, but greatly simplifies our **color surcharge system** as well. Most of the time you won't need it anyway, as we're now offering 144 colors and color combinations at no additional charge.

C+P color moods

and effects

Not everything in life has to be gray! This page includes examples of color moods you can compose with the C+P color pallet however you like. You can use it to create elegant, clean, harmonious or nature-oriented room atmospheres any way you wish.

Just this handful of examples shows how C+P makes steel as beautiful as it can be.



VIDAR



LUIN Energizing





















Pearl white **RAL 1013**

RAL 6019

White green Reseda green RAL 6011

RAL 6037

Pure green Anthracite gray RAL 7016

Architecture blue Gentian blue Anthracite gray Distant blue RAL 240 60 15 RAL 5010 **RAL 7016**

RAL 5023

Light gray **RAL 7035**

Color innovations for the furnishings of tomorrow







AMON Fortified





RAL 3000



RAL 1023



RAL 2004



RAL 3020



RAL 1015



RAL 7035



RAL 1015



RAL 000 50 00



RAL 7016



RAL 9005

Color concept

Color group 0

Body and front colors with no surcharge













Color group 1

Surcharge for bodies/No surcharge for fronts

Ruby red RAL 3003



Light pink

RAL 3015

Traffic red

RAL 3020

Fire red

RAL 3000

Expert paint work



No surcharge!

With the C+P color concept, 144 color combinations are available at no additional charge.

For body colors of color group 0, all front colors of the color concept are available with no surcharge.



Lots of color, not a lot of money.

For body colors of color group I, the additional charge for color is 15%.

This enables you to make exciting worlds of color a reality without putting too much strain on your budget.



Special colors? Absolutely!

Paint finishes in all RAL colors outside the C+P concept are also possible.

The color surcharge for this is 25% (minimum order: 5 lockers).

Subject to technical testing and availability.

Feel free to send us your requests.

C+P decor fronts

- + HPL (high-pressure laminate) is available with a classic wood look or in single colors.
- + HPL is scratch-proof, non-porous and impresses with its high stability.
- + The door is 100% moisture-resistant and features outstanding hygiene properties!
- + MDF (medium-density fiberboard) decors are also available.



Evolo PLUS Body: RAL 7016 anthracite gray Doors: Sereno oak



Evolo PLUS Body: RAL 7016 anthracite gray Doors: Natural silver spruce

Decor fronts (MDF)

With 18 mm black edging









Solid-core decor fronts (HPL)

With 13 mm black solid-core edge


















Important note:

All of the specified decors within a top type are available with no surcharge!

The birch gray VK 741 decor is similar to light gray.

The core of the HPL top is always black.

C+P office furniture decors

Add a special touch with wood decors. Whether it's classic maple, acacia or light gray or a more modern appearance with a concrete look or in diamond white, add some color to your office! Choose between DBS decors (melamine coated particle board) for the respective occasional cabinet and table ranges and HPL decors (high-pressure laminate) for optional solid-core top covers of the Asisto steel cabinets.

Important note:

All of the specified decors within a top type are available with no surcharge! The birch gray VK 741 decor is similar to light gray.



Decors (DBS)

With 25 mm edge band













Synchro decor tops (DBS)

With 25 mm edge band, only for tabletops of the Asisto sit/stand tables






Syncro decor

Is it real wood or a decor?

Synchro decors with light/dark oak impress with their incredible look and feel. The surface texture matches the grain, giving the impression of real oak. It not only looks real, but feels real, too!

Solid-core top covers (HPL)

With 13 mm black solid-core edge















Changing room & wardrobe

C+P is the market leader in steel changing room systems and lockers. What's your furnishing task? C+P has the right solution for every application!

With innovative ideas like modern ventilation concepts and trendsetting locking systems, C+P sets new standards again and again.

Changing room and wardrobe



60

Lockers Classic PLUS



98

Lockers Evolo PLUS



192

Assembled box lockers Intro/Resisto



220

stackable benches, benches and benches with coat rack Basic and Comfort



166

Lockers Cambio



232

Wall-mounted and free-standing wardrobes, open wardrobes and assembled box lockers



186

Lockers Prefino



242

Industry-specific and custom solutions

Versatile and practical

Steel lockers.



Classic PLUS

The classic locker with an industrial design

- + Complete range with steel doors
- Break-in-resistant design as per class B according to DIN 4547-2
- + 661 models are available in this series
- + 2 compartment widths, 5 different box heights
- + Reinforced doors with ventilation gills and stamped-in label holders
- Safety turning bolt for padlock (assembled box lockers with smooth doors and cylinder lock)
- + Compartment bottom can be swept out easily

Available floor-standing, with feet, base or bench



Evolo PLUS

The advanced locker with serious added value

- + Comprehensive range with steel doors, MDF or HPL
- Especially break in-resistant design as per class C according to DIN 4547-2
- + 708 models are available in this series
- + Level adjustment for all sub-frames as standard
- + 2 compartment widths, 6 different box heights
- Reinforced doors with designer ventilation hole pattern and matching Comfort label holder, decor doors also available
- + Safety turning bolt for padlock (assembled box lockers with smooth doors and cylinder lock)
- + 90° door opening limiter as standard
- + Wide variety of interior fitting solutions for any requirement

Available floor-standing, with feet, base or bench and in other versions, e.g. with built-in storage box

	Locker heights ands	Compathent withs	Floor-standing	locker with feet	Locker with base	sub tame bench	storage bot	Corrosion protect	tion. Conosion protection via Conosion protection via tinc-plated components
Classic PLUS	1530 1700 1850	250 300 400	•	•	•	•	_	_	•
Evolo PLUS	1530 1700 1850	300 400	•	•	•	•	•	_	•
Cambio	1850	300 400	_	•	•	•	_	•	










Cambio

The elegant locker with overlay doors

- + Comprehensive range with steel doors (optionally double-walled) or HPL
- + Especially break in-resistant design as per class C according to DIN 4547-2
- + Body, base and steel doors electrolytically zinc-plated as standard
- + Standard ventilation using the SVL concept® (self-ventilation), optionally available with the FVL (forced ventilation) and FVLD concept (forced ventilation with dryer)
- + Level adjustment for all sub-frames as standard
- + 2 compartment widths, 6 different box heights
- + Smooth steel fronts (single-walled, optionally double-walled and insulated) or optional HPL with wood decor for an even more attractive look
- + Cylinder lock with 2 keys for each door
- + 90° door opening limiter as standard
- + Wide variety of interior fitting solutions for any requirement

Available with feet or base, as well as with spacious storage box or bench on request





Versatility, security and utility

The new Classic PLUS.

This model shows that the classics don't just ride the retro wave, but can reinvent themselves, too. It's predecessor, the C + P Classic, is known by many as a secure storage location for personal and valuable items at companies, schools and museums, for example, and this hasn't changed. What is different is the fresh design and variety of combination options and details—some of which are immediately apparent, and others only later on. We think its true utility is also expressed by the fact that it's subjected to the test bench and dynamically adapted to new conditions again and again.








Classic ventilation gills with stamped-in label holder



Anti-rotation and high-loadcapacity double sliding hooks with special mounting, e.g. for hangers or retrofitted partitions



Safety turning bolt latch for padlock (turns while locked, thereby preventing break-in through over-turning), incl. door protection



- + Sturdy steel construction with high-quality enamel coating
- + Bottom and locker floor generally zinc-plated for increased corrosion protection
- + Break-in-resistant design as per class B according to DIN 4547
- + 2 compartment widths, 5 different box heights
- Reinforced doors, hinged on the right, with doorstop silencer, ventilation gills and label holder, as well as safety turning bolt latch for padlock (assembled box lockers with smooth doors and cylinder lock)
- + Single-tier lockers: Inside each compartment: 1 nonadjustable storage shelf with sturdy changing room rail below with 3 anti-rotation double sliding hooks (load capacity per rail: 40 kg, per double hook: 15 kg)
- + Double-tier lockers: Inside each box: 1 sturdy changing room rail with 3 anti-rotation double sliding hooks
- + Compartment bottom can be swept out easily
- + Slim lateral edges for a homogeneous look when lined up next to one another without doubling at the locker joints
- + Additional ventilation thanks to ventilation openings in compartment bottom and top as self-ventilation concept through structurally optimized air flow behavior

Available floor-standing, with feet, base or bench

- Plastic feet, base featuring increased corrosion protection, both for body RAL 7035 in light gray, otherwise in black gray
- + Optional level adjustment for floor-standing, feet or base
- 420 mm-high bench frame made of square tubing in black gray, with 10 mm level adjustment, bench slats made of 60 x 25 mm beech, rounded on all sides, coated with clear varnish with natural color variations
- + 450 mm seat height, 315 mm seat depth
- + Bench and locker separate for easy DIY assembly






Classic PLUS

Lockers with full-length door.







Order no. 080010-20



Order no. 080020-22

Dimensions and design

With safety turning bolt Clear opening dimensions per door: 1,749 x 240/340 x 477 (H x W x D)





Floor-standing

Locker height: 1,850 Locker depth: 500 Compartments

Locker width

Order no.

Price

1x300 300 080000-10 272,- 2 x 300 600 080000-20 3 x 300 900 080000-30 490,-

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100 Compartments

Order no.

Price

1x300

300 080010-10

312,-

2x300

363,-

080010-20

403,-

600

3 x 300

900 080010-30

530,-

With base

Locker height: 1,950 Locker depth: 500 Base height: 100 Compartments

Locker width
Order no.

Price

1x300

300

335,-

080020-10

2 x 300

080020-20

434,-

600


3x300

900 080020-30

571,-



Slim lateral edges for a homogeneous look when lined up next to one another without doubling at the locker joints





(+) Accessories (optional)

Selection \rightarrow p. 94

Classic PLUS

Lockers with partition.

Space-saving solution for the separation of street and work clothing

Inside each compartment: 1 non-adjustable storage shelf, fixed steel partition below and sturdy changing room rail with anti-rotation double sliding hooks.



Order no. 080000-22F




Order no. 080010-22F



Order no. 080020-22F

Dimensions and design

With safety turning bolt Clear opening dimensions per door: 1,749 x 340 x 477 (H x W x D)



Locker height: 1,850 Locker depth: 500

Compartments
Locker width
Order no.

Price

			l
			l
•			l
			l
	Ш		

1x400 400 080000-12F 387,-

2×400 800 080000-22F 537,- . . .

3×400 1200 080000-32F 734,-

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100 Compartments
Locker width

Order no.

1x400 400 080010-12F

427,-

2×400 800

080010-22F 577,- 3 x 400 1200

080010-32F

774,-

With base

Locker height: 1,950 Locker depth: 500 Base height: 100 Compartments

Locker width
Order no.

Price

1x400

400 080020-12F

456,-

2 x 400

800 080020-22F

616,-

3x400

1200 080020-32F

827,-





Order no. 0800507-22F

Order no. 0800507-32F

Variant: Hardwood bench slats Dimensions and design

Locker height: 2,120 Seat height: 450 Seat depth: 315 Clear opening dimensions per door: 1,599 x 340 x 477 (H x W x D)

П		
.		
ш	ш	\vdash
П		





With bench	built
underneath	
the locker	

Locker depth, incl. bench: 815

Compartments
Locker width

Order no.

Price

	1	_	1	
	1	ı	ı	
			1	

1x400 400

0800507-12F

583,-

	ı

2 x 400 800 0800507-22F

798,-

3 x 400 1200

0800507-32F

1.087,-

Bench slats for models mentioned above made of beech hardwood as standard, rounded on all sides, coated with clear varnish with natural color variations. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm.

Locker and bench are delivered separately for easy DIY assembly.



Other locker variants with partition (e.g. compartment width of 300 mm, floating bench, plastic bench slats and lots more) available as standard—we're looking forward to receiving your request.



 $(+)\,$ Accessories (optional)

Selection \rightarrow p. 94

Classic PLUS

Lockers with bench.

Bench slats for models mentioned below made of beech hardwood as standard, rounded on all sides, coated with clear varnish with natural color variations. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm.

Locker and bench are delivered separately for easy DIY assembly.

Variant: Hardwood bench slats

Dimensions and design

Locker height: 2,120 Seat height: 450 Seat depth: 315 Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)



424,-





With bench built underneath the locker

Locker depth, incl. bench: 815

Compartments	
Locker width	

Order no.

Price

x300	
300	
0800507-10	

2 x 300 600

0800507-20 565,-

0800507-30



762,-







With floating bench

Locker depth, incl. bench: 815

Wall mounting required!

Compartments

Locker width

Order no.

Price

1x300 300

0800407-10 424,-

2 x 300 600

0800407-20 565,-

3x300 900

0800407-30 762,-





Flush with frame underneath

Locker depth, incl. frame: 500

Compartments Locker width

Order no.

Price

1x300 300

0800307-10 363,-

2x300 600

0800307-20 484,-

3 x 300 900 0800307-30

Optional

Clear height above shoe rack: 225

- + Order no. of shoe rack
- + Add. charge for shoe rack
- + 08050-70110

+ 45,-

- + 08050-70120
- + 60,-
- + 08050-70130
- + 75,-

653,-

(o) Body and door color

Color concept → p. 48







Order no. 0800407-30



Order no. 0800307-32 & 08050-70132



4x300







Compartments	
Locker width	

Order no.

Price



1200 0800507-40

988,-



400 0800507-12 550,-

2 x 400 800

0800507-22

734,-

3 x 400
1200
0800507-32
990,-









Locker width

Order no.

Price

4 x 300

1200

0800407-40

988,-

1x400

400

0800407-12

550,-

2 x 400

800 0800407-22

734,-

3 x 400

1200

0800407-32

990,-









Compartments

Locker width

Order no.

Price

4 x 300 1200

0800307-40

847,-

1x400 400

0800307-12

+ 08050-70112

472,-

2x400

800 0800307-22

629,-

'	ı
3 x 400)
1200	

+) Order no. of shoe rack

+ Add. charge for shoe rack

+ 08050-70140

+ 08050-70122

+ 90,-

+ 50,-

+ 70,-

+ 08050-70132 + 90,-

0800307-32

849,-



Selection \rightarrow p. 94

Classic PLUS

Lockers with bench.

Bench slats for models mentioned below made of plastic with zinc-plated steel core for optimum stability. Plastic bench slats are more hygienic and easier to clean. Standard color of the bench underframes is black gray RAL 7021. Locker and bench are delivered separately for easy DIY assembly. Absolute body height of lockers on bench or frame: 1,700 mm.



Order no. 0800507-30 & 08530-7035

Variant: Bench slats made of plastic Dimensions and design

Locker height: 2,120 Seat height: 450 Seat depth: 315 Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)



-9016 -7021

424,-





With bench built underneath the locker

Locker depth, incl. bench: 815

Compartments
Locker width
Order no.
0 1 6 11 1 1

Color no. for light gray Color no. for white

Color no. for black gray Price

7				

2x300 1x300 300 0800507-10 + 08510 0800507-20 + 08520 -7035

3 x 300 900 0800507-30 + 08530





565.-



762.-

With floating bench

Locker depth, incl. bench: 815

Wall mounting required!

Compartments
Locker width
Order no.
Color po for light gray

Color no. for light gray Color no. for white Color no. for black gray Price

1x300	2×300	3x300
300	600	900
0800407-10 + 08510	0800407-20 + 08520	0800407-30 + 08530
-7035		
-9016		
_7021		

-7021 424,-762,-565,-

Optional

Clear height above shoe rack: 225

- (+) Order no. of shoe rack
- + Add. charge for shoe rack
- + 08050-70110

+ 45,-


- + 08050-70120
- + 60,-
- + 08050-70130

+ 75,-

 (\rightarrow) Body and door color

Color concept → p. 48







Order no. 0800407-20 & 08520-7035



Order no. 0800507-32 & 08532-7021 & 08050-70132



4x300



1x400






Compartments
Locker width
Order no.
Color no. for light gray
Color no. for white
Color no. for black gray
Price

1200	400
0800507-40 + 08540	0800507-12 + 08512
-7035	
-9016	
-7021	
988,-	550,-

	2×400	3×400
	800	1200
+ 08512	0800507-22 + 08522	0800507-32 + 08532









734,-



Compartments	
Locker width	
Order no.	
Color no. for light gray	
Color no. for white	
Color no. for black gray	
Price	

4x300	1x400	2 x 400	3 x 400
1200	400	800	1200
0800407-40 + 08540	0800407-12 + 08512	0800407-22 + 08522	0800407-32 + 08532
-7035			
-9016			
-7021			
988,-	550,-	734,-	990,-

+	Order no. of shoe rack
IJ,	Add charge for shoe rack

+ 08050-70140	
	± 90 =

+ 08050-70112
+ 50,-

+ 08050-70122
+ 70,-

+ 08050-70132
+ 90,-

Selection \rightarrow p. 94

(+) Accessories (optional)

Classic PLUS

Lockers with pairs of doors closing in the middle.

For the joint locking of two compartments for use by one person, e.g. for the separate placement of street and work clothing. Bench slats made of beech hardwood as standard, approx. 60 x 25 mm profile, rounded on all sides, coated with clear varnish with natural color variations. Plastic bench slats available at no additional charge. Standard color for the bench underframe: black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm. Locker and bench are delivered separately for easy DIY assembly.

Dimensions and design

With safety turning bolt Clear opening dimensions per door: 1,749 x 240/340 x 477 (H x W x D) With frame: 1,599 x 240/340 x 477 (H x W x D)



2 x 300

600

080012-20 403,-



4 x 300

2

1200



2 x 400

800

472,-

080002-22

Floo	r-standing
	height: 1,850 depth: 500
With	feet
Locker	height: 1,950
Locker	depth: 500

For no. of persons
Locker width
Order no.
Price
Compartments
For no. of persons

Compartments

Locker width

Order no.

Price

600
080002-20
363,-
2x300

635,-
4×300
2
1200
080012-40
 675,-

080002-40

2x400
1
800
080012-22
512,-

With base


Foot height: 100

Locker height: 1,950 Locker depth: 500 Base height: 100

Compartments		
For no. of persons		
Locker width		
Order no.		
Price		

2)	x300
1	
60	00
08	80022-20
43	34

00	4x300
	2
	1200
)22-20	080022-40
-	728,-









2x400

Flush with frame underneath

Locker height: 2,120 Frame height: 420 Locker depth, incl. frame: 500

Compartments
For no. of persons
Locker width
Order no.

	2x300
	1
	600
	0800327-20
	484,-

4x300
2
1200
0800327-40
847,-

2x400
1
800
0800327-22
629,-

Optional

Clear height above shoe rack: 225

(+) Order no. of shoe rack

Price


- (+) Add. charge for shoe rack
- + 08050-70120 + 60,-
- + 08050-70140 + 90,-
- + 08050-70122

+ 70,-

(o) Body and door color

Color concept → p. 48







Order no. 080022-22



Order no. 0800527-20 & 08050-70120



Order no. 0800327-40 & 08050-70140

Variant: Hardwood bench slats Dimensions and design

Locker height: 2,120 Seat height: 450 Seat depth: 315

Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)







With bench built underneath the locker

Locker depth, incl. bench: 815

Compartments For no. of persons Locker width

Order no.

Price

2x300
1
600
0800527-20
565 -

4 x 300 2 1200 0800527-40 988,-

2 x 400 800 0800527-22 734,-







With floating bench

Locker depth, incl. bench: 815

Wall mounting required!

Compartments For no. of persons

Locker width

Order no.

Price

2 x 300 600 0800427-20

565,-

4 x 300 2 1200 0800427-40 2x400 1 800 0800427-22 734,-

Optional

Clear height above shoe rack: 225

- +) Order no. of shoe rack
- + Add. charge for shoe rack
- + 08050-70120
- + 60,-
- + 08050-70140
- + 90,-

988,-

- + 08050-70122
- + 70,-



Accessories (optional)

Selection \rightarrow p. 94





Order no. 0800527-20 & 08520-7035



Order no. 0800527-20 & 08520-9016



Order no. 0800427-20 & 08520-7035



Order no. 0800527-22 & 08522-7021 & 08050-70122

Variant: Bench slats made of plastic Dimensions and design

Locker height: 2,120 Seat height: 450 Seat depth: 315

Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)







With bench built underneath the locker

Locker depth, incl. bench: 815

Compartments
For no. of persons
Locker width
Order no.
Color no. for light gray
Color no. for white

ompartments
or no. of persons
ocker width
rder no.
olor no. for light gray
olor no. for white
olor no. for black gray
rice

2x300
1
600
0800527-20 + 08520
-7035
-9016

4x300
2
1200
0800527-40 + 08540

2x400
1
800
0800527-22 + 08522



-7021 565,-



988,-



734,-

With floating bench

Locker depth, incl. bench: 815

! Wall mounting required!

Compartments
For no. of persons
Locker width
Order no.

Color no. for light gray Color no. for white Color no. for black gray

2x300
1
600
0800427-20 + 0852
-7035
-9016

4x300
2
1200
0800427-40 + 08540

2 x 400	
1	
800	
0800427-22 + 08	522

Optional

Clear height above shoe rack: 225

(+) Order no. of shoe rack

Price

- (+) Add. charge for shoe rack
- + 08050-70120
- + 60,-

-7021


565,-

- + 08050-70140
- + 90,-

988,-

- + 08050-70122
- + 70,-

734,-




Color concept → p. 48





Selection \rightarrow p. 94







Multi-purpose lockers.

Doors closing in the middle with a joint turning bolt latch for padlock, shelves not adjustable.



Order no. 080600-20



Order no. 080100-02

Dimensions and design

With safety turning bolt Clear opening dimensions per door: 1,749 x 240/340 x 477 (H x W x D)



2x300

080600-20

600

434,-

2x300

080610-20

600

474,-







Floor-standing

Locker height: 1,850 Locker depth: 500

Variant Laundry locker

4 shelves on the left, storage shelf on the right with sturdy changing room rail with an oval profile and 3 anti-rotation sliding hooks

Compartments	
Locker width	

Compartments

Locker width

Order no.

Compartr Locker wi

Order no.

Price

Price

Order no.

Price

2x400 800 080600-22 543,-

Cleaning supply locker

Reduced-size partition, 4 compartments on the left, sturdy rail with an oval profile on the right with 3 anti-rotation sliding hooks.

2x300	2 x 400
600	800
080100-00	080100-02
121	E 12

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100

Variant Laundry locker

4 shelves on the left, storage shelf on the right with sturdy changing room rail with an oval profile and 3 anti-rotation sliding hooks

2 x 400 800 080610-22 583,-

2 x 400

800 080620-22

622,-

Cleaning supply locker

Reduced-size partition, 4 compartments on the left, sturdy rail with an oval profile on the right with 3 anti-rotation sliding hooks.

2x300	2 x 400
600	800
080110-00	080110-02
474,-	583,-

With base

Locker height: 1,950 Locker depth: 500 Base height: 100

Variant Laundry locker

4 shelves on the left, storage shelf on the right with sturdy changing room rail with an oval profile and 3 anti-rotation sliding hooks

	-	
ments	2×300	
dth	600	
	080620-20	_
	504 -	


Cleaning supply locker

Reduced-size partition, 4 compartments on the left, sturdy rail with an oval profile on the right with 3 anti-rotation sliding hooks.

2x300	2 x 400
600	800
080120-00	080120-02
504	622

(o) Body and door color







Order no. 080002-22B

Doors with a turning bolt latch for padlock, shelves not adjustable.









Variant

Compartments

Locker width

Order no.

Price

lookor	

Laundry locker With individually lockable doors (both hinged on the right) per compartment with 4 shelves

2x300

600 080000-20B

504,-

800 080000-22B

613,-

2 x 400

Laundry locker

With doors closing in the middle (same lock)

per compartment with 4 shelves 2x300

600

080002-20B

504,-

2x400

800

613,-

080002-22B

Variant

Laundry locker

With individually lockable doors (both hinged on the right)

Compartments

Locker width Order no.

Price

per compartment with 4 shelves

2x300

600 080010-20B

544,-

2x400 800

080010-22B

653,-

Laundry locker

With doors closing in the middle (same lock) per compartment with 4 shelves

2x300

600

080012-20B

544,-

800

2 x 400

080012-22B

653,-

Variant

Laundry locker

With individually lockable doors (both hinged on the right) per compartment with 4 shelves

Compartments

Locker width Order no.

Price

2x300 600

080020-20B

575,-

2 x 400 800

080020-22B

692,-

Laundry locker

With doors closing in the middle (same lock) per compartment with 4 shelves

2x300 600 080022-20B

575,-

2 x 400 800

080022-22B 692,-

Accessories (optional)



Double-tier lockers.

Lockers, double-tier, 2 compartments on top of one another, per compartment: 1 door, sturdy wardrobe rail with an oval profile and 3 anti-rotation sliding hooks, doors at the top and bottom with ventilation gills, stamped-in label holder and turning bolt latch for padlock. Bench slats made of beech hardwood as standard, approx. 60 x 25 mm profile, rounded on all sides, coated with clear varnish with natural color variations. Plastic bench slats available at no additional charge. Standard color for the bench underframe: black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm.







Order no. 080300-20

Order no. 080310-20

Order no. 080320-22

Dimensions and design

With safety turning bolt Clear opening dimensions per door: 854x240/340x477 (HxWxD)













Floor-standing

Locker height: 1,850 Locker depth: 500

Compartments
Locker width
Order no.
Price

1x300
300
080300-10
323,-



U	_
00-30	_

4 x 300 1x400 1200 400 080300-40 080300-12 837,-420,-

2x400 800 080300-22 603,-



834,-

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100

Compartments
Locker width
Order no.

Price

Price

dth	300
	080310-10
	363,-

1x300



3 x 300 900 080310-30 681,-

4 x 300	1x400
1200	400
080310-40	080310
877,-	460,-

	2 x 400
	800
12	080310

643,-

3 x 400 1200 080310-32 874,-

With base

Locker height: 1,950 Locker depth: 500 Base height: 100

Compartments
Locker width
Order no.

ments	1x300	2x300
width	300	600
0.	080320-10	080320-20
	386,-	534,-

3 x 300
900
080320-30
722

4×300	1
1200	4
080320-40	0
020	

1x400	2 x 400
400	800
080320-12	080320-
489	682

	3 x 40
	1200
-22	08032

-22

20-32 927,-

(
ightarrow) Body and door color

Color concept → p. 48



Order no. 0803507-20

Variant: Hardwood bench slats Dimensions and design

Locker height: 2,120 Seat height: 450 Seat depth: 315 Clear opening dimensions per door: 779x240/340x477 (HxWxD)













With bench	built
underneath	
the locker	

Locker depth, incl. bench: 815

Compartments	
Locker width	
Order no.	
D.:	

300 0803 474,-

1x300	
300	
0803507-10	
474,-	

2x300 3x300 600 900 0803507-20 0803507-30 665,-913,-



1x400 400 0803507-12 616,-

2x400 3x400 800 1200 0803507-22 865,-















With floating bench

Locker depth, incl. bench: 815

1	Wall	mounting	required	l:
1	Wall	mounting	require	C

Compartments	
Locker width	
Order no.	
Price	

nts	1x300	
lth	300	
	0803407-10	
	474	


	2x300	3 x 3
	600	900
	0803407-20	0803
_	665 -	012

	3x300		
	900		
)	0803407-30		
_	010		

4 x 300	1x400
1200	400
0803407-40	080340
1189 -	616 -

17.100	
400	
0803407-12	
616,-	

2 X 400	3 X 4 0 0
800	1200
0803407-22	0803407-32
865,-	1.187,-















Flush with frame underneath

Locker height: 2,120 Frame height: 420

Locker depth, incl. frame: 500

Compartments	
Locker width	
Order no.	
Drice	

1x300
300
0803307-10
413,-

2x300	
600	
0803307-20	
585 -	

	3x300	4 x 300
	900	1200
)	0803307-30	080330
	804,-	1.048,-

300	1x400
0	400
3307-40	0803307-12

	800
2	0803307-2
_	760

2x400

	3 x 400
	1200
22	0803307-32
	1045

Optional

Clear height above shoe rack: 225

+	Order no. of shoe rack

Order no.	+ 08050-
of shoe rack	70110
Additional charge for shoe rack	+ 45,-

)8050-	+ 08050-
110	70120
15,-	+ 60,-

+ 08050-	+ 080
70130	70140
+ 75 -	+ 90 -

50-	+ 08050- 70112
	+ 50,-

537,-

+ 08050- 70122	7
+ 70,-	+

+ 08050- 70132
+ 90,-

(+) Accessories (optional)







Order no. 0803407-32 & 08532-9016

Variant: Bench slats made of plastic

& 08530-7021

Dimensions and design Locker height: 2,120

Seat height: 450 Seat depth: 315

& 08520-7035

Clear opening dimensions per door: 779 x 240/340 x 477 (H x W x D)



1x300

300

-9016 -7021

474,-











2 x 400



With bench
built under-
neath

Locker depth incl. bench: 815



Locker width
Order no.

Compartments









2 x 300



3 x 300 900 0803507-30 + 08530

1200 0803507-40 + 08540

4 x 300

400 0803507-12 + 08512

1x400

800

1200

3 x 400

0803507-32 + 0803507-22 + 08522 08532

Price

Color n	o. for	white	
0-1	£ _		

110.	101	v v i i	ito	
o. fc	or bla	ack	gray	



665,-

913,-

1.189,-

616,-

865,-

1.187,-



1x300

0803407-10 +

300

08510

-7035 -9016

-7021 474,-













With floating bench

Locker depth incl. bench: 815

	Compartments
	Locker width
	Order no.
	Color no. for light
_	

Color no. for white

Color no. for black gray

2x300
600

0803407-20 + 08520

900 08530

913,-

3 x 300 4 x 300 0803407-30 +

1200 0803407-40 + 08540

1x400 400 0803407-12 +

616,-

08512

2 x 400 3x400 800 0803407-22 + 08522

1200 0803407-32 + 08532

Wall mounting required!





+ 08050-70110 + Add. charge f. shoe rack + 45,-

+ 08050-70120 + 60,-

665,-

+ 08050-70130 + 75,-

+ 08050-70140 + 90,-

1.189,-

+ 08050-70112 + 50,-

+ 08050-70122 + 70,-

865,-

+ 08050-70132 + 90,-

1.187,-

Clear height above shoe rack: 225















Assembled box lockers.

Doors are single-walled, smooth, without ventilation gills and without label holders (if required, please order additional plastic label holders).

400 mm compartment width also suitable for motorcycle helmets. Each door features cylinder lock and 2 keys. The bottoms of the boxes are generally finished in the body color. For publicly accessible boxes, we recommend door opening limiters.









Order no. 080010-223

Variant: 3 box tiers Dimensions and design

With cylinder lock and 2 keys Clear opening dimensions per box: 562x240/340x477 (HxWxD)



1x300





Floor-standing

Locker height: 1,850 Locker depth: 500 Compartments
Boxes
Locker width
Order no.

Price

Price

1x 300 3 300 080000-103 353,- 2 x 300 6 600 080000-203 525,- 3 x 300 9 900 080000-303 732,-

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100 Compartments
Boxes
Locker width
Order no.

3 300 080010-103 393,- 2×300 6 600 080010-203 565,- 3×300 9 900 080010-303 772,-

With base

Locker height: 1,950 Locker depth: 500 Base height: 100 Compartments

Boxes
Locker width
Order no.
Price

1x300 3 300

080020-103

416,-

2x300 6 600 080020-203

595,-

3×300 9 900 080020-303 813,-

Body and door color





Order no. 080020-203

Order no. 080020-323

	· · · · · · · · · · · · · · · · · · ·	· ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Compartments	4×300	1x400	2×400	3×400
Boxes	12	3	6	9
Locker width	1200	400	800	1200
Order no.	080000-403	080000-123	080000-223	080000-323
Price	958,-	459,-	682,-	951,-
Compartments	4×300	1x400	2×400	3×400
Boxes	12	3	6	9
Locker width	1200	400	800	1200
Order no.	080010-403	080010-123	080010-223	080010-323
Price	998,-	499,-	722,-	991,-
Compartments	4×300	1x400	2 x 400	3 x 400
Boxes	12	3	6	9
Locker width	1200	400	800	1200
Order no.	080020-403	080020-123	080020-223	080020-323
Price	1.051,-	529,-	761,-	1.044,-



(+) Accessories (optional)

Assembled box lockers.

Doors are single-walled, smooth, without ventilation gills and without label holders (if required, please order additional plastic label holders).

400 mm compartment width also suitable for motorcycle helmets. Each door features cylinder lock and 2 keys. The bottoms of the boxes are generally finished in the body color. For publicly accessible boxes, we recommend door opening limiters.





Order no. 080000-204



Order no. 080010-224

Variant: 4 box tiers Dimensions and design

With cylinder lock and 2 keys Clear opening dimensions per box: 415 x 240/340 x 477 (HxWxD)







Floor-	-stan	ding
1 1001	Stan	uilig

Locker height: 1,850 Locker depth: 500 Compartments
Boxes
Locker width
Order no.

Price

Order no.

Price

1x300 4 300 080000-104 394,-

1x300

2 x 300 8 600 080000-204 605,- 3×300 12 900 080000-304 853,-

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100 Compartments
Boxes
Locker width

4 300 080010-104 434,- 2 x 300 8 600 080010-204 645,- 3×300 12 900 080010-304 893,-

With base

Locker height: 1,950 Locker depth: 500 Base height: 100 Compartments

Locker width
Order no.
Price

1x300 4 300

080020-104

456,-

2×300 8 600 080020-204

675,-

3×300 12 900 080020-304 934,-

Body and door color







Order no. 080020-324

	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Compartments	4×300	1x 400	2×400	3×400
Boxes	16	4	8	12
Locker width	1200	400	800	1200
Order no.	080000-404	080000-124	080000-224	080000-324
Price	1.119,-	511,-	786,-	1.109,-
Compartments	4x300	1x400	2×400	3×400
Boxes	16	4	8	12
Locker width	1200	400	800	1200
Order no.	080010-404	080010-124	080010-224	080010-324
Price	1.159,-	551,-	826,-	1.149,-
Compartments	4×300	1x400	2×400	3×400
Boxes	16	4	8	12
Locker width	1200	400	800	1200
Order no.	080020-404	080020-124	080020-224	080020-324
Price	1.212,-		865,-	1.202,-

(+) Accessories (optional)

Assembled box lockers.

Doors are single-walled, smooth, without ventilation gills and without label holders (if required, please order additional plastic label holders).

400 mm compartment width also suitable for motorcycle helmets. Each door features cylinder lock and 2 keys. The bottoms of the boxes are generally finished in the body color. For publicly accessible boxes, we recommend door opening limiters.









Order no. 080010-225

Variant: 5 box tiers Dimensions and design

With cylinder lock and 2 keys Clear opening dimensions per box: 328x240/340x477 (HxWxD)





686,-



Floor-standing

Locker height: 1,850 Locker depth: 500

Compartments Boxes Locker width Order no.

Price

Boxes

Price

Price

Order no.

5 300 080000-105 434,-

1x300

2x300 10 080000-205

3x300 15 900 080000-305 974,-

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100

Compartments Locker width

1x300 5 300 080010-105 474,-

2x300 10 600 080010-205 726,-

3 x 300 15 900 080010-305 1.014,-

With base

Locker height: 1,950 Locker depth: 500 Base height: 100

Compartments

Boxes Locker width Order no.

1x300 5

300 080020-105 497,-


2x300

10 600 080020-205 756,-

3x300 15 900 080020-305 1.055,-

(
ightarrow) Body and door color







Order no. 080020-325

	· · · · · · · · · · · · · · · · · · ·			
Compartments	4×300	1x400	2×400	3x400
Boxes	20	<u> </u>	10	15
Locker width	1200	400	800	1200
Order no.	080000-405	080000-125	080000-225	080000-325
Price	1.280,-	564,-	891,-	1.266,-
Compartments	4×300	1x 400	2×400	3 x 400
Boxes	20	5	10	15
Locker width	1200	400	800	1200
Order no.	080010-405	080010-125	080010-225	080010-325
Price	1.320,-	604,-	931,-	1.306,-
Compartments	4×300	1x400	2×400	3×400
Boxes	20	5	10	15
Locker width	1200	400	800	1200
Order no.	080020-405	080020-125	080020-225	080020-325
Price		633,-	970,-	1.359,-

(+) Accessories (optional)






Top lockers.

The practical and space-saving solution for when more storage space is required. Doors are single-walled, smooth, without ventilation gills and without label holders (if required, please order additional plastic label holders). 400 mm compartment width also suitable for motorcycle helmets.









Order no. 080090-32 Order no. 080000-32

Dimensions and design

Top locker above:

Base locker below:

With turning bolt latch Clear opening dimensions per door: 429x240/340x477 (HxWxD)

With doors
hinged on the right
11 b -: -b+. FOO

Locker height: 500 Locker depth: 500

Compartments Locker width

Order no. Price

 \cdot 1x300

300 080090-10

2x300

. .

600 080090-20

283,-

3x300 900 080090-30

.

381,-

. . .

With doors closing in the middle

Locker height: 500 Locker depth: 500

Compartments Locker width

Order no.

Price

2x300

212,-

600 080092-20 283,-

4 x 300

. .

1200 080092-40

494,-

2x400 800

080092-22

367,-

 (\rightarrow) Body and door color



Order no. 080092-20 Order no. 080002-20



Order no. 080092-40 Order no. 080002-40

	$\overline{\cdot \cdot \cdot \cdot \cdot \cdot}$		\Box	• • •
Compartments	4×300	1x400	2×400	3×400
Locker width	1200	400	800	1200
Order no.	080090-40	080090-12	080090-22	080090-32
Price	494,-	275,-	367,-	495,-





Z lockers.

Z lockers only require the space of a double-tier locker, but offer hanging room for long items of clothing. No risk of collisions at the doors thanks to appropriate positioning of the lock.

Per compartment: 1 door, top and bottom storage shelves, sturdy changing room rail with an oval profile and 3 anti-rotation sliding hooks.

Doors above and below feature ventilation gills, punched-in label holder and turning bolt latch for padlock.

Clear opening width of the narrow area

(comp. wid.: 300/400 mm): Left door: 123/173 mm Right door: 109/159 mm



Order no. 080003-204



Order no. 080013-204

Dimensions and design

With safety turning bolt Clear opening dimensions per door: 1,293 x 240/340 x 477 (HxWxD)







Floor-standing

Locker height: 1,850 Locker depth: 500 Compartments

Locker width

Order no.

Price

1x300

300 080003-102 2×300 600

847,-

080003-204

3 x 300

1.216,-

900 080003-306

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100 Compartments

Locker width
Order no.

Price

1x300

515,-

300

080013-102 555,- 080013-204 887,-

2x300

600

3x300 900

080013-306

1.256,-

With base

Locker height: 1,950 Locker depth: 500 Base height: 100 Compartments

Locker width

Order no.

Price

1x300

300

080023-102

578,-

2x300

080023-204

918,-

600

3×300

900

1.297,-





Order no. 080023-204

Order no. 080023-326









Compartments
Locker width
Order no.
Price

4x300
1200
080003-408
1.602,-

1x400
400
080003-122
669,-

2x400
800
080003-224
1.101,-

3 x 400
1200
080003-326
1.580,-

Locker width
Order no.
Price

Compartments

4 x 300	
1200	
080013-4	08
1.642,-	

1x400	
400	
080013-122	
709,-	

2x400
800
080013-224
1.141,-

3x400
1200
080013-326
1.620,-

Compartments
Locker width
Order no.
Drico

4×300
1200
080023-408
1.695,-

1x400	2 x 400
400	800
080023-122	080023-224
739,-	1.180,-

	3x400
	1200
	080023-326
	1.673,-



(+) Accessories (optional)


Z lockers with bench.

Bench slats for models mentioned below made of beech hardwood as standard, rounded on all sides, coated with clear varnish with natural color variations. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm.

Locker and bench are delivered separately for easy DIY assembly.

Variant: Hardwood bench slats Dimensions and design

Locker height: 2,120 Seat height: 450 Seat depth: 315









With bench built underneath the locker

Locker depth, incl. bench: 815

Compartments	
Locker width	

Order no

Price



665,-

2 x 300

600 0800537-204

1.048.-

3x300 900

0800537-306

1.487,-







With floating bench

Locker depth, incl. bench: 815

Wall mounting required!

Compartments

Locker width Order no.

Price

1x300

300 0800437-102

665,-

2x300

600

0800437-204

1.048,-

3x300

900

0800437-306

1.487,-

Flush with frame underneath

Locker depth, incl. frame: 500

Compartments Locker width

Order no.

Price

1x300

300

0800337-102

605,-

2x300 600

968,-

0800337-204

3 x 300 900 0800337-306 1.378,-

Optional

Clear height above shoe rack: 225

(+) Order no. of shoe rack

+) Add. charge for shoe rack

+ 08050-70110

+ 45,-

+ 08050-70120

+ 60,-

+ 08050-70130

+ 75,-

(o) Body and door color

Color concept → p. 48







Order no. 0800437-306



Order no. 0800337-326 & 08050-70132









Com	partr	nents

Locker width

Order no.

Price

4 x 300

0800537-408

1.955,-

1200



1x400

400

0800537-122

865,-



2x400

800

0800537-224

1.362,-



3 x 400

1200

1.933,-

0800537-326



Compartments

Locker width

Order no.

Price

4 x 300

1200

0800437-408

1.955,-

1x400

400

0800437-122

865,-

2x400 800

0800437-224

1.362,-

3 x 400

1200

0800437-326

1.933,-









Compartments

Locker width

Order no.

Price

4 x 300 1200

0800337-408

+ 08050-70140

1.814,-

1x400 400

0800337-122

786,-

2x400

0800337-224

1.258,-

800

3 x 400 1200

0800337-326

1.792,-

+) Order no. of shoe rack

+ Add. charge for shoe rack

+ 90,-

+ 08050-70112

+ 50,-

+ 08050-70122

+ 70,-

+ 08050-70132

+ 90,-





Z lockers with bench.

Bench slats for models mentioned below made of plastic with zinc-plated steel core for optimum stability. Plastic bench slats are more hygienic and easier to clean. Standard color of the bench underframes is black gray RAL 7021. Locker and bench are delivered separately for easy DIY assembly. Absolute body height of lockers on bench or frame: 1,700 mm.



Order no. 0800537-306 & 08530-7035

Variant: Bench slats made of plastic Dimensions and design

Locker height: 2,120 Seat height: 450 Seat depth: 315 Clear opening dimensions per door: 1,218 x 240/340 x 477 (H x W x D)







3x300

With bench built underneath the locker

Locker depth, incl. bench: 815

Compartments 1x300

Locker width Order no.

Color no. for light gray

Color no. for white Color no. for black gray Price

300 0800537-102 + 08510 -7035

2x300 600 0800537-204 + 08520

900 0800537-306 + 08530

1.048,-

1.487,-



-9010

-7021

665,-

+ 45,-

-9010

-7021

665,-





With floating bench

Locker depth, incl. bench: 815

Wall mounting required!

Compartments Locker width

Order no.

Color no. for light gray Color no. for white

Color no. for black gray Price

1x300 300

0800437-102 + 08510 -7035

2x300 600 0800437-204 + 08520

3x300 900 0800437-306 + 08530

1.048,-1.487,-

Optional

Clear height above shoe rack: 225

- (+) Order no. of shoe rack
- + Add. charge f. shoe rack
- + 08050-70110
- + 08050-70120
 - + 60,-
- + 08050-70130

+ 75,-

Body and door color

Color concept → p. 48







Order no. 0800537-306 & 08530-9010

Order no. 0800437-204 & 08520-7035

Order no. 0800537-326 & 08532-7021 & 08050-70132









Compartments	4 x 300	1x400	2 x 400	3 x 400
Locker width	1200	400	800	1200
Order no.	0800537-408 + 08540	0800537-122 + 08512	0800537-224 + 08522	0800537-326 + 08532
Color no. for light gray	-7035			
Color no. for white	-9010			
Color no. for black gray	-7021			
Price	1.955,-	865,-	1.362,-	1.933,-

Compartments	4 x 300	1x400	2×400	3 x 400
Locker width	1200	400	800	1200
Order no.	0800437-408 + 08540	0800437-122 + 08512	0800437-224 + 08522	0800437-326 + 08532
Color no. for light gray	-7035			
Color no. for white	-9010			
Color no. for black gray	-7021			
Price	1.955,-	865,-	1.362,-	1.933,-

- + Order no. of shoe rack
- + 08050-70140
 - + 50,-
- + 08050-70122
- - + 90,-

- + 90,-

- + 08050-70132

- + Add. charge f. shoe rack

+ 08050-70112

- + 70,-

(+) Accessories (optional)

Accessories.

Wet room version

		g lockers and lockers w trolytically zinc-plated ar		
Number of compartments	1	2	3	4
Order no.	08000-201	08000-202	08000-203	08000-204
Price	40,-		120,-	160,-
	For lockers with Entire locker and	frame/bench frame electrolytically zin	c-plated and enamel coa	ated
Number of compartments	1	2	3	4
Order no.	08000-211	08000-212	08000-213	08000-214
Price	60,-	120,-	180,-	240,-



Sloping top

	230 mm hig	h in the rear, c	comprised of sl	oping top sec	tion and side p	panels, can be	retrofitted
Number of compartments	1		2		3		4
Compartment width	300	400	300	400	300	400	300
Order no.	08504-10	08504-12	08504-20	08504-22	08504-30	08504-32	08504-40
Price	78,-	93,-	95,-	116,-	120,-	148,-	148,-



Support for wall mounting

		angled rail (wall rear panel as sta				
For locker width	300	400	600	800	900	1200
Order no.	08000-34030	08000-34040	08000-34060	08000-34080	08000-34090	08000-34120
Price	26,-	28,-	32,-	37,-	39,-	45,-

10,-



Door versions





	No ventilation gills, no stamped-in label holder, additional charge per door				
	Single-tier doors	Double-tier doors			
Order no.	08001-303	08001-303D			

10,-

Hole pattern with 8 mm round holes as per DIN 4547, no stamped-in label holder, additional charge per door			
Single-tier doors	Double-tier doors		
08001-308	08001-308D		
20,-	20,-		

Price





d	es	ig	ns

Door

		Doors with square holes Hole pattern with 23 mm square holes, for looking into the locker, no stamped-in label holder		Door opening limiter Made of steel cable, for 90° opening angle
	Single-tier doors	Double-tier doors	Incl. label	Per door
Order no.		-	08500-15	08505-02
Price	Project-specific on request	Project-specific on request	6,-	18,-



Order no.

Price










Glass mirror, small With tape strips, for attachment by customer
H 110 x B 90

With tape strips, for attachment by customer	Polished, w for attachm by custome	
H 110×B 90	H 200 x B 1	
00018-00	00019-00	
7,-	18,-	

Metal mirror, large Polished, with tape strips, for attachment by customer
H 200xB 115
00019-00
18,-



15,-

Towel hanger Metal, for attachment on the door inside Comp. wid.

Comp. wid. 400 300 04900-770 04900-772 22,-34,-

Additional equipment







	Partition below the storage shelf Made of translucent plastic, can be retrofitted
	H 1,210 x D 300
Order no.	04900-705
Price	55,-

пагиwo	od, pain	ted black
With sp	ecial mo	unting
08000-	061	
9,-		

Standard hanger

Drying hanger Made of plastic, black, no pant clips
With special mounting
08078-715
29,-
۲,

212
4

Drying hanger				
Made of plastic, black,				
with pant clips				

With special mounting 08078-716 34,-

Accessories.

Additional equipment









	Plastic shoe tray With spacers for maintaining rear compartment ventilation		Flush-mounted base Otherwise recessed at the front as standard	Level adjustment For floor-standing lockers	Level adjustment For lockers with feet or base
	Comp. wid. 300	Comp. wid. 400	Per locker	Per locker	Per locker
Order no.	08000-7072	08000-7073	08000-8020	08000-261	08000-26
Price	14,-	15,-	20,-	21,-	21,-





Shoe shelf

	Additional lower shelf or cover in compartment. Permanently mounted, cannot be retrofitted				Additional lower shelf or cover in compartment. With grid bars for subsequent installation	
Installation height	250		300		Adjustable using grid bar: 200, 250, 300 or 350	
For compartment width	300	400	300	400	300	400
Order no.	08000-80250	08002-80250	-		08000-80	08002-80
Price per compartment	24,-	28,-	Project-sp	pecific on request	65,-	69,-



263

	Number plate (for cylin lock area, self-adhes loose for easy attachments	ive, H 79 x W 45 mm,	Stainless steel number plate, small Free positioning, self-adhesive, H 30 x W 50 mm, loose for easy attachment	
	Made of plastic	Made of stainless steel	Made of stainless steel	
Order no.	08502-0611	08501-0611	08501-06	
Price	8,-	19,-	21,-	

Door protection with number plate





	Door protection (for cylinder locks only) Suitable for holding number plate model 04900-744, loose for easy attachment	Number plate For easy attachment above the door protection (please specify desired 3-digit number!), can only be used with door protection model 04900-742
	Made of plastic	Made of plastic
Order no.	04900-742	04900-744
Price	5,-	3,-



Locker connectors



Side locker connection (1 set for 2 lockers), for the connection of 2 lockers to one another

Order no.	4500-715
Price	4 -

Sophistication, high value and presence

The new Evolo PLUS.

This version—elevated to the next level both technically and visually—is the re-molded flagship of all our models. In environments where maximum precision and cleanliness are indispensable, it's totally in its element—laboratories, clinics, research institutes and hightech forges, to name a few examples. Its entire appearance is smooth, hygienic and easy to clean—both outside and inside, too. It shows its astonishing technical feats effortlessly and with refined understatement. It's optimally networked and grows to meet its tasks—it loves new challenges.







Evolo PLUS designer hole pattern ventilation with Comfort label holders



Anti-rotation and high-loadcapacity double sliding hooks with special mounting, e.g. for coat hangers or retrofitted



The SAFE-O-TRONIC LS 400 lock is shown here. This series enables a total of 58 different locking variants.

Unbeatable plus points

- + Sturdy steel construction with high-quality enamel coating
- Especially break-in-resistant design as per class C according to DIN 4547
- + 2 compartment widths, 6 different box heights
- Special cover profile on the side in the body for easy removal of clothing, extremely easy interior cleaning and for covered cable ducts, e.g. for locking systems
- Reinforced doors, hinged on the right, with doorstop silencer, designer ventilation hole pattern and matching Comfort label holder, as well as safety turning bolt latch for padlock (assembled box lockers with smooth doors and cylinder lock)
- + 90° door opening limiter as standard
- + Optionally available with decor doors in MDF or HPL
- Single-tier lockers: Inside each compartment: 1 non-adjustable storage shelf, sturdy changing room rail with 3 anti-rotation double sliding hooks below
- + Double-tier lockers: Inside each box: 1 sturdy changing room rail with 3 anti-rotation double sliding hooks
- + Compartment bottoms can be swept out easily
- + Wide variety of interior fitting solutions for any requirement

Available floor-standing, with feet, base or bench and in other versions, e.g. with built-in storage box

- Plastic feet, base featuring increased corrosion protection, both for body RAL 7035 in light gray, otherwise in black gray
- + Standard level adjustment for floor-standing, feet or base
- + 420 mm-high bench frame made of square tubing in black gray, with 10 mm level adjustment, bench slats made of 60 x 25 mm beech, rounded on all sides, coated with clear varnish with natural color variations
- + 450 mm seat height, 315 mm seat depth
- + Bench and locker separate for easy assembly

Available as of 10/1/23













Double-tier lockers → p. 126



Assembled box lockers → p. 134




Z lockers → p. 146

Evolo PLUS

Lockers with full-length door.







Order no. 049010-20



Order no. 049020-20 & 08500-7940R



Order no. 049020-22 & 049122-730

Dimensions and version

With safety turning bolt Clear opening dimensions per door: 1,749 x 240/340 x 477 (H x W x D)







Floor-standing

Locker height: 1,850 Locker depth: 500

Compartments
Locker width
Order no.
Price

1x300	
300	
049000-10	
313,-	

2 x	300
60	0
04	9000-20
418	3,-

3x300
900
049000-30
563

With feet

Locker height: 1950, Locker depth: 500 Foot height: 100

	Compartments
	Locker width
	Order no.
	Price

1x300
300
049010-10
362,-

2x300
600
049010-20
467,-

3 x 300
900
049010-30
612,-

With base

Locker height: 1,950 Locker depth: 500 Foot height: 100

Compartments
Locker width
Order no.

1x300
300
049020-10
384,-

2x300	
600	
049020-20	
496,-	

3x300
900
049020-30
653 -

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13


(+) Order no. of MDF decor doors Addtl. charge for MDF decor doors

Price

- +) Order no. of HPL decor doors Addtl. charge for HPL decor doors
- + 049110-750 + 83,-
- + 049110-730 + 133,-
- + 049120-750
- + 166,-+ 049120-730
- + 266,-
- + 049130-750
- + 249,-
- + 049130-730
- + 399,-

(→) Body and door color & decors







(+) Accessories (optional)

Evolo PLUS

Lockers with bench.

Bench slats for models mentioned below made of beech hardwood as standard, rounded on all sides, coated with clear varnish with natural color variations. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm. Locker and bench are delivered separately for easy assembly.

Variant: Hardwood bench slats

Dimensions and version

Locker height: 2,120 Seat height: 450 Seat depth: 315

Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)







With bench built underneath the locker

Locker depth, incl. bench: 815

Compartments
Locker width
Order no.

Price

1x300
300
0490507-10

464,-

2 x 300

600 0490507-20

619,-

3x300

900 0490507-30

835,-



Locker depth, incl. bench: 815

Compartments Locker width

Order no.

Price

1x300

300 0490407-10

464,-

2 x 300


600 0490407-20

619,-

3x300 900

0490407-30

835,-









Flush with frame underneath

Locker depth, incl. bench: 500

Compartments

Locker width

Order no.

Price

1x300

300

0490307-10 404,-

2 x 300 600

0490307-20

538,-

3 x 300

900

0490307-30

727,-

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13 Clear height above shoe rack: 225 (+) Order no. of MDF decor doors

Addtl. charge for MDF decor doors Order no. of HPL decor doors

Addtl. charge for HPL decor doors

(+) Order no. of shoe rack Additional charge for shoe rack + 049110-750

+ 83.-

+ 049110-730

+ 133 -

+ 08050-70110

+ 45,-

+ 049120-750

+ 166,-

+ 049120-730

+ 266 -

+ 08050-70120

+ 60,-

+ 049130-750

+ 249,-

+ 049130-730

+ 399,-

+ 08050-70130

+ 75,-

(
ightarrow) Body and door color & decors

Color and decor concept → p. 48

Changing room & wardrobe | Steel lockers | Evolo PLUS | With bench



Order no. 0490507-20 Order no. 0490407-30 & 08500-7721R & 08050-70130



Order no. 0490307-40 & 00008-70R



Order no. 0490307-32 & 049132-730 & 08050-70132












Compartments
Locker width
Order no.
Price

	4x300
	1200
	0490507-40
	1.083,-















Compartments
Locker width
Order no.
Price

4 x 300	
1200	
0490407-40	
1.083,-	

2×400
800
0490407-22
805,-

3 x 400	
1200	
0490407-32	
1.086,-	









	Compartments
	Locker width
	Order no.
	Price

4x300
1200
0490307-40
942,-

+ 049140-750

1x400
400
0490307-12
525,-

2x400
800
0490307-22
700,-

3 x 400
1200
0490307-32
945,-

+)	Order no. of MDF decor doors
	Addtl. charge for MDF decor doors
\bigcirc	Order no of HPI decor doors

- + 332,-+ 049140-730 + 532,-Addtl. charge for HPL decor doors
- + Order no. of shoe rack + 08050-70140 Additional charge for shoe rack + 90,-
- + 049112-750
- + 100,-
 - + 049112-730 + 160,-
 - + 08050-70112 + 50,-
- + 200,-+ 049122-730 + 320,-

+ 049122-750

- + 08050-70122 + 70,-
- + 049132-750 + 300,-+ 049132-730
- + 480,-+ 08050-70132 + 90,-





Evolo PLUS

Lockers with bench.

Bench slats for models mentioned below made of plastic with zinc-plated steel core for optimum stability. Plastic bench slats are more hygienic and easier to clean. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm. Locker and bench are delivered separately for easy assembly.

Variant: Bench slats made of plastic

Dimensions and version

Locker height: 2,120 Seat height: 450 Seat depth: 315 Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)



1x300

300





With bench built underneath the locker

Locker depth, incl. bench: 815

Compartments	
Locker width	
Order no.	
Color no. for light gray	
Color no. for white	
Color no. for black gray	

Price

0490507-10 + 08510
-7035
-9016
-7021
4/4

2×300	3x300
600	900
0490507-20 + 08520	0490507-30 + 0853
619,-	835,-







With floating bench

Locker depth, incl. bench: 815

Wall mounting necessary!

Compartments
Locker width
Order no.
Color no. for light gray
Color no. for white

Color no. for white
Color no. for black gray
Price

1x300	2x300	3 x 300
300	600	900
0490407-10 + 08510	0490407-20 + 08520	0490407-30 + 08530
-7035		
-9016		
-7021		
464,-	619,-	835,-

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13 Clear height above shoe rack: 225

- (+) Order no. of MDF decor doors Addtl. charge for MDF decor doors
- (+) Order no. of HPL decor doors Addtl. charge for HPL decor doors
- (+) Order no. of shoe rack Additional charge for shoe rack

+ 049110-750	
+ 83,-	
+ 049110-730	

1 00,	
+ 049110-730	
+ 133,-	
± 08050=70110	

. 100,
+ 08050-70110
+ 45,-

+ 049	9120-750
4//	

+ 100,-
+ 049120-730
+ 266,-

+ 08050-70120
± 60 =

+ 049130-750	
+ 249,-	

+ 049130-730	
+ 399,-	
+ 08050-70130	

+ 75,-

(
ightarrow) Body and door color & decors

Color and decor concept → p. 48





Order no. 0490507-20 & 08520-7035 & 08500-7821R



Order no. 0490507-30 & 08530-9016 & 08050-70130 & 08500-7981R



Order no. 0490407-40 & 08540-7021



Order no. 0490407-32 & 08532-7021 & 049132-730 & 08050-70132









Compartments	4×300	1x400	2×400	3×400
Locker width	1200	400	800	1200
Order no.	0490507-40 + 08540	0490507-12 + 08512	0490507-22 + 08522	0490507-32 + 08532
Color no. for light gray	-7035			
Color no. for white	-9016			
Color no. for black gray	-7021			
Price	1.083,-	604,-	805,-	1.086,-
Compartments	4 x 300	1x400	2×400	3 x 400
Locker width	1200	400	800	1200
Order no.	0490407-40 + 08540	0490407-12 + 08512	0490407-22 + 08522	0490407-32 + 08532
Color no. for light gray	-7035			
Color no. for white	-9016			

(+)	Order no. of MDF decor doors
	Addtl charge for MDF decor doors

Color no. for black gray

Price

- (+) Order no. of HPL decor doors Addtl. charge for HPL decor doors
- + Order no. of shoe rack Additional charge for shoe rack
- + 049140-750

-7021

1.083,-

- + 332,-
- + 049140-730
- + 532,-+ 08050-70140
- + 90,-

- + 049112-750
- + 100,-

604,-

- + 049112-730
- + 160,-
- + 08050-70112
 - + 50,-

- + 049122-750
- + 200,-

805,-

- + 049122-730
- + 320,-
- + 08050-70122
- + 70,-

- + 049132-750
- + 300,-

1.086,-

- + 049132-730
- + 480,-
- + 08050-70132
- + 90,-

(+) Accessories (optional)



Evolo PLUS

Lockers with bench.

Seat for models mentioned below with HPL top for optimal stability, seating comfort and appearance. The 13 mm-thick HPL seats are available in all HPL decors of the C+P decor concept. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm. Locker and bench are delivered separately for easy assembly.

Variant: Seat made of HPL Dimensions and version

Locker height: 2,120 Seat height: 438 Seat depth: 315 Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)



-VK002





With bench built underneath the locker

Locker depth, incl. bench: 815

o o par a o o
Locker width
Order no.
Decor no. for white
Decor no. for birch gray
Decor no. for black

Decor no. for silver gray

Compartments

1x300	
300	
0490507-10 + 08510-004	
-VK001	
-VK741	
-VK008	

2x300 600 0490507-20 + 08520-004

3 x 300 900 0490507-30 + 08530-004





670,-



911,-

With floating bench

Locker depth, incl. bench: 815

Wall mounting necessary!

Compartments
Locker width
Order no.

Decor no. for white Decor no. for birch gray Decor no. for black Decor no. for silver gray 1x300 300 0490407-10 + 08510-004 -VK001 -VK741 -VK008

2x300 600 0490407-20 + 08520-004 3 x 300 900 0490407-30 + 08530-004

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13 Clear height above shoe rack: 225 (+) Order no. of MDF decor doors Addtl. charge for MDF decor doors

Price

Order no. of HPL decor doors Addtl. charge for HPL decor doors

+ Order no. of shoe rack Additional charge for shoe rack + 049110-750 + 83,-+ 049110-730

+ 133.-

-VK002

490,-

+ 08050-70110 + 45,-

+ 049120-750 + 166,-

670,-

+ 60,-

+ 049120-730 + 266,-+ 08050-70120

+ 399,-+ 08050-70130 + 75,-

911,-

+ 249,-

+ 049130-750


+ 049130-730

Body and door color & decors

Color and decor concept → p. 48

Changing room & wardrobe | Steel lockers | Evolo PLUS | With bench







& 08530-004-VK008 & 08050-70130 & 08500-767SR



Order no. 0490407-40 & 08540-004-VK008 & 08500-7940R



Order no. 0490407-32 & 08532-004-VK008 & 049132-730 & 08050-70132 & 00008-70R









		1 1	1 1	1 1	
	Compartments	4×300	1x400	2×400	3×400
	Locker width	1200	400	800	1200
	Order no.	0490507-40 + 08540-004	0490507-12 + 08512-004	0490507-22 + 08522-004	0490507-32 + 08532-004
	Decor no. for white	-VK001			
	Decor no. for birch gray	-VK741			
	Decor no. for black	-VK008			
	Decor no. for silver gray	-VK002			
	Price	1.168,-	633,-	862,-	1.171,-
	Compartments	4×300	1x400	2×400	3×400
	Locker width	1200	400	800	1200
	Order no.	0490407-40 + 08540-004	0490407-12 + 08512-004	0490407-22 + 08522-004	0490407-32 + 08532-004
	Decor no. for white	-VK001			
	Decor no. for birch gray	-VK741			
	Decor no. for black	-VK008			
	Decor no. for silver gray	-VK002			
	Price	1.168,-	633,-	862,-	1.171,-
+	Order no. of MDF decor doors	+ 049140-750	+ 049112-750	+ 049122-750	+ 049132-750
	Addtl. charge for MDF decor doors	+ 332,-	+ 100,-	+ 200,-	+ 300,-
+	Order no. of HPL decor doors	+ 049140-730	+ 049112-730	+ 049122-730	+ 049132-730
	Addtl. charge for HPL decor doors	+ 532,-	+ 160,-	+ 320,-	+ 480,-
+	Order no. of shoe rack	+ 08050-70140	+ 08050-70112	+ 08050-70122	+ 08050-70132
	Additional charge for shoe rack	+ 90,-	+ 50,-	+ 70,-	+ 90,-





Evolo PLUS

Lockers with integrated bench.

Locker in body height of 1,850 mm and doors reduced in size, on 100 mm-high base, with integrated seat thanks to bench support inserted into the body

Bench slats for models mentioned below made of beech hardwood as standard, rounded on all sides, coated with clear varnish with natural color variations. Standard color of the bench underframe is black gray RAL 7021. Locker and bench are delivered separately for easy assembly.



Order no. 049040-20 & 08500-7940R



Order no. 49040-20 & 08500-7821R



Order no. 49040-20 & 00008-70R



Order no. 49040-20

Variant: Hardwood bench slats

Dimensions and version

Locker height: 1,950 Seat height: 450 Seat depth: 315

Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)







3 x 300

900

With integrated bench

Locker depth, incl. bench: 815 Base height: 100

Wall mounting necessary!

Compartments

Locker width

Order no. Price

1x300

300

049040-10

464,-

2 x 300

600

619,-


049040-20

049040-30 835,-

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13

- + Order no. of MDF decor doors Addtl. charge for MDF decor doors
- (+) Order no. of HPL decor doors Addtl. charge for HPL decor doors
- + 049110-750
- + 83,-
- + 049110-730
- + 133,-
- + 049120-750
- + 166,-
- + 049120-730
- + 266,-
- + 049130-750
- + 249,-
- + 049130-730
- + 399,-











Com	partments
Lock	er width
Orde	r no.

Price

4x300
1200
049040-40
1.083,-

1x400
400
049040-12
604,-

2 x 400
800
049040-22
805,-

3x400
1200
049040-32
1.086,-

(+)	Order no. of MDF decor doors
	Addtl. charge for MDF decor door
+	Order no. of HPL decor doors

Order no. of MDF decor doors	+ 049140-750	
Addtl. charge for MDF decor doors	+ 332,-	
Order no. of HPL decor doors	+ 049140-730	
Addtl. charge for HPL decor doors	+ 532,-	

_	+ 049112-730			
-	+ 160,-			

+ 100,-

+ 049112-750

+ 200,-
+ 049122-730
± 320 =

+ 049122-750

+ 300,-
+ 049132-730
+ 480,-

+ 049132-750

+ Accessories (optional)

Lockers with integrated bench.

Locker in body height of 1,850 mm and doors reduced in size, on 100 mm-high base, with integrated seat thanks to bench support inserted into the body.

Seats for models mentioned below with HPL top for optimal stability, seating comfort and appearance. The 13 mm-thick HPL seats are available in all HPL decors of the C+P decor concept. Standard color of the bench underframe is black gray RAL 7021. Locker and bench are delivered separately for easy assembly.



Order no. 049040-20 & 08520-004-VK001



Order no. 049040-20 & 08520-004-VK001



Order no. 049040-20 & 08520-004-VK741

Variant: Seat made of HPL Dimensions and version

Locker height: 1,950 Seat height: 438 Seat depth: 315

Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)

	l	П		1
=		F		_

1x300



2x300



3x300

With integrated bench

Locker depth, incl. bench: 815 Base height: 100

Wall mounting necessary!

Compartments	
Locker width	
Order no	

Decor no. for white

Decor no. for birch gray Decor no. for black

Decor no. for silver gray Price

300 049040-10 + 08510-004 -VK001

049040-20 + 08520-004

600 900 049040-30 + 08530-004

-VK741

490,-

-VK008 -VK002

670,-

911,-


Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13

- + Order no. of MDF decor doors Addtl. charge for MDF decor doors
- (+) Order no. of HPL decor doors Addtl. charge for HPL decor doors
- + 049110-750
- + 83,-
- + 049110-730
- + 133,-
- + 049120-750
- + 166,-
- + 049120-730
- + 266,-
- + 049130-750
- + 249,-
- + 049130-730
- + 399,-



Color and decor concept \rightarrow p. 48




Compartments	4 x 300	1x400	2x400	3 x 400
Locker width	1200	400	800	1200
Order no.	049040-40 + 08540-004	049040-12 + 08512-004	049040-22 + 08522-004	049040-32 + 08532-004
Decor no. for white	-VK001			
Decor no. for birch gray	-VK741			
Decor no. for black	-VK008			
Decor no. for silver gray	-VK002			
Price	1.168,-	633,-	862,-	1.171,-
(+) Order no. of MDF decor doors	+ 049140-750	+ 049112-750	+ 049122-750	+ 049132-750
Addtl. charge for MDF decor doors	+ 332,-	+ 100,-	+ 200,-	+ 300,-
+ Order no. of HPL decor doors	+ 049140-730	+ 049112-730	+ 049122-730	+ 049132-730
Addtl. charge for HPL decor doors	+ 532,-	+ 160,-	+ 320,-	+ 480,-









Lockers with pairs of doors closing in the middle.

For the joint locking of two compartments for use by one person, e.g. for the separate placement of **street and work clothing**.









Order no. 049002-20 Order no. 049012-20 Order no. 049022-20 Order no. 049022-20

Dimensions and version

With safety turning bolt Clear opening dimensions per door: 1,749 x 240/340 x 477 (H x W x D)








Floor-standing

Locker height: 1,850 Locker depth: 500

Compartments
For no. of persons
Locker width
Order no.
Price



4x300	
2	
1200	
049002-40	
730,-	

2×400
1
800
049002-22
5.12 -

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100

Compartments
For no. of persons
Locker width
Order no.
Price

2x300
1
600
049012-20
467,-

4x300	
2	
1200	
049012-40	
779,-	

2x400
1
800
049012-22
592,-

With base

Locker height: 1,950 Locker depth: 500 Base height: 100

Compartments
For no. of persons
Locker width
Order no.

2x300
1
600
049022-20
496,-

4×300
2
1200
049022-40
022

2x400
1
800
049022-22
630,-

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13

+ Order no. of MDF decor doors

Addtl. charge for MDF decor doors

Price

- (+) Order no. of HPL decor doors

 Addtl. charge for HPL decor doors
- + 049120-750
- + 049120-730

+ 266,-

- + 049140-750 + 332,-
- + 049140-730 + 532,-
- + 049122-750 + 200,-+ 049122-730

+ 320,-









Selection → p. 154





All street/work clothing lockers also available with full-length storage shelf on request. This results in a large box, e.g. for motorcycle helmets and personal protective equipment (PPE), which is why these lockers are also called PPE lockers.



Lockers with pairs of doors closing in the middle.

Bench slats for models mentioned below made of beech hardwood as standard, rounded on all sides, coated with clear varnish with natural color variations. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm. Locker and bench are delivered separately for easy assembly.



2x300





Flush with frame underneath

Locker height: 2,120 Frame height: 420

Frame height: 420 Locker depth, incl. frame: 500

Compartments
For no. of persons
Locker width
Order no.

1 600 0490327-20 538,- 4 x 300 2 1200 0490327-40 942,- 2 x 400 1 800 0490327-22 700,-

Variant: Hardwood bench slats

Dimensions and version

Locker height: 2,120 Seat height: 450 Seat depth: 315

Clear opening dimensions per door: 1,599x240/340x477 (HxWxD)








With bench built underneath the locker


Locker depth, incl. bench: 815

Compartments
For no. of persons
Locker width
Order no.

Price

Price





2×400
1
800
0490527-22
805,-







With floating bench

Locker depth, incl. bench: 815

Wall mounting necessary!

Compartments
For no. of persons
Locker width
Order no.

600
0490427-20
619,-

2x300

1

4 x 3	00	
2		
1200)	
0490	0427-40	
1.08	3,-	

2x400
1
800
0490427-22
805,-

Optional

116

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13 Clear height above shoe rack: 225

- + Order no. of MDF decor doors

 Addtl. charge for MDF decor doors
- (+) Order no. of HPL decor doors

 Addtl. charge for HPL decor doors
- +) Order no. of shoe rack

 Additional charge for shoe rack

+ 049120-750	
. 1//	

- + 100,-+ 049120-730 + 266,-
- + 08050-70120

+ 049140-750	

- + 332,-+ 049140-730 + 532,-
- + 532,-+ 08050-70140 + 90,-
- + 049122-750
- + 049122-730 + 320,-+ 08050-70122
- + 70,-




Color and decor concept \rightarrow p. 48






Selection → p. 154







Order no. 0490427-20 & 08050-70120

Order no. 0490327-40



Order no. 0490427-40 & 08050-70140



Lockers with pairs of doors closing in the middle.

Bench slats for models mentioned below made of plastic with zinc-plated steel core for optimum stability. Plastic bench slats are more hygienic and easier to clean. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm. Locker and bench are delivered separately for easy assembly.

Variant: Bench slats made of plastic Dimensions and version

Locker height: 2,120 Seat height: 450 Seat depth: 315

Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)

			Г		
	٠ ا				
					_



4x300




With bench built underneath the locker

Locker depth, incl. bench: 815

Compartments
Locker width
For no. of persons

Order no.



Color no. for black gray Price

2x300
600
1
0400527_20

+ 08520

1200 0490527-40 + 08540

2 x 400 800

-7035

-9016

-7021 619,-

1.083,-

805,-







With floating bench

Locker depth, incl. bench: 815



Compartments Locker width

For no. of persons

Order no.

Color no. for light gray

Color no. for white Color no. for black gray Price

2 x 300 600

0490427-20 + 08520

4x300 1200 0490427-40

+ 08540

800 0490427-22

+ 08522

-7035

-9016 -7021

619,-

1.083.-

805.-

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13 Clear height above shoe rack: 225


- + Order no. of MDF decor doors Addtl. charge for MDF decor doors
- (+) Order no. of HPL decor doors Addtl. charge for HPL decor doors
 - Order no. of shoe rack Additional charge for shoe rack
- + 049120-750
- + 049120-730
- + 08050-70120
- + 049140-750
- + 049140-730
- + 08050-70140
- + 049122-750
- + 049122-730
- + 08050-70122




Color and decor concept → p. 48













Order no. 0490427-40 & 08540-7021 & 08050-70140



With pairs of doors closing in the middle.

Seat for models mentioned below with HPL top for optimal stability, seating comfort and appearance. The 13 mm-thick HPL seats are available in all HPL decors of the C+P decor concept. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm. Locker and bench are delivered separately for easy assembly.

Variant: Bench slats made of HPL Dimensions and version

Locker height: 2,120 Seat height: 438 Seat depth: 315 Clear opening dimensions per door: 1.599 x 240/340 x 477 (HxWxD)





1200



With bench built underneath the locker

Locker depth, incl. bench: 815

Compartments
Locker width
For no. of persons
Order no.
Decor no. for white


Locker width
For no. of persons
Order no.
Decor no. for white
Decor no. for birch gray
Decor no. for black
Decor no. for silver gray

Price

Price

2×300
600
1
0490527-20 + 08520-004
-VK001
-VK741
-VK008
-VK002

			,
- 1	 _	_	-





-VK741 -VK008 -VK002

670,-

670,-



With floating bench

Locker depth, incl. bench: 815

Wall mounting necessary!

Compartments
Locker width
For no. of persons
Order no.

Order no.	
Decor no. for white	
Decor no. for birch gray	
Decor no. for black	
Decor no. for silver gray	

2x300	
600	
1	
0490427-20 + 08520-004	
-VK001	

4x300
1200
2
0490427-40 + 08540-004

2x400
800
1
0490427-22 + 08522-004

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13 Clear height above shoe rack: 225

- + Order no. of MDF decor doors Addtl. charge for MDF decor doors
- (+) Order no. of HPL decor doors Addtl. charge for HPL decor doors
- Order no. of shoe rack Additional charge for shoe rack
- + 049120-750 + 166.-+ 049120-730
- + 266,-+ 08050-70120 + 60,-
- + 049140-750 + 332 -
- + 049140-730 + 532,-

1.168,-

- + 08050-70140 + 90,-
- + 049122-750 + 200 -+ 049122-730 + 320,-+ 08050-70122 + 70,-


862,-



Color and decor concept \rightarrow p. 48









Order no. 0490527-20 & 08520-004-VK001



Order no. 0490527-20 & 08520-004-VK008 & 08050-70120



Order no. 0490427-40 & 08540-004-VK001 & 08050-70140




Lockers with pairs of doors closing in the middle with integrated bench.

Locker in body height of 1,850 mm and doors reduced in size, on 100 mm-high base, with integrated seat thanks to bench support inserted into the body.

Standard color of the bench under-frame is black gray RAL 7021. Locker and bench are delivered separately for easy assembly.







Order no. 049042-20 & 08500-7821R



Order no. 049042-20

Variant: Hardwood bench slats Dimensions and version

Locker height: 1,950 Seat height: 450 Seat depth: 315 Clear opening dimensions per do

Clear opening dimensions per door: 1,599 x 240/340 x 477 (H x W x D)

Г	П	Г	П	г	1
	-		П		
	Ц	F	Ц		L





With integrated bench

Locker depth, incl. bench: 815 Base height: 100

(!) Wall mounting necessary!

Compartments
•

Locker width

For no. of persons

Order no.

Price

2x300

600

049042-20

619,-

4x300

1200

049042-40

1.083,-

2x400

800

049042-22

805,-

Optional


MDF decor doors: Thickness 18 HPL decor doors: Thickness 13

- + Order no. of MDF decor doors

 Addtl. charge for MDF decor doors
- Order no. of HPL decor doors

 Addtl. charge for HPL decor doors
- + 049120-750
- + 166,-
- + 049120-730
- + 266,-
- + 049140-750
- + 332,-
- + 049140-730
- + 532,-
- + 049122-750
- + 200,-
- + 049122-730
- + 320,-





Variant: Seat made of HPL Dimensions and version

Locker height: 1,950 Seat height: 438 Seat depth: 315

Clear opening dimensions per door: $1,599 \times 240/340 \times 477 \text{ (H} \times \text{W} \times \text{D)}$







With integrated bench

Locker depth, incl. bench: 815 Base height: 100

Wall mounting necessary!

Compartments
Locker width
For no. of persons
Order no

Decor no. for white

Decor no. for birch gray Decor no. for black

Decor no. for silver gray Price

-VK008 -VK002 670,-

2x300	4x300	2×400
600	1200	800
1	2	1
049042-20 + 08520-004	049042-40 + 08540-004	049042-22 + 08522-004
-VK001		
-VK741		
-VK008		
-VK002		

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13


- + Order no. of MDF decor doors Addtl. charge for MDF decor doors
- Order no. of HPL decor doors Addtl. charge for HPL decor doors
- + 049120-750
- + 166,-+ 049120-730
- + 266,-
- + 049140-750

1.168,-

- + 332,-+ 049140-730
- + 532,-
- + 049122-750
- + 200,-+ 049122-730
- + 320,-

862,-








Multi-purpose lockers.

Doors closing in the middle with a joint turning bolt latch for padlock, shelves not adjustable.







Order no. 049100-00

Dimensions and version

With safety turning bolt Clear opening dimensions per door: 1,749 x 240/340 x 477 (H x W x D)









Floor-standing

Locker height: 1,850 Locker depth: 500

Variant

Compartments Locker width Order no. Price

Laundry locker

4 shelves on the left, storage shelf on the right with sturdy changing room rail with an oval profile and 3 anti-rotation sliding hooks

2x300	
600	
049600-20	
400	

2 x 400 800 049600-22

624,-

Cleaning supply locker Reduced-size partition.

4 compartments on the left, sturdy rail with an oval profile on the right with 3 anti-rotation sliding hooks.

2x300	2×400
500	800
049100-00	049100-02
199,-	624,-

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100

Variant

Compartments Locker width Order no.

Laundry locker

4 shelves on the left, storage shelf on the right with sturdy changing room rail with an oval profile and 3 anti-rotation sliding hooks

2x300
600
049610-20
548,-

2 x 400 800 049610-22 673.-

Cleaning supply locker

Reduced-size partition, 4 compartments on the left, sturdy rail with an oval profile on the right with 3 anti-rotation sliding hooks.

2x300	2×400
600	800
049110-00	049110-02
548,-	673,-

With base

Locker height: 1,950 Locker depth: 500 Base height: 100

Variant

Compartments

Locker width

Order no.

Price

Price

Laundry locker

4 shelves on the left, storage shelf on the right with sturdy changing room rail with an oval profile and 3 anti-rotation sliding hooks

2x300
600
049620-20
577,-

2 x 400 800 049620-22 711,-

+ 049122-750

+ 049122-730

+ 200,-

Cleaning supply locker

Reduced-size partition, 4 compartments on the left, sturdy rail with an oval profile on the right with 3 anti-rotation sliding hooks.

2x300	2×400
600	800
049120-00	049120-02
577-	711 -

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13

- Order no. of MDF decor doors Addtl. charge for MDF decor doors
- Order no. of HPL decor doors Addtl. charge for HPL decor doors
- + 049120-750
- + 166,-+ 049120-730
- + 266,-+ 320,-
- + 049120-750
- + 166.-+ 049120-730
- + 266,-
- + 049122-750
- + 200,-
- + 049122-730
- + 320,-



(
eg) Body and door color & decors





Doors with a turning bolt latch for padlock, shelves not adjustable.

Order no. 049000-20B

Order no. 049002-20B



2x300

049000-20B

600

580,-







Variant

Compartments

Locker width

Order no.

Laundry locker

With individually lockable doors (both hinged on the right) per compartment with 4 shelves

2x400

049000-22B

705,-

800

Laundry locker

With doors closing in the middle (same lock) per compartment with 4 shelves

2x300 600 049002-20B 2 x 400 800 049002-22B 705,-

Variant

Price

Laundry locker

With individually lockable doors (both hinged on the right) per compartment with 4 shelves

2x300 600 049010-20B

2x400 800 049010-22B 754,-

Laundry locker

580,-

With doors closing in the middle (same lock) per compartment with 4 shelves

2x300 2 x 400 600 800 049012-20B 049012-22B 629,-754,-

Variant

Compartments Locker width

Order no.

Price

Compartments

Locker width

Order no. Price

Laundry locker

629,-

2x300

600

658,-

With individually lockable doors (both hinged on the right)

per compartment with 4 shelves

2x400 800

Laundry locker With doors closing in the middle (same lock) per compartment with 4 shelves

2x300 2 x 400 600 800 049022-20B 049022-22B 658,-792,-

(+) Order no. of MDF decor doors Addtl. charge for MDF decor doors

+ 049120-750

049020-20B

+ 049122-750

049020-22B

792,-

+ 049120-750

+ 049122-750

(+) Order no. of HPL decor doors

+ 166,-+ 049120-730 + 200,-+ 049122-730 + 166,-+ 049120-730 + 200,-+ 049122-730

Addtl. charge for HPL decor doors

+ 266,-

+ 320,-

+ 266,-

+ 320,-

Accessories (optional)



Double-tier lockers.

Lockers, double-tier, 2 compartments on top of one another, per compartment: 1 door, sturdy wardrobe rail with an oval profile and 3 anti-rotation sliding hooks, doors at the top and bottom with ventilation gills, stamped-in label holder and turning bolt latch for padlock. Bench slats made of beech hardwood as standard, approx. 60 x 25 mm profile, rounded on all sides, coated with clear varnish with natural color variations. Plastic bench slats available at no additional charge. Standard color for the bench underframe: Black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm.









Order no. 049300-20 Order no. 049310-20

& 00008-70R

Order no. 049320-20 & 08500-7940R

Order no. 049320-22 & 049222-750

Dimensions and version

With safety turning bolt Clear opening dimensions per door: 854x240/340x477 (HxWxD)













Floor-sta	anding
	····

Locker height: 1,850 Locker depth: 500

Compartments	1x300
Locker width	300
Order no.	049300-10
Price	371 -

420,-

300

442,-

2x300	3 x 300
600	900
049300-20	049300
533,-	737,-



1x400 400 049300-12 482 -

2x400 800 049300-22 693.-

	3 x 400
_	1200
	040300-33

958.-

With feet


Locker height: 1,950 Locker depth: 500 Foot height: 100

Compartments	
Locker width	
Order no.	
Price	

Price

1x300	
300	
049310-10	
400	-

600












With base

Locker height: 1,950 Locker depth: 500 Base height: 100

Compartments
Locker width
Order no.
Price













Optional


MDF decor doors: Thickness 18 HPL decor doors: Thickness 13


+	Order no. of MDF decor doors
8	Addtl. charge for
2	MDF decor doors

Addtl. charge for

HPL decor doors

















(+)Order no. of HPL decor doors

+ 049210-730 + 049220-730 + 195,-+ 390,-



+ 049240-730

+ 780,-

+ 049212-730 + 234,-

+ 049222-730

+ 468,-

+ 049232-730 + 702,-

Body and door color & decors

Color and decor concept → p. 48









Double-tier lockers.

Variant: Hardwood bench slats Dimensions and version

Locker height: 2,120 Seat height: 450 Seat depth: 315

Clear opening dimensions per door: 779x240/340x477 (HxWxD)















With bench built underneath the locker

Compartments
Locker width
Order no.
Price









1x400 400 0493507-12 679,-





Locker depth, incl. bench: 815















1.312,-

With floating bench

Locker depth, incl. bench: 815

Wall mounting



1x300
300
0493407-10
522,-



3 x 300 900 0493407-30 1.009.-

4 x 300 1200 0493407-40 1 315 -

1x400 400 0493407-12 679 -

2 x 400 800 0493407-22 955.-



necessary!















Flush with frame underneath

Locker height: 2,120 Frame height: 420

Locker depth, incl. frame: 500

nents	
dth	

1x300 300 0493307-10 462,-

2x300 600 0493307-20 654,-

+ 049220-750

3 x 300 900 0493307-30 900,-

+ 049230-750

+ 450,-

4x300 1200 0493307-40 1.173,-

1x400 400 0493307-12 600,-

+ 049212-750

+ 049212-730

+ 180,-

2x400 800 0493307-22 850,-

3x400 1200 0493307-32 1.170,-

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13

Clear height above shoe rack: 225

+	Order no. of MDF decor doors

Compartn

Locker wi

Order no.

Price

Addtl. charge for MDF decor doors Order no. of

HPI decor doors

Addtl. charge for

HPI decor doors

+ 150.-+ 049210-730

+ 049210-750

+ 300,-+ 049220-730 + 195,-

+ 049230-730 + 390 -+ 585 -

+ 780 -

+ 90,-

+ 600,-

+ 049240-750

+ 049240-730

+ 08050-70140

+ 234 -

+ 049222-730 + 468.-

+ 360.-

+ 049222-750

+ 049232-730 + 702 -

+ 540,-

+ 049232-750

Order no. of shoe rack

for shoe rack

Additional charge + 45,-

+ 08050-70110

+ 60,-

+ 08050-70120

+ 75,-

+ 08050-70130

+ 50,-


+ 08050-70112 + 08050-70122 + 08050-70132 + 70,-

+ 90,-


Body and door color & decors

Color and decor concept → p. 48
















Order no. 0493507-20

Order no. 0493407-30 & 08050-70130 & 08500-7721R

Order no. 0493307-40 & 00008-70R

Order no. 0493307-32 & 049232-730 & 08050-70132



2x400

0493507-22

800

955,-

3 x 400

0493507-32

+ 08532

1.312,-

1200

Evolo PLUS

Double-tier lockers.

Variant: Bench slats made of plastic Dimensions and version

Price

Locker height: 2,120 Seat height: 450 Seat depth: 315 Clear opening dimensions 779×240/340×477 (HxW	•					
With bench built	Compartments	1x300	2×300	3 x 300	4×300	1x400
underneath the	Locker width	300	600	900	1200	400
locker	Order no.	0493507-10 + 08510	0493507-20 + 08520	0493507-30 + 08530	0493507-40 + 08540	0493507-12 + 08512
Locker depth,	Color no. for light gray	-7035				
incl. bench: 815	Color no. for white	-9016				
	Color no for black gray	-7021				

522,-

735,-

1.315,-

679,-

With floating	Compartments	1x300	2x300	3 x 300	4×300	1x400	2×400	3 x 400
bench	Locker width	300	600	900	1200	400	800	1200
Locker depth,	Order no.	0493407-10 + 08510	0493407-20 + 08520	0493407-30 + 08530	0493407-40 + 08540	0493407-12 + 08512	0493407-22 + 08522	0493407-32 + 08532
incl. bench: 815	Color no. for light gray	-7035						
	Color no. for white	-9016						
	Color no. for black gray	-7021						
	Price	522,-	735,-	1.009,-	1.315,-	679,-	955,-	1.312,-
<u> </u>								

! Wall mounting necessary!

Optional	+	Order no. of MDF decor doors	+ 049210-750	+ 049220-750	+ 049230-750	+ 049240-750	+ 049212-750	+ 049222-750	+ 049232-750
MDF decor doors: Thickness 18 HPL decor doors: Thickness 13		Addtl. charge for MDF decor doors	+ 150,-	+ 300,-	+ 450,-	+ 600,-	+ 180,-	+ 360,-	+ 540,-
Clear height above shoe rack: 225	+	Order no. of HPL decor doors	+ 049210-730	+ 049220-730	+ 049230-730	+ 049240-730	+ 049212-730	+ 049222-730	+ 049232-730
		Addtl. charge for HPL decor doors	+ 195,-	+ 390,-	+ 585,-	+ 780,-	+ 234,-	+ 468,-	+ 702,-
	+	Order no. of shoe rack	+ 08050-70110	+ 08050-70120	+ 08050-70130	+ 08050-70140	+ 08050-70112	+ 08050-70122	+ 08050-70132
		Additional charge	+ 45	+ 60	+ 75	+ 90	+ 50	+ 70	+ 90



130



for shoe rack

⁺ Accessories (optional)










Order no. 0493507-20 & 08520-7035

Order no. 0493507-30 & 08530-7021 & 08050-70130 & 08500-7821R

Order no. 0493407-40 & 08540-9016 & 08500-767SR

Order no. 0493407-32 & 08532-7021 & 049232-750 & 08050-70132



Double-tier lockers.

Variant: Seats made of HPL Dimensions and version

Locker height: 2,120 Seat height: 438 Seat depth: 315

Clear opening dimensions per door: 779x240/340x477 (HxWxD)



1x300

300



2x300

786,-

2x300

0493407-20

+ 08520-004

600











With bench built underneath the locker

Locker depth, incl. bench: 815

Compartments
Locker width
Order no.
Locker width

Decor no. for white Decor no. for birch gray

Decor no. for black Decor no. for silver gray

0493507-10 + 08510-004

-VK001 -VK741

-VK008 -VK002 548,-

600 0493507-20 08520-004

900 0493507-30 + 08530-004

3 x 300

1.085,-

3 x 300

900

1200 0493507-40 + 08540-004

1.400,-

4 x 300

1x400 400 0493507-12 + 08512-004

2x400 800

0493507-22

 3×400 1200

+ 08522-004

0493507-32 + 08532-004

Price









708,-



1.012,-



1.397,-

With floating bench

Locker depth, incl. bench: 815

Compartments
Locker width
Order no.
Decor no. for wh

Decor no. for birch gray

Decor no. for black Decor no. for silver gray

0493407-10 + 08510-004 -VK001

1x300

300

-VK741

-VK008 -VK002

548,-

786,-1.085,-

0493407-30 0493407-40 + 08530-004 + 08540-004

1.400,-

+ 049240-750

1200

 4×300 400 + 08512-004

1x400 2×400 0493407-12

800 0493407-22

1200

3x400

0493407-32 + 08532-004

+ 08522-004

708.-

1.012,-

1.397,-

(!) Wall mounting necessary!

Optional

MDF decor doors: Thickness 18 HPL decor doors: Thickness 13

Clear height above shoe rack: 225

(+)Order no. of MDF decor doors Addtl. charge for

MDF decor doors Order no. of

HPL decor doors Addtl. charge for

Additional charge

for shoe rack

+ 195,-HPL decor doors Order no. of + 08050-70110 shoe rack

+ 45,-

+ 049220-750 + 049210-750 + 150,-+ 300,-

+ 390,-

+ 60,-

+ 08050-70120

+ 049210-730

+ 450,-+ 049220-730 + 049230-730

+ 585,-+ 780,-

+ 08050-70130

+ 049230-750

+ 600,-+ 049240-730

+ 180,-+ 360,-+ 049212-730 + 049222-730

+ 049212-750

+ 540,-

+ 049232-730

+ 702,-

+ 049232-750

+ 468,-+ 08050-70140 + 08050-70112 + 08050-70122 + 08050-70132

+ 049222-750

+ 75,-

+ 90,-

+ 50,-

+ 234,-

+ 70,-

+ 90,-

Body and door color & decors

Color and decor concept → p. 48 132






Selection \rightarrow p. 154

All dimensions in mm, and all prices in Euros Frames also available in RAL 7035 or RAL 9016








Order no. 0493507-30 & 08530-004-VK008 & 08050-70130 & 00008-70R



Order no. 0493407-40 & 08540-004-VK001 & 08500-7821R



Order no. 0493407-32 & 08532-004-VK039 & 049232-730 & 08050-70132




Assembled box lockers.

Doors are single-walled, smooth, without ventilation hole pattern and without label holders (if required, please order additional plastic label holders).

400 mm compartment width also suitable for motorcycle helmets. Each door features cylinder lock and 2 keys. The bottoms of the boxes are generally finished in the body color.









Order no. 049010-223 & 08500-7821R

Variant: 3 box tiers Dimensions and version

With cylinder lock and 2 keys Clear opening dimensions per box: 562x240/340x477 (HxWxD)







Floor-standing	Compartments	1x300	2 x 300	3 x 300
Locker height: 1,850	Boxes	3	6	9
Locker depth: 500	Locker width	300	600	900
	Order no.	049000-103	049000-203	049000-303
	Price	406,-	603,-	841,-
With feet	Compartments	1x300	2×300	3 x 300
Locker height: 1,950	Boxes	3	6	9
Locker depth: 500	Locker width	300	600	900
Foot height: 100	Order no.	049010-103	049010-203	049010-303
	Price	455,-	652,-	890,-
With base	Compartments	1x300	2×300	3 x 300
Locker height: 1,950	Boxes	3	6	9
Locker depth: 500	Locker width	300	600	900
Base height: 100	Order no.	049020-103	049020-203	049020-303
	Price	477,-		931,-




HPL decor doors: Thickness 13

- (+) Order no. of HPL decor doors Addtl. charge for HPL decor doors
- + 049310-730 + 249,-
- + 049320-730
- + 498,-
- + 049330-730

+ 747,-

(→) Body and door color & decors







Order no. 049020-323 & 049332-730

		· · · · · · · · · · · · · · · · · · ·	· ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
	Compartments	4×300	1x400	2×400	3x400
	Boxes	12	3	6	9
	Locker width	1200	400	800	1200
	Order no.	049000-403	049000-123	049000-223	049000-323
	Price	1.101,-	528,-	784,-	1.094,-
	Compartments	4×300	1x400	2×400	3×400
	Boxes	12	3	6	9
	Locker width	1200	400	800	1200
	Order no.	049010-403	049010-123	049010-223	049010-323
	Price	1.150,-	577,-	833,-	1.143,-
	Compartments	4×300	1x400	2×400	3×400
	Boxes	12	3	6	9
	Locker width	1200	400	800	1200
	Order no.	049020-403	049020-123	049020-223	049020-323
	Price	1.203,-	606,-	871,-	1.196,-
+	Order no. of HPL decor doors	+ 049340-730	+ 049312-730	+ 049322-730	+ 049332-730
	Addtl. charge for HPL decor doors	+ 996,-	+ 299,-	+ 598,-	+ 897,-



(+) Accessories (optional)

Assembled box lockers.

Doors are single-walled, smooth, without ventilation hole pattern and without label holders (if required, please order additional plastic label holders).

400 mm compartment width also suitable for motorcycle helmets. Each door features cylinder lock and 2 keys. The bottoms of the boxes are generally finished in the body color.





Order no. 049000-204



Order no. 049010-224 & 08500-7940R

Variant: 4 box tiers Dimensions and version

With cylinder lock and 2 keys Clear opening dimensions per box: 415 x 240/340 x 477 (H x W x D)







Floor-standing	Compartments	1x300	2 x 300	3 x 300
Locker height: 1,850	Boxes	4	8	12
Locker depth: 500	Locker width	300	600	900
	Order no.	049000-104	049000-204	049000-304
	Price	452,-	696,-	980,-
With feet	Compartments	1x300	2×300	3 x 300
Locker height: 1,950	Boxes	4	8	12
Locker depth: 500	Locker width	300	600	900
Foot height: 100	Order no.	049010-104	049010-204	049010-304
	Price	501,-	745,-	1.029,-
With base	Compartments	1x300	2×300	3 x 300
Locker height: 1,950	Boxes	4	8	12
Locker depth: 500	Locker width	300	600	900
Base height: 100	Order no.	049020-104	049020-204	049020-304
	Price			1.070,-

Optional

HPL decor doors: Thickness 13


- (+) Order no. of HPL decor doors Addtl. charge for HPL decor doors
- + 049410-730 + 300,-
- + 049420-730
- + 600,-
- + 049430-730

+ 900,-



(→) Body and door color & decors







Order no. 049020-324 & 049432-730

	 	· · ·	· · · · · · · · · · · · · · · · · · ·	
Compartments	4×300	1×400	2 x 400	3×400
Boxes	16	4	8	12
Locker width	1200	400	800	1200
Order no.	049000-404	049000-124	049000-224	049000-324
Price	1.286,-	588,-	904,-	1.274,-
Compartments	4×300	1x400	2×400	3x400
Boxes	16	4	8	12
Locker width	1200	400	800	1200
Order no.	049010-404	049010-124	049010-224	049010-324
Price	1.335,-	637,-	953,-	1.323,-
Compartments	4×300	1x400	2×400	3x400
Boxes	16	4	8	12
Locker width	1200	400	800	1200
Order no.	049020-404	049020-124	049020-224	049020-324
Price	1.388,-	666,-	991,-	1.376,-
+ Order no. of HPL decor doors	+ 049440-730	+ 049412-730	+ 049422-730	+ 049432-730
Addtl. charge for HPL decor doors	+ 1.200,-	+ 360,-	+ 720,-	+ 1.080,-







Company

Color concept

Changing room & wardrobe

Workshop & factory

Assembled box lockers.

Doors are single-walled, smooth, without ventilation hole pattern and without label holders (if required, please order additional plastic label holders).

400 mm compartment width also suitable for motorcycle helmets. Each door features cylinder lock and 2 keys. The bottoms of the boxes are generally finished in the body color.





Order no. 049000-205 & 08500-7732R



Order no. 049010-225

Variant: 5 box tiers Dimensions and version

With cylinder lock and 2 keys Clear opening dimensions per box: 328×240/340×477 (HxWxD)







Floor-standing	Compartments	1x300	2×300	3 x 300
Locker height: 1,850	Boxes	5	10	15
Locker depth: 500	Locker width	300	600	900
	Order no.	049000-105	049000-205	049000-305
	Price	499,-	788,-	1.120,-
With feet	Compartments	1x300	2×300	3×300
Locker height: 1,950	Boxes	5	10	15
Locker depth: 500	Locker width	300	600	900
Foot height: 100	Order no.	049010-105	049010-205	049010-305
	Price	548,-	837,-	1.169,-
With base	Compartments	1x300	2×300	3×300
Locker height: 1,950	Boxes	5	10	15
Locker depth: 500	Locker width	300	600	900
Base height: 100	Order no.	049020-105	049020-205	049020-305
	Price	570,-		1.210,-


Optional

HPL decor doors: Thickness 13

- Order no. of HPL decor doors

 Addtl. charge for HPL decor doors
- + 049510-730 + 350,-
- + 049520-730
- + 700,-
- + 049530-730
- + 1.050,-







Order no. 049020-325 & 049532-730

			· · · · · · · · · · · · · · · · · · ·	
Compartments	4×300	1x400	2×400	3×400
Boxes	20	5	10	15
Locker width	1200	400	800	1200
Order no.	049000-405	049000-125	049000-225	049000-325
Price	1.472,-	648,-	1.025,-	1.455,-
Compartments	4×300	1x400	2×400	3×400
Boxes	20	5	10	15
Locker width	1200	400	800	1200
Order no.	049010-405	049010-125	049010-225	049010-325
Price	1.521,-	697,-	1.074,-	1.504,-
Compartments	4×300	1x400	2×400	3×400
Boxes	20	5	10	15
Locker width	1200	400	800	1200
Order no.	049020-405	049020-125	049020-225	049020-325
Price	1.574,-	726,-	1.112,-	1.557,-
(+) Order no. of HPL decor doors	+ 049540-730	+ 049512-730	+ 049522-730	+ 049532-730
Addtl. charge for HPL decor doors	+ 1.400,-	+ 420,-	+ 840,-	+ 1.260,-



+ Accessories (optional)

Assembled box lockers.

Doors are single-walled, smooth, without ventilation hole pattern and without label holders (if required, please order additional plastic label holders).

Each door features cylinder lock and 2 keys. The bottoms of the boxes are generally finished in the body color.





Order no. 049000-206



Order no. 049010-226 & 08500-7821R

Variant: 6 box tiers Dimensions and version

With cylinder lock and 2 keys Clear opening dimensions per box: 272x240/340x477 (HxWxD)

٠
·
٠
·
٠
٠





Floor-standing	Compartments	1x300	2 x 300	3 x 300
Locker height: 1,850	Boxes	6	12	16
Locker depth: 500	Locker width	300	600	900
	Order no.	049000-106	049000-206	049000-306
	Price	545,-	881,-	1.259,-
With feet	Compartments	1×300	2×300	3 x 300
Locker height: 1,950	Boxes	6	12	16
Locker depth: 500	Locker width	300	600	900
Foot height: 100	Order no.	049010-106	049010-206	049010-306
	Price	594,-	930,-	1.308,-
With base	Compartments	1×300	2×300	3 x 300
Locker height: 1,950	Boxes	6	12	16
Locker depth: 500	Locker width	300	600	900
Base height: 100	Order no.	049020-106	049020-206	049020-306
	Price	616,-	959,-	1.349,-

Οþ	Σti	or	nai
----	-----	----	-----


HPL decor doors: Thickness 13

- (+) Order no. of HPL decor doors Addtl. charge for HPL decor doors
- + 049610-730 + 415,-
- + 049620-730 + 830,-
 - + 1.245,-

+ 049630-730

(→) Body and door color & decors







Order no. 049020-326

		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
Compartments	4x300	1x400	2×400	3×400
Boxes	24	6	12	18
Locker width	1200	400	800	1200
Order no.	049000-406	049000-126	049000-226	049000-326
Price	1.657,-	708,-	1.145,-	1.636,-
Compartments	4×300	1x400	2×400	3×400
Boxes	24	6	12	18
Locker width	1200	400	800	1200
Order no.	049010-406	049010-126	049010-226	049010-326
Price	1.706,-	757,-	1.194,-	1.685,-
Compartments	4×300	1×400	2×400	3×400
Boxes	24	6	12	18
Locker width	1200	400	800	1200
Order no.	049020-406	049020-126	049020-226	049020-326
Price	1.759,-	786,-	1.232,-	1.738,-
+ Order no. of HPL decor doors	+ 049640-730	+ 049612-730	+ 049622-730	+ 049632-730
Addtl. charge for HPL decor doors	+ 1.660,-	+ 498,-	+ 996,-	 + 1.494,-



(+) Accessories (optional)

Evolo PLUS Top lockers.

The practical and space-saving solution for when more storage space is required. Doors are single-walled, smooth, without ventilation hole pattern and without label holders (if required, please order additional plastic label holders). 400 mm compartment width also suitable for motorcycle helmets.







Top locker above: Base locker below: Order no. 049090-20 & 00008-70R Order no. 049090-32 Order no. 049000-20 & 00008-70R Order no. 049000-32

+ 332,-

+ 200,-

Dimensions and version

With turning bolt latch Clear opening dimensions per do 429x240/340x477 (HxWxD)	or:			
With doors	Compartments	1x300	2x300	3×300
hinged on the	Locker width	300	600	900
right	Order no.	049090-10	049090-20	049090-30
Locker height: 500 Locker depth: 500	Price	244,-	325,-	438,-
Optional	+ Order no. of HPL decor doors	+ 0490910-730	+ 0490920-730	+ 0490930-730
HPL decor doors: Thickness 13	Addtl. charge for HPL decor doors	+ 83,-	+ 166,-	+ 249,-
		Ŀ		\Box
With doors	Compartments	2x300	4×300	2×400
closing in the	Locker width	600	1200	800
middle	Order no.	049092-20	049092-40	049092-22
Locker height: 500 Locker depth: 500	Price	325,-	568,-	422,-
Optional	+ Order no. of HPL decor doors	+ 0490920-730	+ 0490940-730	+ 0490922-730

+ 166.-

Addtl. charge for HPL decor doors



HPL decor doors: Thickness 13





			• •	
Compartments	4x300	1x400	2 x 400	3×400
Locker width	1200	400	800	1200
Order no.	049090-40	049090-12	049090-22	049090-32
Price	568,-	317,-	422,-	570,-
+ Order no. of HPL decor doors	+ 0490940-730	+ 0490912-730	+ 0490922-730	+ 0490932-730
Addtl. charge for HPL decor doors	+ 332,-	+ 100,-	+ 200,-	+ 300,-



(+) Accessories (optional)

Selection \rightarrow p. 154

Evolo PLUS

Z lockers.


Z lockers only require the space of a doubletier locker, but offer hanging room for long items of clothing. Evolo PLUS models **do not have a bothersome door overhang** like conventional Z lockers. This prevents injury and enables a convenient, central lock position.

Per compartment: 2 doors closing in the middle, top and bottom storage shelves, sturdy changing room rail with an oval profile and 3 anti-rotation sliding hooks.

Doors feature label holder and turning bolt latch for padlock.

Clear opening dimensions per door (Comp. wid. 300/400 mm): Height of large door: 1,293 mm Width of left doors: 123/173 mm Width of right doors: 109/159 mm







Order no. 049013-204

Dimensions and version

With safety turning bolt







Floor-standing	Compartments	1x300	2x300	3 x 300
Locker height: 1,850	Locker width	300	600	900
Locker depth: 500	Order no.	049003-102	049003-204	049003-306
	Price	591,-	974,-	1.398,-
With feet	Compartments	1x300	2x300	3×300
Locker height: 1,950	Locker width	300	600	900
Locker depth: 500	Order no.	049013-102	049013-204	049013-306
Foot height: 100	Price	640,-	1.023,-	1.447,-
With base	Compartments	1x300	2x300	3x300
Locker height: 1,950	Locker width	300	600	900
Locker depth: 500	Order no.	049023-102	049023-204	049023-306
Base height: 100	Price	662,-		1.488,-



HPL decor doors: Thickness 13

+ Order no. of HPL decor doors

Addtl. charge for HPL decor doors

+ 049210-730

+ 195,-

+ 049220-730

+ 390,-

+ 049230-730

+ 585,-







Order no. 049023-204 & 08500-7940R

Order no. 049023-326

		Ш		
Compartments	4×300	1x400	2×400	3 x 400
Locker width	1200	400	800	1200
Order no.	049003-408	049003-122	049003-224	049003-326
Price	1.842,-	769,-	1.265,-	1.817,-
Compartments	4×300	1x400	2×400	3 x 400
Locker width	1200	400	800	1200
Order no.	049013-408	049013-122	049013-224	049013-326
Price	1.891,-	818,-	1.314,-	1.866,-
Compartments	4×300	1x400	2×400	3×400
Locker width	1200	400	800	1200
Order no.	049023-408	049023-122	049023-224	049023-326
Price	1.944,-	847,-	1.352,-	1.919,-
+) Order no. of HPL decor doors	+ 049240-730	+ 049212-730	+ 049222-730	+ 049232-730
´		_		_

+ 234,-



(+) Accessories (optional)

+ 780,-

Selection \rightarrow p. 154

Addtl. charge for HPL decor doors

+ 468,-

+ 702,-

Evolo PLUS

Z lockers with bench.

Bench slats for models mentioned below made of beech hardwood as standard, rounded on all sides, coated with clear varnish with natural color variations. Standard color of the bench underframes is black gray RAL 7021. Absolute body height of lockers on bench or frame: 1,700 mm.

Locker and bench are delivered separately for easy assembly.

Clear opening dimensions per door (comp. wid. 300/400 mm):

Height of large door: 1,218 mm Width of left doors: 123/173 mm Width of right doors: 109/159 mm

Variant: Hardwood bench slats

Dimensions and version

Locker height: 2,120 Seat height: 450 Seat depth: 315







900

With bench built underneath the locker

Locker depth, incl. bench: 815

Jompa	rtments	
ocker	width	

Order no.

Price



742,-

2x300 600

0490537-204

1.175,-



0490537-306 1.669,-



With floating bench

Locker depth, incl. bench: 815

Wall mounting necessary!

Compartments Locker width

Order no.

Price

1x300 300

0490437-102

742,-

2x300

0490437-204

1.175,-

600

3 x 300

900 0490437-306

1.669,-

Flush with frame underneath

Locker height: 1,950 Locker depth: 500 Base height: 100

Compartments

Locker width

Order no.

Price

1x300

300

682,-

2x300

600

1.094,-

3x300

0490337-306

1.561,-

Optional

HPL decor doors: Thickness 13 Clear height above shoe rack: 225 (+) Order no. of HPL decor doors

Addtl. charge for HPL decor doors

Order no. of shoe rack

Additional charge for shoe rack

+ 049210-730

0490337-102

+ 45,-

0490337-204

+ 049220-730

+ 08050-70120

900

+ 195,-

+ 08050-70110

+ 60,-

+ 390,-

+ 049230-730

+ 585,-


+ 08050-70130

+ 75,-



Color and decor concept \rightarrow p. 48







Order no. 0490437-306 & 08500-7821R



Order no. 0490337-326 & 08050-70132









Compartments	
Locker width	

Order no.

Price

4 :	хЗ	00	

1200

0490537-408

2.195,-

х	400	

0490537-122

965,-

400

2 x 400

800

0490537-224

1.527,-

3 x 400
1200
0490537-326









2.170,-

Locker width

Order no.

Price

4	Х	3	0	0

1200

0490437-408

2.195,-

1x400

400

0490437-122

965,-

2 x 400

800

0490437-224

1.527,-

3 x 400 1200

0490437-326

2.170,-









Compartments

Locker width

Order no.

Price

4x300

1200

0490337-408

2.054,-

1x400

400 0490337-122

886,-

2 x 400

800

0490337-224

1.423,-

3 x 400 1200

0490337-326

2.029,-

(+) Order no. of HPL decor doors

Addtl. charge for HPL decor doors

+) Order no. of shoe rack Additional charge for shoe rack

- + 049240-730
- + 780,-+ 08050-70140
- + 90,-
- + 049212-730
- + 234,-+ 08050-70112
- + 50,-
- + 049222-730
- + 468,-
- + 08050-70122
- + 70,-
- + 049232-730
- + 702,-
- + 08050-70132
- + 90,-



Evolo PLUS

Z lockers with bench.

Bench slats for models mentioned below made of plastic with zinc-plated steel core for optimum stability. Plastic bench slats are more hygienic and easier to clean. Standard color of the bench underframes is black gray RAL 7021. Locker and bench are delivered separately for easy assembly. Absolute body height of lockers on bench or frame: 1,700 mm.

Clear opening dimensions per door (comp. wid. 300/400 mm):

Height of large door: 1,218 mm Width of left doors: 123/173 mm Width of right doors: 109/159 mm



Order no. 0490537-306 & 08530-9016

Variant: Bench slats made of plastic Dimensions and version

Locker height: 2,120 Seat height: 450 Seat depth: 315







With bench built
underneath the locker

Locker depth, incl. bench: 815

Compartments	

Locker width Order no.

Price

Price

Color no. for light gray

Color no. for white Color no. for black gray



1x300	
300	
0490537-102 + 08510	

-7035

-9016 -7021

742,-

2x300 600

0490537-204 + 08520

3x300 900

0490537-306 + 08530

1.175,-1.669,-







With floating bench

Locker depth, incl. bench: 815

Wall mounting necessary!

Compartments Locker width Order no.

Color no. for light gray Color no. for white Color no. for black gray 1x300 300 0490437-102 + 08510

-7035 -9016

2x300 600 0490437-204 + 08520

3x300 900

0490437-306 + 08530

1.669,-

Optional

HPL decor doors: Thickness 13 Clear height above shoe rack: 225 (+) Order no. of HPL decor doors

Order no. of shoe rack Additional charge for shoe rack

Addtl. charge for HPL decor doors

+ 049210-730

-7021 742,-

+ 195,-+ 08050-70110

+ 45,-

+ 049220-730

+ 390,-+ 08050-70120

+ 60,-

1.175,-

+ 049230-730

+ 585,-

+ 08050-70130

+ 75,-



Color and decor concept \rightarrow p. 48



Order no. 0490537-306 & 08530-9016



Order no. 0490437-204 & 08520-7035 & 08500-7731R



Order no. 0490537-326 & 08532-7021 & 08050-70132









Compartments	4 x 300	1x400	2 x 400	3 x 400
Locker width	1200	400	800	1200
Order no.	0490537-408 + 08540	0490537-122 + 08512	0490537-224 + 08522	0490537-326 + 08532
Color no. for light gray	-7035			
Color no. for white	-9016			
Color no. for black gray	-7021			
Price	2.195,-	965,-	1.527,-	2.170,-

П		Г
		Ī.
1		L





1.527,-



Order no.
Color no. for light gray
Color no. for white
Color no. for black gray
Price

Compartments Locker width

1200
0490437-408 + 08540
-7035
-9016
-7021
2.195,-

4 x 300

1x400
400
0490437-122 + 08512

2 x 400	
800	
0490437-224 + 08522	

3x400
1200
0490437-326 + 08532

+	Order no. of HPL decor doors	
	Addtl. charge for HPL decor doors	

+ 049240-730
+ 780,-
00050 70110

+ 049212-730
+ 234,-
+ 08050-70112

049222-730	+ 049232-730
468,-	+ 702,-
08050-70122	+ 08050-70132

⁺ Order no. of shoe rack

Additional charge for shoe rack	

+ 08050-70140	
. 00	

	_			_	
+	5	0	,-		

965,-

+ 08050-70122
+ 70,-

+ 702,-
+ 08050-70132
+ 90,-

2.170,-






Evolo PLUS

Z lockers with bench.

Bench slats for models mentioned below made of plastic with zinc-plated steel core for optimum stability. Plastic bench slats are more hygienic and easier to clean. Standard color of the bench underframes is black gray RAL 7021. Locker and bench are delivered separately for easy assembly. Absolute body height of lockers on bench or frame: 1,700 mm.

Clear opening dimensions per door (comp. wid. 300/400 mm):

Height of large door: 1,218 mm Width of left doors: 123/173 mm Width of right doors: 109/159 mm



Locker height: 2,120 Seat height: 438 Seat depth: 315







Order no. 0490537-306 & 08530-004-VK008



With b	ench	buil [.]	t
under	neath	the	locker

Locker depth, incl. bench: 815

Compartments	
Locker width	
Order no.	
Decor no. for white	
Decor no. for birch gray	

Decor no. for black Decor no. for silver gray Price



1x300	2×300
300	600
0490537-102 + 08510-004	0490537-204 + 08520-004
-VK001	

2 X 3 U U	
600	
0490537-204 + 08520-004	

900	
0490537-306 + 08530-004	



-VK741

-VK008

-VK002





With floating bench

Locker depth, incl. bench: 815

Wall mounting necessary!

Compartments	
	Locker width
	Order no.
	Decor no. for white
	Decor no for birch gray

1x300	
300	
0490437-102 + 08510-004	
-VK001	
-VK741	
-VK008	

2x300
600
0490437-204 + 08520-004

3x300
900
0490437-306 + 08530-004

Optional

HPL decor doors: Thickness 13 Clear height above shoe rack: 225 (+) Order no. of HPL decor doors Addtl. charge for HPL decor doors

Decor no. for black Decor no. for silver gray

Price

- (+) Order no. of shoe rack Additional charge for shoe rack
- + 049210-730

-VK002

768,-

+ 45,-

- + 195,-+ 08050-70110
- + 08050-70120 + 60,-

1.226,-

+ 390,-

+ 049220-730

- + 049230-730
- + 585,-

1.745,-

- + 08050-70130
- + 75,-

(
ightarrow) Body and door color & decors

Color and decor concept → p. 48



Order no. 0490537-306 & 08530-004-VK001



Order no. 0490437-204 & 08520-004-VK001 & 08500-797R



Order no. 0490537-326 & 08532-004-VK008 & 08050-70132









Compartments	4 x 300	1x400	2 x 400	3 x 400
Locker width	1200	400	800	1200
Order no.	0490537-408 + 08540-004	0490537-122 + 08512-004	0490537-224 + 08522-004	0490537-326 + 08532-004
Decor no. for white	-VK001			
Decor no. for birch gray	-VK741			
Decor no. for black	-VK008			
Decor no. for silver gray	-VK002			
Price	2.280,-	994,-	1.584,-	2.255,-
Compartments	4×300	1x400	2×400	3×400
Locker width	1200	400	800	1200
Order no.	0490437-408 + 08540-004	0490437-122 + 08512-004	0490437-224 + 08522-004	0490537-326 + 08532-004
Decor no. for white	-VK001			
Decor no. for birch gray	-VK741			
Decor no. for black	-VK008			
Decor no. for silver gray	-VK002			
Price	2.280,-	994,-	1.584,-	2.255,-
Order no. of HPL decor doors	+ 049240-730	+ 049212-730	+ 049222-730	+ 049232-730
Addtl. charge for HPL decor doors	+ 780,-	+ 234,-	+ 468,-	+ 702,-
Order no. of shoe rack	+ 08050-70140	+ 08050-70112	+ 08050-70122	+ 08050-70132
		_	_	_





Evolo PLUS

Accessories.

Wet room design

		g lockers and lockers w trolytically zinc-plated ar		
Number of compartments	1	2	3	4
Order no.	08000-201	08000-202	08000-203	08000-204
Price	40,-	80,-	120,-	160,-
	For lockers with Entire locker and	frame/bench frame electrolytically zin	c-plated and enamel co	ated
Number of compartments	1	2	3	4
Order no.	08000-211	08000-212	08000-213	08000-214
Price	60,-	120,-	180,-	240,-



Sloping top

	230 mm hig	h in the rear, c	comprised of sl	oping top sec	tion and side p	panels, can be	retrofitted
Number of compartments	1		2		3		4
Compartment width	300	400	300	400	300	400	300
Order no.	08504-10	08504-12	08504-20	08504-22	08504-30	08504-32	08504-40
Price	78,-	93,-	95,-	116,-	120,-	148,-	148,-



Support for wall mounting

		Rear aluminum angled rail (wall mounting holes in each locker rear panel as standard!)				
For locker width	300	400	600	800	900	1200
Order no.	08000-34030	08000-34040	08000-34060	08000-34080	08000-34090	08000-34120
Price	26,-	28,-	32,-	37,-	39,-	45,-



Door designs





	Smooth doors No ventilation gills, no st additional charge per do		Doors with round holes Hole pattern with 8 mm round holes as per DIN 4547, no stamped-in label holder, additional charge per door		
	Single-tier doors	Double-tier doors	Single-tier doors	Double-tier doors	
Order no.	04901-303	04901-303D	04901-308	04901-308D	
Price	10,-	10,-	20,-	20,-	





Door designs

Doors with square perforations Hole pattern with 23 mm square holes, for looking into the locker, no label holder

attern	١
oles,	H
ocker,	f
	_

Letter drop With rounded corners, H 25 x W 140/240, for **steel doors**

Letter drop	
With rounded cor	rners
H 25 x W 140/240	,
for decor doors	

Collection box on the
door inside for doors
with letter drop

Order no.	-
Price	Project-specific on request

Comp. wid. 300	Comp. wid. 40
04900-131	04900-132
30 -	33 -


Comp. wid. 300 Comp. wid. 400 04900-133 04900-134 30,-33,-

Comp. wid. 300 Comp. wid. 400 04900-141 04900-142 65,-63,-

Additional equipment









Glass mirror, small
With tape strips, for
attachment
by customer

7,-

Metal mirror, large
Polished, with tape strips,
for attachment
by customer

Additional inserts for label holder 1x DIN A4 sheet (27 pc.), $\hbox{e.g. for printing} \\$

Omission of label	
holderfor single- and	
double-tier	
lockers	

H 110 x B 90

H 200 x B 115

H 30 x B 60

E.g. for numbering in lock

Order no. 00018-00

00019-00

18,-

9,-

08501-071

15,-

area, p. 97

04901-306

0,-

Additional equipment

Order no.

Price

Price







Partition below the storage shelf Made of
translucent plastic, can be retrofitted
H 1 210 v D 300

can be retrofitted
H 1,210 x D 300
04900-705
55,-

111	
1	
,	
	1

Standard coat hanger Drying hanger Hardwood, painted black Made of plastic, black, no pant clips With special mounting With special mounting 08000-061 08078-715



Drying hanger Made of plastic, black, with pant clips

With special mounting 08078-716 34,-

29,-



Additional equipment









Plastic shoe tray With spacers
for maintaining rear
compartment ventilation

Flush-mounted base Otherwise recessed at the front as standard

Omission of the door opening limiter, approx. 110° door opening angle

Evolo label holder Individual, plastic, self-adhesive, incl. label

	Comp. wid. 30	Comp. wid. 300 Comp. wid. 400 Per locker		
Order no.	08000-7072	08000-7073	04900-492	
Price	14,-	15,-	20,-	

08000-7073
15 -

04900-4920
20,-

Per door 04900-7061

350 300

24,-

08000-

400

28,-

08002-

0,-

E.g. for assembled box lockers (3 or more vertical doors)

04900-715 9,-

Shoe shelf permanently installed

			or cover in c d, cannot b e	ompartment. e retrofitted		
Installation height	200		250		300	
For compartment width	300	400	300	400	300	400
Order no.	08000- 80200	08002- 80200	08000- 80250	08002- 80250	08000- 80300	08002- 80300
Price per compartment	24,-	28,-	24,-	28,-	24,-	28,-



Retrofittable shoe shelf

	Additional lawar shalf s	ar actor in compartment	
	Additional lower shelf or cover in compartment. With grid bars for subsequent installation		
Installation height	Adjustable using grid bar: 200, 250, 300 or 350		
For compartment width	300 400		
Order no.	08000-80	08002-80	
Price per compartment	65,-	69,-	



Additional equipment for door interior









Metal
Application
For compartment width
Order no.

Towel hanger			
Only for steel	fronts		
300	400		
04900-770	04900-772		
22,-	34,-		

Towel holder	
Only for de	cor fronts
300	400
04900-770	3
22,-	

Towel and s	shower gel holder
Only for de	cor fronts
300	400
04900-772	3
34,-	

Shoe and flip-flop holde	er	
Only for decor fronts		
300	400	
04900-7733		
34,-		

Price

Numbei	
plates	

08501-06

Stainless steel number plate, small Free positioning, self-adhesive, H 30 x W 50 mm, loose for easy attachment

Made of stainless steel

Order no.

Price

21,-



Number plates



Only suitable for cylinder locks!	Number plate with integrated door protection		
•	H 123xW 39 mm, in lock area, self-		
	adhesive, loose for easy attachmer		

nt

Order no.

Price

Made of plastic 04902-0601 10,-

Made of stainless steel 04901-0601 23,-



Number plate without integrated door protection

H 68 xW 39 mm, in lock area, selfadhesive, loose for easy attachment

Made of stainless steel Made of plastic 04902-0611 04901-0611 8,-19,-



Door protection with number plate





Door protection (for cylinder locks only)

Suitable for holding number plate model 04900-744, loose for easy attachment

Made of plastic

04900-742 Order no. Price 5,-

007

Number plate

For easy attachment above the door protection (please specify desired 3-digit number!), can only be used with door protection model 04900-742

Made of plastic 04900-744

3,-



Locker connectors



Side locker connection (1 set for 2 lockers), for the connection of 2 lockers to one another

Order no. 4500-715

Price


4,-



Locking systems

Which locking system for which application/task?

One lock fits all? That's a thing of the past. C+P locking system solutions are as versatile as the applications of today. For orientation purposes, this double page includes an overview of the most important options. We'd be happy to provide consultation for your specific project.



Locking systems

Classic PLUS and Evolo PLUS

- All lockers with 1 or 2 tiered compartments always feature safety turning bolt
- All assembled box lockers (3 or more tiered boxes) always feature cylinder locks

Optional Rotary cylinder lock Rotary cylinder lock Rotary cylinder lock Rotary cylinder lock (*no additional charge For master locking For master locking features for lockers with C+F function (ML) function (ML) Available as safety turning bolt) standard with 2 keys instead of the standard installed solutions Up to 1,000* Up to 6,000 Up to 6,000 Up to 6,000 Number of key numbers Master locking functions Without security certificate With security certificate 00008-70R 00008-700R 00010-010R 00010-10R Order no 9,-11,-11,-49,-Price Same version as above, except with 4 keys We'd be happy to advise you on additional Up to 1,000 Number of key numbers accessories for Order no. 00008-704R the lockers you need. Price 14,-Wet room design 2 2 Number of keys 2 00010-012R 00010-12R Order no. 00008-72R

Lock no. as per customer request or for simultaneous locking,

For combining lockers

For key numbers

Order no.

Price

Price



For rotary cylinder lock

Up to 1,000

00008-7099R

11,-

12,-



Up to 6,000

00008-70099R



For rotary cylinder lock



For rotary cylinder lock

ML without security cert.

00010-01099R

13,-

14,-



For rotary cylinder lock

ML with security cert.

00010-1099R

55,-

52,-

Spare and master keys for reorder

For existing key numbers

For key numbers

Order no. Spare key

Price

Order no. Master key

Price



Up to 1,000

00006-21

19,-



Up to 6,000

00006-00

19,-



ML without security cert.

00006-00

00012-00

18,-



ML with security cert.

00010-11

00011-00

22,-

Turning bolt locks for use with padlocks

Optional features

features Instead of the standard installed solutions

Protection function

For use for

Order no.

Price

Turning bolt with master key function

For master key

Bolt size 6 – 8 mm

00002-010R

25,-

on

(no additional charge for lockers with cylinder lock)

C+P safety

turning bolt

With over-twist protection

Bolt size 6 – 8 mm

08500-718R

9,-

Safety turning bolt KEYLESS H3, matte nickel



With over-twist protection

Bolt size 6 – 8 mm

08500-719R

33,-

_

Optional accessories and padlocks for turning and safety turning bolts,

bolt size: approx. 6 mm.

Key numbers

Order no.

Price



Master key for turning bolt

00014-00

32,-



Padlock, brass version, 2 keys

Up to 300

0002-10

11,-



Safety lock made of brass, precision cylinder, 2 keys

Up to 168,000

0002-11

32,-



BURG number CODElock with hardened steel shackle


With 4-digit combination

00002-14

29,-











Locking systems

120,-

Classic PLUS and Evolo PLUS

Electronic PIN code locks with master code function (for Classic PLUS on request)



Electronic RFID locks for use of RFID cards (for Evolo PLUS only)

125,-



125,-

136,-

Price

GANTNER GL7p RFID & PIN White



- +)

999.999

White

08500-768R

244,-

OJMAR OTS BASIC



(+]

MIFARE®

08500-741

223,-

Combination and deposit locks

In the case of locks for changing users, the code is reset after each closing process; this is not the case for permanent users.

All WF locks can also be retrofitted!

Number of key numbers

Color

Price

Order no.

Order no.

Price

Combination lock
WF 1401
For normanant use

For permanent users,



With master key function

9.999
Black
08500-7721R
55,-

Combination lock WF 1402 For changing users,



With master key function

08500-7722R

9.999

Black

55,-

999	
ack	
3500-7721R	
5,-	

Coin-operated deposit WF 1606



"Deposit lock light" with clamping device for deposit coin

_
Black
08500-7821R
42,-

Master key WF 1401/1402




08500-774 15,-

Master key WF 1606/1904



08500-784 58,-



For PIN code and RFID locks, there are a variety of options and solutions available to suit all customer requirements.

Thanks to decades of experience and close cooperation with just about every locking system manufacturer, C+P's knowledge across the entire breadth of applications is unmatched.

From simple code locks to networked security compartment systems to interactive assembled box locker solutions in the SmartLocker sector, we're always able to offer the right solution to any requirement.

Please contact our specialist consultants!

Locking systems

Classic PLUS and Evolo PLUS









SAFE-	O-MAT
locks	

Attention: Key heads cannot be retrofitted; please order the variant you need! (see below)	Twin-coin deposit lock For use with 1 and 2 Euro coins	Twin-coin token-operated lock, multi-use lock for 2 Euro deposit and 1 Euro cash function	Sign For outside, indicates SAFE-O-MAT	Number plate Alternative to the note plate; please specify number
	Incl. 1 user key	Incl. 1 user key		
With standard key head				
Order no.	08500-731R	08501-40R	Included	08501-430
With ball holder key head	On request	On request		
With ball ring key head	On request	On request		
Price	139,-	199,-	-	14,-









	Promax replacement cylinders for cylinder exchange after emergency opening, e.g. if key is lost	Promax emergency opening key for emergency opening and cylinder exchange	Spare key for SAFE-O-MAT lock, to be ordered additionally upon order placement	Number set with 50 small number plates for clipping into the key heads
	Incl. 1 user key			Please specify: 001 - 050,
With standard key head				
Order no.	08501-4101	08511-00	08501-4102	08501-55
With ball holder key head	On request		On request	
With ball ring key head	On request		On request	
Price	69,-	49,-	29,-	86,-

[!] Additional information on SAFE-O-MAT coin-operated locks can be found on p. 219.

Wristband sets and number tags







Color numbers: 51 black 52 white 53 red 55 blue 61 green 67 yellow Wristband set 1 for standard key head Wristband can be passed through crosswise Wristband set 2 for ball holder key head With protective pouch for holding a key parallel to wristband Key ring for ball ring key head For the attachment of number plates or key rings Astralon number plate for ball ring key head White, for key ring

Color: 51 black; other colors no addtl. charge, change color no. at end of order no. Please specify desired numbers! Please specify color no. and desired numbers!

Please specify numbers!

Order no.

Price

Price

8501-46**51**

24,-

On request

On request

On request
On request

25,-

On request

On request

Coin-operated deposit lock ASSA-RUKO

	Coin-operated deposit lock for 1 Euro coins, with standard master key function	Master key for coin-operated deposit lock
	Incl. 1 user key	
Order no.	08500-745R	08511-20

105,-

Accessories for ASSA-RUKO lock

	Replacement exchangeable cylinder	Removal key	Spare key
Order no.	08500-7450		08511-22
Price	69,-	27,-	27,-

More versatile than other lockers Cambio lockers.

Cambio from C+P is more than just a locker! These hard facts make this range so very incomparable:

- + Innovative ventilation and drying thanks to the SVL, FVL and FVLD concepts (see p. 170)
- + Optimum use of space and interior design thanks to corner, niche and end solutions
- + Underbench solutions designed to meet your needs for adaptation to any room situation
- + Choose from many materials and colors for every taste and every need
- Body, base and steel doors electrolytically zinc-plated as standard







Cambio from C+P features lots of space for customerspecific solutions, of which a few examples are shown on the following pages. The range of options is endless: single- and double-walled steel doors, HPL decor doors, corner lockers, electronic locking systems and so much more...

Let us know what you're looking for and send us your project-specific request! In the world of changing room and assembled box lockers, Cambio is the professional answer to just about every furnishing requirement.

Optimal

Cambio lockers.





The Cambio ventilation concepts

Detailed explanation → p. 170


Sophisticated and pleasant for meeting the highest standards.



130 mm-high feet, vertically adjustable from inside and outside with sleeves.







Single- or double-walled doors with insulation:

Single-walled steel doors with closed side profiles for maximum stability. Doublewalled sandwich construction doors with convenient body sound absorption for minimal unpleasant noise.



90° door opening limiter as standard design. New design with high-load, plastic-sheathed stainless steel special cable.





172 Lockers



174 Lockers, double-tier



176 Assembled box lockers



180 **Z** lockers and corner solutions



Stainless steel hinge: For HPL decor doors.



Can be integrated into Cambio: All common mechanical and electronic locking systems, from turning bolt latches to coin-operated locks to electronic locking systems as part of complete building automation (see p. 214).



Cylinder lock: With 2 keys as standard equipment.



C+P POWER LOCKERS

Smart ventilation and drying with C+P power lockers.

Self-ventilation using the SVL concept was examined and confirmed with Cambio and Prefino from C+P.

Thanks to the flow behavior resulting from the design, damp clothing dries out considerably faster—guaranteed, and without any additional energy input! For special drying tasks, forced ventilation concepts with and without dryers are also available. We look forward to your handling your task.

SVLSelf-ventilation





Our SVL technology means effective drying, without any additional ventilation equipment at all!

- + Can be used for 90% of all drying tasks
- + No customer-side requirements
- + Perforations positioned with ventilation in mind ensure optimal flow and efficient drying in the locker
- + Standard with Cambio and Prefino lockers

FVL








Our FVL technology means a high air renewal rate thanks to connection to the customer's ventilation system.

- + Improved drying and odor elimination
- + Used in industrial plants and in foodstuff processing, for example
- + Extraction occurs by way of the customer's ventilation system (ideally with heat exchangers to reduce energy loss)
- + For optimal ventilation, we recommend an air renewal rate of 8 to 10 times per hour

PERFORMANCE COMPARISON

All specifications and values assume a room temperature of approx. 20°C at a relative humidity of approx. 50% (common climate in Central Europe).



FVLD

Forced ventilation with dryer





Our FVLD technology means maximum drying efficiency with minimal energy consumption.

- + Closed drying system for up to 15 compartments with integrated condensation dryer
- + Used at building yards, at road maintenance depots and in the construction industry, for example
- + Only a drain for condensation water and a power connection are required
- + Very energy efficient: The power consumption of the dryer is only 550 watts!
- + Up to 30 liters of water can be dried per day!
- + In addition to moisture, odors are also eliminated to a large degree
- + A separate, energy-hungry drying room is unnecessary.

FLEX[†]

Drying and preheating





Our FLEX* technology means high efficiency and optimum flexibility—the perfect solitary locker solution.

- + The right choice for places where employees get wet while working and need to dry out both their clothing and lots of protective gear for its next use, preheat it if desired and keep it securely locked up
- + A power connection's all that's needed
- + Drying, ventilation and heating can be controlled and programmed with an app in an energy-efficient way
- + Special interior for drying and preheating helmets, gloves and boots

Cambio

Lockers.

Features of the Cambio series:

- + Sturdy steel construction with overlay doors and high-quality enamel coating
- + Interior slopes in the body for high stability and easy, convenient clothing removal
- + Novel ventilation using the SVL concept as standard
- + Steel fronts (single-walled, optionally double-walled and insulated) or optional HPL with wood decor for an even more attractive appearance
- + Door hinges for sheet metal doors made of aluminum/plastic
- + Door hinges for phenolic HPL decor fronts made of stainless steel
- + 90° door opening limiter for outstanding closing characteristics as standard
- + Body, base and steel doors electrolytically zinc-plated as standard
- + Cylinder lock with 2 keys
- + Optimum air circulation thanks to defined ventilation spaces in front of and behind the bottom storage shelf
- + Sturdy changing room rail with an oval profile, 4 anti-rotation hooks with system holder, e.g. for coat hangers or movable partitions
- + Wide variety of interior fitting solutions for any requirement
- + Slot-in shoe shelf, easy to retrofit by the user
- + Height adjustment using adjustable 130 mm-high plastic feet, easy to operate from inside and outside
- + Vertically adjustable base
- + Wear-resistant plastic feet ensure protection from corrosion
- + Sub-frame available with feet or base, as well as with spacious storage box or bench on request



- Corner lockers → p. 182
- SVL concept $^{\circ}$ and drying guarantee as standard \rightarrow p. 170

Door version:

- + Single-walled, reinforced steel doors as standard
- + Optional: Double-walled, insulated steel doors
- + Optional: HPL decor doors (standard with Z lockers)
- + Steel doors are 19 mm thick, HPL doors are 13 mm thick

Dimensions and door material (A)

On 130 mm-high feet, depth: 525.









1,757 x 262/362 x 480 (H each compartment with changing room rail and 4	storage shelf,				
Height: 1,980	Compartments	1x300	1×400	2×300	2×400
	Width	300	400	600	800
Single-walled steel doors	Order no.	45100-10	45100-12	45100-20	45100-22
	Price	612,-	796,-	816,-	1.061,-
Double-walled steel doors	& order no.	+ 45110-710	+ 45112-710	+ 45120-710	+ 45122-710
0	& addtl. charge	+ 74,-	+ 90,-	+ 147,-	+ 179,-
HPL decor doors	& order no.	+ 45110-730	+ 45112-730	+ 45120-730	+ 45122-730
	& addtl. charge	+ 133,-	+ 160,-	+ 266,-	+ 320,-



Order no. 45100-20



Order no. 45100-20 & 45120-730 (HPL decor doors in sen ash) & 4500-700 (base)







3x300
900
45100-30
1102 -

3x400
1200
45100-32
1 432 -

4	x300
12	200
4	5100-40
1.	.428,-

+ 45130-710
+ 220,-

+ 45132-710	
+ 269,-	

+	45140-710
+	293,-

+ 45130-730	
+ 399,-	

+ 45132	!-730
. 400	

+	45140-730

+ 532,-

(+)	E

Base instead of feet, steel version, 100 mm high, vertically adjustable

Color (standard)	Black gray RAL 7021
Locker height	1950
& order no.	+ 4500-700
& addtl. charge	+ 40,-





(+) Accessories

Available upgrades, locks → p. 184

Cambio

Double-tier lockers.



Order no. 45101-20



Order no. 45101-30 & 4500-700 (base)

Dimensions and door material

2 box tiers
On 130 mm-high feet, depth: 525.
Clear opening dimensions per door:
862 x 262/362 x 480 (H x W x D), each box









with changing room rail a	and 4 hooks				
Height: 1,980	Compartments	1x300	1×400	2x300	2×400
	Width	300	400	600	800
Single-walled steel doors	Order no.	45101-10	45101-12	45101-20	45101-22
	Price	726,-	943,-	1.043,-	1.356,-
Double-walled steel doors	& order no.	+ 45210-710	+ 45212-710	+ 45220-710	+ 45222-710

0	& addtl. charge	+ 106,-	+ 122,-	+ 212,-	+ 244,-
HPL decor doors	& order no. & addtl. charge	+ 45210-730 + 195,-	+ 45212-730 + 234,-	+ 45220-730	+ 45222-730 + 468,-







Base instead of feet, steel version, 100 mm high, vertically adjustable

Color (standard)	Black gray RAL 7021
Locker height	1950
& order no.	+ 4500-700
& addtl. charge	+ 40





Available upgrades, locks \rightarrow p. 184

Cambio

Assembled box lockers.



Order no. 45102-30



Order no. 45103-22 & 4500-700 (base)

Dimensions and door material

3 box tiers On 130 mm-high feet, do Clear opening dimension 562×262/362×480 (Hx without interior fittings	ns per door:				
Height: 1,980	Compartments	1x300	1x400	2×300	2×400
	Width	300	400	600	800
Single-walled steel doors	Order no.	45102-10	45102-12	45102-20	45102-22
	Price	794,-	1.032,-	1.179,-	1.533,-
4 box tiers On 130 mm-high feet, de Clear opening dimensior 412x262/362x480 (Hx) without interior fittings	ns per door:	· · ·	•	• • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·
Height: 1,980	Compartments	1x300	1x400	2×300	2×400
	Width	300	400	600	800
Single-walled steel doors	Order no.	45103-10	45103-12	45103-20	45103-22
	Price	884,-	1.150,-	1.360,-	1.768,-
Double-walled steel doors	Order no.	+ 45410-710	+ 45412-710	+ 45420-710	+ 45422-710

+ 163,-

+ 360,-

+ 45412-730

+ 45410-730

+ 139,-

+ 300,-

& addtl. charge

& addtl. charge

Order no.



HPL decor doors

+ 45422-730

+ 326,-


+ 720,-

+ 45420-730

+ 277,-

+ 600,-





Base instead of feet, steel version, 100 mm high, vertically adjustable

Color (standard)	Black gray RAL 7021
Locker height	1950
& order no.	+ 4500-700
& addtl. charge	+ 40,-





Cambio

Assembled box lockers.



Order no. 45104-20



Order no. 45105-30 & 45630-730 (HPL decor doors in sen ash)

Dimensions and door material

5 box tiers On 130 mm-high feet, depth: 525. Clear opening dimensions per door: 322×262/362×480 (HxWxD), without interior fittings		•		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Height: 1,980	Compartments	1x300	1x400	2x300	2×400
	Width	300	400	600	800
Single-walled steel doors	Order no.	45104-10	45104-12	45104-20	45104-22
Price		975,-	1.267,-	1.542,-	2.004,-
6 box tiers On 130 mm-high feet, c Clear opening dimensio 262 x 262/362 x 480 (Hx without interior fittings	ns per door:	•	·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Height: 1,980	Compartments	1x300	1x400	2x300	2×400
	Width	300	400	600	800
Single-walled steel doors	Order no.	45105-10	45105-12	45105-20	45105-22
х.	Price	1.066,-	1.385,-	1.723,-	2.240,-
Double-walled steel doors	Order no.	+ 45610-710	+ 45612-710	+ 45620-710	+ 45622-710

+ 196,-

+ 498,-

+ 45612-730



HPL decor doors

& addtl. charge

& addtl. charge

Order no.

+ 179,-

+ 415,-

+ 45610-730

+ 391,-

+ 996,-


+ 45622-730

+ 358,-

+ 830,-

+ 45620-730

		-	Chang	ing room	& wardrok	oe Cambio A	• Assembled box	(lockers
		57	58	59	6			
			Ų	۰		77	78	79
	41 42 43	44 61	62	63	6	o		.00
	45 46 47 	48	0		1			
	49 1 51	52 65	66	67	E	81	82	83
	53 54 55		ò	*		o	ъ	•
		69	70	71	7			
						85	86	87
8								
								T



Base instead of feet, steel version, 100 mm high, vertically adjustable

Color (standard)	Black gray RAL 7021
Locker height	1950
& order no.	+ 4500-700
& addtl. charge	+ 40





Available upgrades, locks \rightarrow p. 184

Cambio

Z lockers.

Z lockers offer more:

- Optimum use of the interior space for 2 users, with low floor-space requirements
- For use in areas that only offer enough space for a double-tier locker but still require long items of clothing to be hung
- Lots of storage space! Lots of storage space! Large, bulky bags or helmets, long garments, shoes and small objects all have their place
- Great overview thanks to functional division in the locker
- Each compartment has a rail with 3 hooks on the side
- HPL decor doors as standard



Order no. 45180-224

Dimensions and door material

On 130 mm-high feet, depth: 525. Each compartment has a rail with 3 hooks on the side









Height: 1,980	Width
	Description
HPL decor doors	Order no.
	Price

300
For 2 people
45180-132
1.360,-

400
For 2 people
45180-122
1.632,-

600	
For 4 people	
45180-234	
1.904,-	

800
For 4 people
45180-224
2 285 -

On 130 mm-high feet, depth: 525. Two Z compartments each on the left and right, double-tier compartment in the center





Height: 1,980	Width
	Description
HPL decor doors	Order no.
A SOLD THE REAL PROPERTY.	Price
10.35	

900
For 6 people
45181-336
2.448,-

1200
For 6 people
45181-326
2.938,-





900

For 6 people 45180-336





44	
• •	

00		

2.448,-

For 6 people	
45180-326	
2 938 -	



2.992,-

1200	
For 8 people	
45180-438	



The practical, sturdy changing room rail with an oval profile with 3 anti-rotation sliding hooks is very user-friendly and allows several garments to be hung spaced out. to be hung spaced out.



Order no. 45181-326



Available upgrades, locks \rightarrow p. 184



Cambio

Changing room corner lockers. W


Cambio creates spaces

It makes a big difference whether furniture is simply placed in a room or whether the furnishings become part of the overall interior architecture. Cambio meets all the requirements for harmoniously integrating into any desired environment.

Thanks to intelligent corner lockers which are flexible in use as an inside or outside corner, incomparable spatial experiences are created.

More than just a large number of available locker configurations are decisive for integration potential—the diversity of material options and the surface design also play a key role.

Please send us your project-specific request.









Versions and accessories

+ Sloping tops without a locker: approx. 230 mm high in rear (nothing can be left on top of the locker!)





For locker width	300	400	600	800	900	1200	1200
For compartments	1x300	1x 400	2x300	2x400	3x300	3x400	4 x 300
& order no.	+ 4531-70	+ 4541-70	+ 4532-70	+ 4542-70	+ 4533-70	+ 4543-70	+ 4534-70
2. addtl chargo	+ 08 -		± 110 =	± 145 =	± 150 =	185 _	± 195 =

+ Sloping tops
For corner on
existing corner
locker





Version	Inside corner	Outside corner

Project-specific on request

+ Base instead of feet, steel version, 100 mm high, vertically adjustable

Color (standard)	Black gray RAL 7021
Locker height	1950
& order no.	+ 4500-700
& addtl. charge	+ 40,-



+ Pairs of doors closing in the middle* Doors with joint lock, price per pair

For series	45100-20	45100-22
Locker width	600	800
& order no.	+ 45107-20	+ 45107-22
& addtl. charge	+ 72	+ 72

+ Base blanking panel

Black gray plastic, 60 or 100 mm high, with bottom sealing lip, self-adhesive

Per running meter	
60 mm high	100 mm high
+ 4400-7006	+ 4400-7002
+ 18,-	+ 23,-



HPL = high-pressure laminate

Cambio

Accessories and available upgrades.

Experience this space-saving miracle.

Make optimal use of your C+P wardrobe and changing room lockers. With well-thought-out locker accessories from C+P, it's no problem. Versatile interior fitting solutions ensure that every bit of space is used. You'll be amazed at what else can fit into your C+P steel locker.

Available upgrades in the locker

Shoe tray made of plastic, removable, with bottom spacers



4500-707

Price 20,-

Coat hangers with laundry net

The classic variant, e.g. for bathrooms or wellness centers



8501-04251

29,-

Coat hangers with multi-function hooks As an alternative to the net, for example for areas with

special hygiene requirements



0001 04

22,-

Towel hanger, movable, for easier drying of large towels



4500-760

20.-

Additional fittings in the housing

Slot-in shoe shelf

Order no.

Installation height: approx. 250, easy to retrofit by the user



Version	Coated steel, black gray		
For compartment width	300	400	
Order no.	4500-765	4500-766	
Price	34,-	38,-	

Outside shield panel,

Additional charge per compartment, for compartment rear panel with back-to-back configuration



Version		
For compartment width	300	400
Order no.	4500-10	4500-11
Price	71,-	78,-

Partitions Below the storage shelf



Made of translucent plastic, movable and swivel design, low-maintenance

Partition, HxW	1210 x 300	
Order no.	4500-705	
Drico		

Side locker connection (1 set for 2 lockers), for the connection of 2 lockers to one another



Order no. 4500-715
Price 4,-



The easy way to keep things neat!

Use the door insides of your C+P changing room and locker furniture as an extra storage area.

The benefits to you

- + More space inside
- + Accessories easy to reach
- + Neat storage, even of small items
- + User-friendly handling



Without additional equipment

Flip-flop and shoe holder

With additional equipment

Upgrades available for the locker door

Towel holderFor steel and decor doors hinged on the **right**



Towel and shower gel holderFor steel and decor doors hinged on the **right**



For steel and decor doors hinged on the right




For compartment width	300		400		300	400	300/400
Version for steel doors	Singled-walled	Double-walled	Singled-walled	Double-walled	Singled-walled	Singled-walled	Double-walled
Order no.	4500-775	4500-770R	4500-776	4500-771R	4500-777	4500-778	4500-773R
Price	22,-	22,-	34,-	34,-	34,-	34,-	34,-
Version for decor doors	HPL doors		HPL doors		HPL doors		
Order no.	4500-7703R		4500-7713R		4500-7733		
Price	22,-		34,-		34,-		

Mirror

For steel and decor doors, for attachment by customer



WidthxHeight	110 x 90	200 x 115
For compartment width	300/400	300/400
Version for steel/decor doors	Glass mirror, small	Polished metal mirror, large
Order no.	00018-00	00019-00
Price	7,-	18,-











Prefino


For the most stringent requirements.

There are tasks that only specialists can handle. Furnishing changing rooms, for example.

Where a crucial bit of extra space, functionality and design is needed—that's where Prefino comes into play.

- + Looking for attractive, uniform **glass fronts** with door mounts not visible from the outside?
- + Looking for a double-walled design allowing you to route cables in a clean way or implement interior lighting, for example?
- + Outfitting areas with high hygienic requirements and value smooth internal walls and locker floors, as well as face plates for optimal cleaning and disinfection?
- + Looking for a **reconfigurable** modular system for complete flexibility and investment security as well?
- + Seeking a broad a range of **locker variants** and available door types and materials?
- + Want to make special requests a reality, like room lighting integrated into the locker top or custom-printed locker fronts? If so, Prefino from C+P is the right product range for you!









Prefino







Have a seat!

Depending on a building's design, a variety of different sub-frames can be utilized with locker systems. Prefino is flexible, making it well equipped for any challenge.

In addition to the classic foot and base designs, integrated bench solutions are becoming more and more commonplace. Whether it's overhanging benches on an existing base, benches built in front with locker doors reduced in size or benches with storage boxes underneath: Prefino is the best choice for ideal results.

All of the sub-frames shown here are very easy to clean, in part thanks to clear-cut corner solutions. This means extraordinary sanitary conditions and simple, fast and cost-effective cleaning as a result. The variant with storage boxes underneath also offers additional storage space that has generally gone unused—a true added benefit for visitors.

We look forward to your project-specific inquiry.






Bench with storage box underneath:

The seat serves as a lid that can only be opened by the user of the locker. It ensures that bags, helmets and other items can be stored conveniently and removed easily.

A clean solution.

In areas with high hygiene requirements (e.g. in the foodstuffs industry) locker systems require something special. As well, connecting to existing ventilation and extraction systems also requires a professional solution.







Flex PLUS drying locker

Drying and heat with maximum flexibility.





The right choice for places where employees get wet while working and need to dry out both their clothing and lots of protective gear for its next use, preheat it if desired and keep it securely locked up.

Ambient air is drawn in and fed into the locker interior through the ventilation/heating element integrated in the slanted roof. Here, it exits through various air outlets like pipes/ holders for boots, helmets etc. The extracted humidity escapes into the surrounding room, which has a positive effect on the room climate in the winter when heating air is dry. Dripping water is led downward out of the compartment via the perforated stainless steel tray.

The hours of operation can be conveniently controlled with an app. Independent program circuits for ventilation and heating ensure energy-saving and efficient use. With optionally available 230-volt sockets, additional electrification for charging e-bike

and other mobile batteries is possible, for

Number per locker

Helmet holder

Upper storage shelf

Hinged floor

Glove holder

Side hook rail

Perforated stainless steel tub

Sockets in compartment

Drying coat hanger

Metal mirror, large

Small-part repository

Lock with 2 keys

Boot holder

















2 cc	mpar	tments
for 2	peo	ple






















4 x	

person

1x		











_	2 x	

2 x	1x	

2 x	1x	

example.

Product information

- + Flex PLUS technology enables the fastest possible drying of work clothing. Wet clothing is usually dried especially energy efficiently within 1 to 3 hours!
- The electrical consumption of the ventilation/heating element integrated in the slanted roof is less than
 0.15 W in standby, 8.8 W in ventilation mode and
 1,000 W in heating mode
- Sturdy steel construction with multi-functional modular system, overlay doors and high-quality enamel coating
- + Body height: 2,100 mm (2,200 mm incl. feet, 2,350 mm including slanted roof)

- Body and steel doors electrolytically zinc-plated as a standard
- + Fronts made of steel or HPL with wood decor for an even more attractive appearance
- Double-walled design for high stability
- + Smooth interior walls—hygienic and easy to clean
- + Perforated storage shelf for improved ventilation
- + Convenient operation of the control unit with an app (Apple or Android), each locker individually operable
- + Connection cable with grounded plug, approx. 5 m long.

Versions

2 compartments for 2 people

Compartment width: 350 mm

Compartment width: 350 mm

2 compartments for 1 person




Per compartment:

- 1 x helmet holder
- 2 x glove holders
- 2 x boot holders
- 1 x hinged floor
- 1 x hook rail
- 1 x stainless steel tub

Door

- 1 x mirror (per door)
- 1 x small-part tray
- 1 x lock



On feet

Order no. (steel doors)	46113-2118
Price	3.099,-
Order no. (HPL doors)	46121-730
& addtl. charge	244,-



Left compartment:

- 1 x helmet holder
- 4 x glove holders
- 4 x boot holders
- 1 x hinged floor
- 1 x stainless steel tub

Right compartment:

- 1 x storage shelf
- 2 x drying coat hanger
- 1 x hook rail
- 1 x stainless steel tub

Door

- 1 x mirror
- 1 x small-part tray
- 1 x lock

H 2,350 x W 700 x D 600

On feet

On icci	
Order no. (steel doors)	46112-21181
Price	3.069,-
Order no. (HPL doors)	46121-730
& addtl. charge	244,-



Our energy-saving tip for guaranteed drying:

3 hours of ventilator drying in the evening, 1/2 hour of drying with heated air in the morning, controllable with an app.

Drying diagram



Clothing

Measurement conditions: 22°C and 48% relative humidity

Liquid volume: 100 ml




Drying with heated air (38°C)



Drying with air at room temperature

No additional measures



School and assembled box lockers



Intro

The sturdy classic lockers with many different box sizes

- + Sturdy steel construction with high-quality enamel coating
- + 6 box heights, 2 box widths, 2 box depths for any requirement
- + Can also be used as wardrobe locker
- + Doors are single- or double-walled, depending on the box size, mounted on a sturdy strap hinge, with 170° door opening
- + Attractive locker base in black gray
- + Each box has cylinder lock and 2 keys
- Other locks available: turning bolt, safety turning bolt, master key system and Safe-O-Mat locks
- + Also available with doors made of acrylic glass, available with 90° door opening limiter as standard



Assembled box lockers in sideboard height Kindergarten/elementary school lockers


The "short ones" for the little ones

- + Series descriptions: See Intro and Resisto
- + Intro series: 1 box size
 Resisto series: 3 box sizes
- Decor top cover in MCPB (melamine coated particle board)
 25 mm thick
- + Kindergarten locker, 300 mm deep, single- and double-tier
- + Elementary school locker, 500 mm deep, single- and double-tier

	single malled	Object to the Control of the Control	Ogotalic lists	i angelejejejani i angelejejejani	Ood obenite affe.	ntestated door
Intro Assembled box lockers	•	•	•	_	•	90°*
Intro school lockers	_	•	_		•	90°
Kindergarten and elementary school lockers	•		_			Optional
Resisto school lockers	_		_	•		80°
Resisto assembled box lockers	_		_	•		80°

*For doors with acrylic glass only








Resisto

The "tamper resistant" lockers with special doors

- + Sturdy steel construction with high-quality enamel coating
- + 3 box heights and 3 box depths for any requirement
- + "Tamper resistant" special doors made of steel 1.5 mm thick, curved to the front, mounted on sturdy swivel-rod hinges (kick-resistant!)
- + Integrated 80° door opening limiter as standard
- + Locker base in color of the body
- + Each box has cylinder lock and 2 keys
- + Other locks available: turning bolt, safety turning bolt, master key system and Safe-O-Mat locks
- + 30 mm height adjustment



Dod Houting big	Dor saine ted hi	Oitelerite Oitelerite	Compatituents for	18 18 18 18 18 18 18 18 18 18 18 18 18 1	885° 1011	⟨e ^ĕ Č	Heighting	, od tre
<u>•</u>		· •	W 400	<u> </u>	_ •	<u> </u>		_ •
•	_	_	W 400	•	•	_		•
_	-	•	_	-	•	•	_	Optional
_	•	•	W 380	•	•	_	•	•
_	•	•	W 380		•	_	•	•

Intro

Assembled box lockers.

Features of the Intro series:

- + Sturdy steel construction with high-quality enamel coating
- + 6 box heights, 2 box widths, 2 box depths for any requirement
- + All lockers with attractive base, 100 mm high, in black gray
- + Doors single-walled or double-walled (see individual descriptions)
- + Each door has cylinder lock and 2 keys
- + Other lock types available, e.g. coin-operated lock
- + Each door mounted and hinged on the right with sturdy strap hinges, door opening angle of 170°

Price

+ All lockers with louvers in the rear panel and 20 mm wall spacer (absolute body depth: approx. 480 mm)



Order no. 8270-201

1.542,-

1.941,-

Dimensions and versio	n			
With base	Boxes	2	3	4
Base height: 100	Width	620	920	1220
Locker height: 1,950 Locker depth: 500	Clear opening dimensions per door, HxWxD	1825×260×460	1825 x 260 x 460	1825 x 260 x 460
Single-walled doors, reinforced	Description	With full-length door 1 storage shelf and 1 s inside with 3 anti-rota	turdy changing room rail with	an oval profile
	Order no.	8170-201	8170-301	8170-401
	Price	762,-	1.088,-	1.415,-
		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
With base	Boxes	8	12	16
Base height: 100	Width	620	920	1220
Locker height: 1,950 Locker depth: 500	Clear opening dimensions per door, HxWxD	435 x 260 x 460	435×260×460	435 x 260 x 460
Double-walled doors	Description	With 4 box tiers		
	Order no.	8470-201	8470-301	8470-401
			_	

1.088,-



Sloping top (retrofittable)
Prevents objects from
being left on top
& rear approx. 230 mm high & for body depth 480 mm



For locker width	620	920	1220	
Order no.	+ 8504-201	+ 8504-301	+ 8504-401	
& addtl. charge	+ 95,-	+ 120,-	+ 148,-	

Order no. 8570-401

			· · · · ·		
4	6	8	6	9	12
620	920	1220	620	920	1220
895 x 260 x 460	895×260×460	895×260×460	580×260×460	580×260×460	580 x 260 x 460
With 2 box tiers , 1 sturdy changing roo inside with 3 anti-rot	om rail with an oval profile ation sliding hooks	e	With 3 box tiers		
8270-201	8270-301	8270-401	8370-201	8370-301	8370-401
871,-	1.306,-	1.669,-	1.016,-	1.415,-	1.850,-
- i - i - i - i - i - i - i - i - i - i	-		- - - - - - - - - -		
10	15	20	12	18	24
620	920	1220	620	920	1220
345 x 260 x 460	345 x 260 x 460	345 x 260 x 460	285 x 260 x 460	285 x 260 x 460	285 x 260 x 460
With 5 box tiers			With 6 box tiers		
8570-201	8570-301	8570-401	8670-201	8670-301	8670-401
1.197,-	1.614,-	2.067,-	1.233,-	1.669,-	2.285,-



(+) Accessories

Selection \rightarrow p. 201







Order no. 8370-302

Order no. 8470-203

Dimensions and versions

Single-walled doors, reinforced



4

820

500

895 x 360 x 460

8270-202

1.001,-







With base

Base height: 100 Locker height: 1,950

Boxes	
Width	

Depth Clear opening dimensions per door, HxWxD

Description

Order no. Price

4	
820	
600	

6 1220 500

895 x 360 x 460

1220 600

895 x 360 x 560

895 x 360 x 560 With **2 box tiers**, 1 sturdy changing room rail with an oval profile inside with 3 anti-rotation sliding hooks

8270-203

1.133,-



8270-302



8270-303

With base

Base height: 100 Locker height: 1,950

Boxes
Locker width
Depth
Clear opening dimension per door, HxWxD
Description
Order no.

8	
820	
500	

8		
820		
600		

12		
1220		
500		



435 x 360 x 460 With 4 box tiers

8470-202
1.252,-

8470-203
1 383 -

435 x 360 x 560

435 x 360 x 460	
	_

8470-302

1.773,-


433 X 300 X 300	

8470-303

1.960,-

Price

Color concept → p. 48



_	6	6	9	9
	820	820	1220	1220
	500	600	500	600
	580 x 360 x 460	580x360x560	580 x 360 x 460	580 x 360 x 560
	With 3 box tiers			
	8370-202	8370-203	8370-302	8370-303
	1.168,-	1.300,-	1.627,-	1.815,-
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
	10	10	15	15
	820	820	1220	1220
	500	600	500	600
	345 x 360 x 460	345 x 360 x 560	345 x 360 x 460	345×360×560
	With 5 box tiers			
	8570-202	8570-203	8570-302	8570-303
	1.377,-	1.508,-	1.856,-	2.044,-



+ Accessories

Intro

Features of the Intro series with acrylic glass doors:

- + Sturdy steel construction with high-quality enamel coating
- + 2 locker widths and 2 box heights for any requirement
- + All lockers with attractive base, 100 mm high, in black gray
- + Doors made of 8 mm-thick acrylic glass, outfitted with 90° door opening limiter as standard
- + Each door has cylinder lock and 2 keys
- + Other lock types available, e.g. coin-operated lock
- + Every door mounted and hinged on the right with sturdy strap hinges
- + All lockers with louvers in the rear panel and 20 mm wall spacer (absolute body depth: approx. 480 mm)



Order no. 8470A302

Dimensions and versions With acrylic glass doors and 3 or 4 box tiers		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·
With base	Boxes	6	9	8	12
Base height: 100	Width	820	1220	820	1220
Locker height: 1,750 Locker depth: 500	Clear opening dimensions per door, HxWxD	510 x 360 x 460	510 x 360 x 460	380 x 360 x 460	380×360×460
Econor deptil. coc	Description	With 3 box tiers		With 4 box tiers	
	Order no.	8370A202	8370A302	8470A202	8470A302
	Price	1.927,-	2.684,-	2.065,-	2.925,-



+ Accessories

Available upgrades, locks \rightarrow p. 201

Features of the Intro series:

- Sturdy steel construction with high-quality enamel coating
- Boxes easy for children to reach
- Assembled box lockers with decor top cover made of MCPB (melamine coated particle board)
- All lockers with attractive base, 100 mm high, in black gray
- Double-walled doors, with 90° door opening limiter as standard
- Each door has cylinder lock and 2 keys
- Each door mounted and hinged on the right with sturdy strap hinges
- All lockers with louvers in the rear panel and 20 mm wall spacer (absolute body depth: approx. 480 mm)
- Top covers feature 20 mm projection in the rear as standard to avoid a gap between the wall and locker, e.g. due to baseboard (top depth: 500 mm)





Order no. 8573-201



Order no. 8573-301 & 8573-7301 (top cover without rear projection)

Dimensions and versions

With 3 box tiers with 25 mm-thick MCPB decor top cover, double-walled doors



With base

Base height: 100 Locker height: 1,250 Locker depth: 500

Boxes Width

Clear opening dimensions per door, HxWxD

Description

Order no.

Price

620

345 x 260 x 460

With 3 box tiers

8573-201

921,-

MCPB plate

9

920

345 x 260 x 460

With 3 box tiers

8573-301

1.279,-

For locker width

& addtl. charge

Top depth

Order no.

Top covers without projection in rear Flush with body on all sides please specify top decor

→ p. 52



620

480

8573-7201



920 480

0,-

8573-7301

0.-

(o) Body and door color

Color concept → p. 48



Cylinder locks and turning bolt latch

Prices per lock Basic design

Cylinder lock



Up to 1,000 different key numbers

8077-30

Order no. Price

Optional

Cylinder lock in black with 2 keys



Via master key system with security certificate*

8000-01

Master key for

master key system

49,-

Via master key system without security certificate

8000-001

11,-

Turning bolt latch



For padlock

0003-00

7,-

Safety turning bolts



For padlock (see also Page 83)

8000-718

9,-

Keys and wristband for cylinder locks

Spare key for rotary cylinder lock



Spare key for lock 8077-30

Order no.

Price

0006-21

19.-

security certificate*

With

0011-00

22.-

Without security certificate

0012-00

18.-

Perlon wristband for cylinder key



Color: 51 black; other colors no addtl. charge, change color no. at end of order no. Please specify desired numbers!

8501-05**51**

17.-

Color no.

51 Black

52 White

53 Red

55 Blue 61 Green

67 Yellow





SAFE-O-MAT locks

To overview \rightarrow p. 219

Padlocks

For turning and safety turning bolt, bolt size: approx. 6 mm



Padlock. brass version. 2 keys

Up to 300

Key numbers

0002-10

11,-

Order no. Price

Safety lock made of brass, precision cylinder, 2 keys

Up to 168,000

0002-11

32,-



BURG number CODElock with hardened steel shackle

With 4-digit combination

00002-14

29,-

Lock no. as per customer request

For cylinder lock (longer delivery time) Addtl. charge per lock

Order no.

..-..99

& addtl. charge

On request

Number plates





Number plates in lock area, self-adhesive, loose for easy attachment, suitable for cylinder locks only

Please specify numbers

Version Order no.

Price

With integrated door protection, 123 x 39 x 1.0 mm

23,-

Stainless steel

4901-0601

Plastic 4902-0601

10,-

Without integrated door protection, 68 x 39 x 1.0 mm

Plastic

4902-0611 8,-

Stainless steel

4901-0611 19,-


Stainless steel number plate self-adhesive, 30 x 50 x 1.0 mm



Stainless steel

8501-06

21,-





Daycare lockers 300 mm deep.

Features of the kindergarten lockers:

- + Sturdy steel construction with high-quality enamel coating
- All compartments are easy to reach for children, making them ideal for use at kindergartens and daycares
- + Available in 2 versions with full-length doors and 2 doors arranged vertically (double-tier)
- + Either with feet or base as sub-frame
- + Doors hinged on the right, mounted on fulcrum pins, with easy-to-clean hole pattern
- + Version without label holder for customer labeling
- + Convenient doorstop silencer for pleasant closing
- + Interior is easy to clean, as compartment shelves can be swept out easily



Order no. 480103-20

Variant: with full-length door Dimensions and version

With safety turning bolt









Clear opening dimensions per door: 1,105 x 230 x 265 (H x W x D)					. . .
With feet	Compartments	1x300	2x300	3×300	4×300
Locker height: 1,350	Locker width	320	610	900	1190
Locker depth: 300	Order no.	480103-10	480103-20	480103-30	480103-40
Foot height: 150	Price	362,-	466,-	612,-	779,-
 With base	Compartments	1x300	2x300	3x300	4x300
Locker height: 1,300	Locker width	320	610	900	1190
Locker depth: 300	Order no.	480203-10	480203-20	480203-30	480203-40
Base height: 100	Price	384,-	496,-	653,-	832,-



Order no. 483203-30

- Compartments with a sturdy changing room rail with an oval profile and 3 anti-rotation sliding hooks with system holder, e.g. for coat hangers
- Also 1 storage shelf per compartment in models with full-length doors, internal height above the storage shelf: 320 mm
- + Ergonomic safety turning bolt latch for padlock with door protection as practical basic fittings
- + Locker feet (e.g. in model 480103) made of plastic for improved corrosion protection of the locker!
- Feet in light gray with body color RAL 7035, in black for all other body colors



90° door opening limiter

Price per door

Version

+ Order no.

+ Addtl. charge

90° + 8505-02

+ 18,-

Variant: double-tier Dimensions and version

With safety turning bolt Clear opening dimensions per door: 536x230x265 (HxWxD)









With feet Locker height: 1,350

Locker depth: 300 Foot height: 150 Compartments
Locker width
Order no.
Price

1x300 320 483103-10 420,- 2×300 610 483103-20 582,- 3×300 900 483103-30 786,- 4 x 300 1190 483103-40 1.011,-

With base

Locker height: 1,300 Locker depth: 300 Base height: 100 Compartments
Locker width
Order no.
Price

1x300 320 480203-10 384,- 2 x 300 610 483203-20 611,- 3×300 900 483203-30 827,- 4 x 300 1190 483203-40 1.064,-

Elementary school lockers 500 mm deep.

Features of the elementary school lockers:

- + Sturdy steel construction with high-quality enamel coating
- + Bottom and locker floor generally zinc-plated for increased corrosion protection
- + All compartments easy for elementary school students to reach
- + Break-in-resistant design as per class C according to DIN 4547
- Reinforced doors hinged on the right with doorstop silencer,
 ventilation hole pattern and safety turning bolt latch for padlock
- + 90° door opening limiter as standard
- + Version without label holder for customer labeling
- Single-tier lockers: Inside each compartment: 1 non-adjustable storage shelf, sturdy changing room rail with 3 anti-rotation double sliding hooks below
- + Double-tier lockers: Inside each box: 1 sturdy changing room rail with 3 anti-rotation double sliding hooks



Variant: with full-length door Dimensions and version

With safety turning bolt Clear opening dimensions per door: 1,429 x 240 x 477 (H x W x D)

		ı

313,-

1x300



2x300

418,-

467,-

2x300



563,-

3 x 300



Floor-standing
Locker height: 1,530

Locker height: 1,530 Locker depth: 500 Compartments

1x300 320 0490005-10

600 0490005-20 3×300 900 0490005-30 4x300 1200 0490005-40 730,-

With feet

Locker height: 1,630 Locker depth: 500 Foot height: 100 Compartments

Locker width

Locker width

Order no.

Price

 Locker width
 300

 Order no.
 0490105-10

 Price
 362,

2×300 600 0490105-20

900 0490105-30 612,- 4 x 300 1200 0490105-40 779.-

With base

Locker height: 1,630 Locker depth: 500 Base height: 100 Compartments

Locker width

Order no.

1x300 320

320 600 0490205-10 0490205-20 384,- 496,- 3 x 300 900 0490205-30

653,-

4 x 300 1200 0490205-40 832,-

Body and door color



- Compartment bottoms can be swept out easily
- Slim lateral edges for a homogeneous look when lined up next to one another without doubling at the locker joints
- Additional ventilation thanks to ventilation openings in compartment bottom and top as self-ventilation concept through structurally optimized air flow behavior
- Available with feet or with base
- Standard level adjustment
- Plastic feet, base featuring increased corrosion protection, both for body RAL 7035 in light gray, otherwise in black gray



90° door opening limiter as standard equipment

Variant: double-tier Dimensions and version

With safety turning bolt Clear opening dimensions per door: 694x240x477 (HxWxD)





3 x 300



Floor-standing

Locker height: 1,530 Locker depth: 500

Compartments Locker width

Order no.

Price

Price

1x300 300 0493005-10 371,-

2x300 600 0493005-20 533,-

900 0493005-30 737,-

4 x 300 1200 0493005-40 962,-

With feet

Locker height: 1,630 Locker depth: 500 Foot height: 100

Compartments Locker width Order no.

1x300 300 0493105-10 420,-

2x300 600 0493105-20

582,-

3 x 300 900 0493105-30 786,-

4 x 300 1200 0493105-40

With base

Locker height: 1,630 Locker depth: 500 Base height: 100

Compartments Locker width Order no. Price

1x300 300 0493205-10 442,-

2x300 600 0493205-20 611,-

3 x 300 900 0493205-30 827,-

4 x 300 1200 0493205-40

1.064,-

1.011,-

Resisto

Half-height lockers.

Features of Resisto-series half-height lockers:

- Sturdy steel construction with high-quality enamel coating
- All boxes are easy to reach for children, making them ideal for use in schools and childcare facilities
- 2 different depths: 540 and 640 mm (absolute body depths of 480 and 580 mm)
- 640 mm depth ideally suited for storing large gym bags
- Assembled box lockers feature decor top cover made of 25 mm-thick MCPB (melamine coated particle board)
- All lockers feature attractive, 100 mm-high base
- in same color as body and 30 mm level adjustment

- Special doors made of 1.5 mm-thick steel, curved to the front, absolutely sturdy and "tamper resistant"
- Right-opening with sturdy swivel rod hinge
- Each door features cylinder lock and 2 keys
- Integrated 80° door opening limiter and wall mounting as standard
- Other lock types such as coin-operated locks and electronic locking systems also available
- Lockers feature louvers in the rear panel and 20 mm wall spacer
- Top covers feature 20 mm projection in the rear

Dimensions and design

With full-length doors

On 100 mm-high base, 1 changing room rail with 3 sliding hooks inside each box, with MCPB decor top cover







3 1150

540



1150

640

Height: 1,070

Boxes
Width
Depth
Clear opening dimension per door, HxWxD

op
Clear opening dimensions per door, HxWxD

Description	
Order no.	

•		ŀ		
L	_	Ц	_	

2

770	770
540	640
870 x 320 x 460	870 x 320 x 560

With	2	adjacent	boxes

8271-272	8271-
751,-	863,-

		_	
0			
10			

-273

x 320 x 560	870 x 320 x 460

With 3 adjacent box
0071 070

1.072,-

0074 070	
8271-372	

3 adjacent boxes	
1-372	8271-

8271-373
1.233,-

870 x 320 x 560



Order no. 8472-372 & 8573-7372 (top cover without projection in rear)



Order no. 8573-372 & 8573-7372 (top cover without projection in rear)

(
ightarrow) Body and door color & decors

This series offers additional box volume for greater storage needs



"Tamper resistant": 1.5 mm-thick curved steel doors make Resisto extremely sturdy



Top cover: Durable MCPB tops protect the upper surfaces of the half-height lockers



Dimensions and design

With 2 box tiers

On 100 mm-high base, with MCPB decor top cover









1150

Height: 1,070

Boxes
Width
Depth

Clear opening dimensions

per door, HxWxD

Description

Order no.

Price

_	_	П	п	
٠		٠	Ш	
		•	П	
	_	_	_	

4 770

540



420 x 320 x 460

With 2 adjacent boxes

8472-272

879,-





420 x 320 x 560

8472-273 992,-



640

420 x 320 x 460 420 x 320 x 560

With 3 adjacent boxes

8472-372

8472-373 1.329,-1.490,-

Dimensions and design

With 3 box tiers

On 100 mm-high base, with MCPB decor top cover



6





9

1150



Height: 1,250

Boxes
Width

Depth

Clear opening dimensions per door, HxWxD

Description

Order no. Price

336 x 320 x 460

770 540 6 770 640

336 x 320 x 560

540

1.511,-

1150 640

9

336 x 320 x 460 336 x 320 x 560

With 2 adjacent boxes

8573-272 1.088,-

8573-273 1.206,-

With 3 adjacent boxes

8573-372

8573-373 1.680,-

Accessories

Locks \rightarrow p. 212

Top covers Without projection in rear

Selection \rightarrow p. 212

Resisto

Assembled box lockers.

Features of the Resisto series:

- Sturdy steel construction with high-quality enamel coating
- 2, 4 or 5 box tiers and 2 different depths: 540 and 640 mm (absolute body depths of 480 and 580 mm)
- All lockers feature attractive, 100 mm-high base in same color as body and 30 mm level adjustment
- Special doors made of 1.5 mm-thick steel, curved to the front, absolutely sturdy and "tamper resistant"
- Right-opening with sturdy swivel rod hinge
- Each door features cylinder lock and 2 keys
- Standard 80° door opening limiter with soft doorstop and wall mounting
- Other lock types such as coin-operated locks and electronic locking systems also available
- Lockers feature louvers in rear panel and 20 mm wall spacer

640 mm deep:

This extra-spacious variant of the Resisto series with a depth of 640 mm holds even large gym bags comfortably.



Dimens	ions	and	design	١
Dillicits	10113	anu	ucsigi	Į

With 4 box tiers

Height: 1,950

On 100 mm-high base

ŀ	
ŀ	
ŀ	
Ŀ	







M	•		
	ш	•	

Boxes
Width
Depth
Clear opening dimensions per door, HxWxD
Description
Order no.
Price

4	4
396	396
540	640
420 x 320 x 460	420 x 320 x 560
With 4 boxes	
8470-172	8470-173
772,-	849,-

8
770
640
420 x 320 x 560
8470-273
1.421,-

Dimensions and design

With 5 box tiers

On 100 mm-high base









Height: 1,950

Boxes
Width
Depth
Clear opening dimensions per door, HxWxD
Description
Order no.

Price

5	5
396	396
540	640
336 x 320 x 460	336 x 320 x 560
With 5 boxes	
8570-172	8570-173
915 _	902 -

10	10
770	770
540	640
336 x 320 x 460	336 x 320 x 560
With 2 adjacent boxes	
8570-272	8570-273
1 415 -	1550 -

 (\rightarrow) Body and door color



Order no. 8470-272





12	12
1150	1150
540	640
420 x 320 x 460	420 x 320 x 560

With 3 adjacent boxes		
8470-372	8470-373	
1.822	2.015	






15	15
1150	1150
540	640
336 x 320 x 460	336 x 320 x 560

With 3 a	djacent boxes	
		_

8570-372	8570-373
1.908,-	2.101,-



Locks & number plates \rightarrow p. 212





+ Sloping top and upgrades

Selection \rightarrow p. 212



Resisto

Extra-large assembled box lockers.

Dimensions and design

On 100 mm-high base, 1 changing room rail with 3 sliding ho










Height: 1,950

ooks	inside	each	box	





Description

Order no.

Price



870 x 320 x 460

With 2 boxes

8270-172

579,-

2 396 640

870 x 320 x 560

656,-

8270-173

770 540

With 2 adjacent boxes

870 x 320 x 460

770 640

870 x 320 x 560


8270-273

1.164,-



Combination lockers

On 100 mm-high base









Height: 1,950

Width Depth

Clear opening dimensions per door, HxWxD

Description

Order no.



1150 1150 540 640

420/870 x 320 x 460 420/870 x 320 x 560

With 2 + 4 + 2 boxes, 1 changing room rail with 3 sliding hooks inside each large box

8070-3722 1.629,-

8070-3732 1.822,-

1.029,-

1150 1150 540 640


420/870 x 320 x 460 420/870 x 320 x 560

With 4 + 2 + 4 boxes, 1 changing room rail with 3 sliding hooks inside each large box

8070-3723

1.736,-

8070-3733 1.929,-



Combination lockers

On 100 mm-high base









Height: 1,950

Width Depth

Clear opening dimensions per door, HxWxD

Description

Order no.

Price

1150

540



640

336/870 x 320 x 460 336/870 x 320 x 560

With 2 + 5 + 2 boxes, 1 changing room rail with 3 sliding hooks inside each large box

8070-3720 1.672,-

8070-3730 1.865,-

1150 540

1150 640

336/870 x 320 x 560

336/870 x 320 x 460

With 5 + 2 + 5 boxes, 1 changing room rail with 3 sliding hooks inside each large box

8070-3721	
1.822,-	

8070-3731 2.015,-



Body and door color



6	6
1150	1150
540	640

870 x 320 x 460	870 x 320 x 560		
With 3 adjacent boxes			
8270-372	8270-373		
1.543,-	1.736,-		



Integrated 80° door opening limiter



Order no. 8270-272 with special equipment (Safe-O-Tronic locks)

Extra-large assembled box lockers

These lockers offer additional box volume — for example as bag lockers at fitness centers, where they hold even large gym bags comfortably, or for large backpacks in school lockers.



Order no. 8070-3733



Order no. 8070-3730 With special equipment (Safe-O-Tronic locks)

(+) Sloping top and accessories

Selection \rightarrow p. 212


Resisto

Accessories and locks.

Sloping top

Approx. 230 mm high in the rear, for retrofitting, prevents objects from being left on top, body depth of 480/580





For locker width	396	396	770	770	1150	1150
For body depth	480	580	480	580	480	580
Order no.	8504-172	8504-173	8504-272	8504-273	8504-372	8504-373
Price	95,-	105,-	116,-	120,-	148,-	150,-

Top covers without projection in rear


Flush with body on all sides, for half-height lockers from p. 206. Please specify top decor, see p. 52





MCPB plate	For locker width	770	770	1150	1150
	Top depth	480	580	480	580
	Thickness: 25 mm	•	•	•	•
	& order no.	+ 8573-7272	+ 8573-7273	+ 8573-7372	+ 8573-7373
	& addtl. charge	+ 0,-	+ 0,-	+ 0,-	+ 0,-

MCPB = Melamine coated particle board



Cylinder locks and turning bolt latch

Prices per lock Basic design

Cylinder



Up to 6,000 different key numbers

Order no. 8570-70

9,-

Price

Optional

Cylinder lock in black with 2 keys



Via master key system with security certificate*

8570-711

49,-

Turning bolt



For padlock

0003-00

Safety turning bolts



For padlock

8500-718

9,-

Keys and wristband for cylinder locks

Spare key for cylinder lock

Spare key

for lock

8570-70

Spare key for master key system



Without security security certificate* certificate* Master key for master key system



Via master key

8570-710

11,-

system without

security certificate

With Without security security certificate* certificate* Perlon wristband for cylinder keys



Color: 51 black; other colors no addtl. charge, change color no. at end of order no.: 51 black, 52 white, 53 red, 55 blue, 61 green, 67 yellow

Please specify desired numbers!

8501-05**51**

Order no. Price

0006-21 19,-

0010-11

59,-

19,-

0006-00 0011-00 22,-

0012-00 18,-

17,-

Optional accessories and padlocks

For turning bolts and safety turning bolts, bolt size: approx. 6 mm.

Key numbers

Order no.

Price



Padlock, brass version, 2 keys

Up to 300

0002-10

11,-



Safety lock made of brass, precision cylinder,

Up to 168,000

0002-11

32,-



BURG number CODElock with hardened steel

With 4-digit combination

00002-14

29,-

Lock no. as per customer request

For cylinder lock (longer delivery time) Addtl. charge per lock

& addtl. chargeOn request



Number plates

In lock area, self-adhesive, loose for easy attachment, suitable for cylinder locks only

Stainless steel

Please specify numbers

With integrated door protection, 123 x 39 x 1.0 mm

Version Plastic

Order no.

Price

4902-0601 4901-0601

10,-

Without integrated door protection, 68 x 39 x 1.0 mm

Plastic

4902-0611

8,-

Stainless steel

4901-0611

19,-

self-adhesive. 30 x 50 x 1.0 mm

Stainless steel number plate



Stainless steel

8501-06

21,-





23,-



Additional door protection/ number plate



Modern locker locking systems from GANTNER

The requirements on modern lockers and security compartments are very clear: They have to be easy to manage, straightforward in operation and, above all, secure. Each and every GANTNER solution boasts these features.

The identification—and therefore operation—of GANTNER locks occurs in an intuitive and convenient way using a contactless data carrier (chip) integrated into a card, a wristband, a key ring or a watch. Alternatively, the lockers can be operated with a smartphone app.

Locker locking systems from GANTNER can be perfectly integrated into holistic solutions. Using the same contactless data carrier, a unique customer experience is created throughout the entire system—from the ticketing

web shop to the access solution at the entrance through to the cashless payment solution.

The product portfolio includes centrally powered systems with a power pack operated and managed using locker management software. Alternatively, battery-powered locker locks enabling especially easy retrofitting are available. What they all have in common is easy operation and flexible use for all types of cabinets, lockers, rental & security compartments and for frequently changing users and personally assigned lockers.

GAT NET.Lock

- + Operation with a chip card, key ring or wristband
- Management and control using the eLoxx Suite software (on premise, cloud or embedded)
- + Automatic opening of all lockers
- + Alarm in case of break-in attempts
- + Statistical evaluations easy to create
- + Status overview of all lockers on a computer, incl. utilization overview
- + Authorization can be defined for one or more people for each locker
- + Intuitive operation—unique LED status indication
- + Automatic self-calibration and large reader range
- + No maintenance costs
- + Emergency mode in case of loss of service
- + High quality and long service life



Wired GAT NET.Lock locker lock

GAT ECO.Lock

- Locker operated with chip card, key ring or wristband
- + No wiring required
- + Easy retrofitting of existing lockers
- + Intuitive operation
- + Can be integrated into access systems
- + Authorization can be defined for one or more people for each locker
- + Free locker selection or personalized locker assignment
- + High quality and long service life (including the batteries)
- + Clear and unambiguous status indication on the locker
- + Battery-operated and wired locks can be combined
- + Minimal maintenance costs



Battery-operated GAT ECO.Lock locker lock

GAT ECO.Side Lock

- + Low-power technology from GANTNER ensures around 10 years of use before a battery change is necessary
- + Audible and visual alarm functions on the locker
- + Locker aesthetic isn't disrupted thanks to fully internal installation
- + Protected against vandalism (no external parts)
- + Intuitive one-handed operation
- + Easy installation, no wiring—suitable for all locker materials
- + Large variety of operating modes—free locker selection, personal locker or time-limited locker
- + Multiple master keys



Battery-operated GAT ECO. locker lock Side lock

GT7 terminal

- + Universal terminal with different apps for different applications
- + Rugged hardware with touch display and integrated RFID reader
- + Flush-mounted and surfacemounted variants available
- + Different interfaces for flexible integration into an overall system
- + Info app: Read the locker number from the data carrier
- + Access app: Available for access control
- G7 Connect service: Cloud-based commissioning and backup (for even greater security)



GT7 terminal with info app

Locking systems:

Examples of many different options.

Electronic PIN code lock 3780

Whether for free locker selection or for permanently assigned security compartments and lockers, the 3780 is the perfect solution whenever the use of keys for locker locking is not desired.

Instead of a key, a 4-digit numerical code ensures secure locking and unlocking of the locker or security compartment. In a nutshell, the Euro-Locks PIN code lock stands out thanks to its:

- + Ease of use
- + Fast installation
- + Compatibility with the most common standard hole patterns for cylinder locks
- + Ease of operation and code setting
- + Immediate readiness for operation
- + Emergency opening using master key function in case of battery failure

Should battery replacement be forgotten and the battery die (but the locker compartment needs to be opened), the lock can be opened mechanically with the integrated lock cylinder with a master key, preventing the need for destructive opening.





Available in the colors silver and black



All the advantages at a glance

- + Private, public and technical mode
- + Operated with 2 type AA batteries
- + 4-digit user code
- + 6-digit master code, 6-digit technical code
- + Up to 80,000 tested locking cycles with one set of batteries
- + Battery status warning via LED
- + Master key (optional)
- + Audible signal (switchable)
- + Function display via LED
- + Sturdy die-cast zinc housing and handle

lote:

If you are buying locks at a later stage, we always need you to provide the original order and the locker type.

Mechanical combination lock WF 1401 and 1402



The mechanical WF combination locks are characterized by easy operation and a rugged and functional design—they're the affordable alternative to electronic PIN locks.

- + Maintenance-free, as they're purely mechanical; 10,000 freely programmable user codes
- Lock cylinders for service key (for resetting and emergency opening)
- + ANTI-SPY system: Reading out of personal user codes is no longer possible
- + QUICK-RESET function for restoring the factory setting in seconds without the need to go through the complicated code-finding process
- + Automatic code scrambling function for even greater security and convenience
- + Model WF 1401 for permanent users: A set code is retained until it's changed
- Model WF 1402 for changing users: The code is automatically cleared each time the lock is opened



Mechanical coin-operated deposit lock 1606

The first coin-operated deposit lock which can be used as a real lever lock with nearly all steel lockers or retrofitted. Its compact size offers considerable space and cost advantages over conventional coin-operated deposit locks when used on smaller compartments.

- + Maintenance-free, as it's purely mechanical
- + Master key-compatible
- + Convenient front operation, self-explanatory design, no instructions required
- + Practical reversible key with pleasant large grip area
- + Lock cylinder with centering as insertion aid, also easy to operate by persons with disabilities
- + Rugged design and compact, round shape means essentially no attackable surface for the use of force or vandalism
- + Theft-proof storage of the coin while locked thanks to two powerful metal claws
- + Available for 1 Euro coins as standard, various other currencies available on request



Electronic PIN code lock 1904



PIN code lock 1904 is a battery-operated, self-contained and standalone lever lock.

The electronics offer numerous settable functions and operating modes. Operation and programming are supported by visual and audible signals.

- + Flexibly settable for permanent or changing users, freely selectable master and user codes, in-use indication and battery warning
- + AUTO-OPEN TIMER (automatic door opening at a settable point in time) in public mode
- + Lock cylinder for service key for emergency opening and more:
- + Operating section, incl. battery, removable without tools using service key without opening the locker door—for convenient programming and battery changing at any location (practical with low compartments, for example)
- + Battery change possible without losing any codes or settings
- + Depending on the operating mode, up to 100,000 locking cycles with a single commonly available 1.5 V AA alkaline battery

Electronic RFID lock 1905

The RFID lock 1905 is a battery-operated and self-contained system which works only with WF-certified and -initialized transponders (13.56 MHz Mifare Ultralight). This makes it the first choice for use wherever locks and transponders are to harmonize with one another perfectly and flawlessly.


Cards, key rings or wristbands can be used as the transponder.

- + Dimensions, battery access, bolt, service key and mechanical design are identical to PIN code lock 1904
- + Large number of settable functions and operating modes for permanent and changing users (private/public)
- + AUTO-OPEN TIMER (automatic door opening at a settable point in time) in public mode
- + Read/write system where information can also be transferred from the lock to the transponder
- + Easy programming using accompanying transponder with NFC-compatible smartphone and free app





- + In-use indication in public mode: Only a single transponder can be programmed per lock
- + In private mode, up to 8 transponders can be taught in and withdrawn again per lock
- Information such as locker and compartment numbers can be read out by authorized persons if necessary
- + Depending on the operating mode, up to 80,000 locking cycles with a single commonly available 1.5 V AA alkaline battery



Combined RFID and PIN code lock SAFE-O-TRONIC® access LS

SAFE-O-TRONIC® access replaces the conventional cylinder lever locks with electronic locking convenience. This finally makes cumbersome key management a thing of the past. PIN code and RFID technologies are combined in a unique way.



Keyless with a PIN code

The personal PIN code can be conveniently entered through a light touch of the key pad. Programming the locking system with master codes is also possible using an RFID card to save time.



Contactless with an RFID card

For use with RFID data carriers (e.g. card, wristband or key ring)—just hold the data carrier in front of the reader. All RFID technologies as per ISO 14443 A (e.g. MIFARE®) are available.





SAFE-O-TRONIC® access LS 101 PIN code lock



SAFE-O-TRONIC® access LS 200 PIN code lock with RFID programming and RFID master function



SAFE-O-TRONIC® access LS 300 RFID lock



SAFE-O-TRONIC® access LS 400 combined RFID and PIN code lock

All the advantages at a glance:

+ Easily adapt standards

Locker doors prepared for the usual standard lever cylinder can very easily be outfitted or retrofitted with SAFE-O-TRONIC® access. This saves both time and money at the time of installation.

+ Flexible management

Different user groups can be organized extremely easily with a PIN code (e.g. daily visitors) or RFID chip card (e.g. club members, and personnel).

+ Convenient operation

A light touch of the keypad (capacitive technology) is all that's required to enter a personal PIN code. RFID data carriers are simply held in front of the reader for identification. The keyboard won't wear down and facilitates use in wet rooms like swimming pools and sauna areas.

+ Locker capacity optimization

Large variety of functions for protection against compartment reservation optimize your locker capacity. Among other things, this allows you to program your lockers in a way that locks or unlocks them automatically at a predetermined point in time (e.g. automatic nighttime opening).

+ Controlled opening

Should it be necessary for the personnel to open a locker, master locking which only allows opening—and not uncontrolled re-closing—is available in addition to conventional master locking. This way, you increase security for your visitors and protect your personnel from false suspicion.

Organize offline locking systems online The card-based network SAFE-O-TRONIC® CyberNet offers online convenience for offline locking systems.

+ Time-saving programming

Your locking system can be programmed in a flash thanks to SystemKeys.

+ Convenient monitoring options

For monitoring purposes, all locking processes can be logged, printed, analyzed and verified beyond a doubt.

+ Universal applications

The slim SAFE-O-TRONIC® access LS designer lock is suitable for locker doors on the left and right as well as doors in special shapes.

+ Custom design

From locker numbering to logos, SAFE-O-TRONIC® access makes your custom design ideas a reality.

Coin-operated locks

C+P offers locking systems of the SAFE-O-MAT brand for its assembled box and changing room lockers. Lockers with these locking systems are suitable for use at public facilities and institutions such as swimming pools, sports facilities, schools, universities, fitness and recreation centers as well as at shopping malls, trade shows, libraries and hospitals. SAFE-O-MAT systems are available in different

variants:

The 2-coin slot models are available as both a deposit lock and as a combined deposit/token-operated lock.

- + The twin-coin deposit lock enables the user to choose between two different coins for use in the coin slot. This prevents operators and users alike from having to change coins.
- + With the twin-coin multi-use combined deposit/token-operated lock, a visitor can insert a deposit coin which is returned to them after using the locker, in addition to a coin paid as a fee. This enables the visitor to come back and use "their" compartment as often as they'd like, free of charge. The inserted deposit coin also protects against kev theft.
- + The deposit/token-operated lock is also optionally available for other coin combinations.

Functioning of the locking systems

Prior to use, the key is firmly lodged in the lock and the locker door is open.

After the required coin(s) or token is/are inserted, the door can be closed and the key removed. Clothing and valuables are securely stored. The user holds on to the kev. As soon as the user re-opens the locker, the coin/token drops into the collecting tray. The key is again firmly lodged in the lock, making the locker available for the next visitor right away.

Practical key logistics

Key wristband sets and identical numbering on the locker and wristband (available upgrades) ensure practical use. Thanks to keys with clip-in number plates, the locking system can be organized very easily and conveniently. The number plates can be clipped into the key head by the operator themselves at any time-in seconds and without any tools. This eliminates the need for elaborate stamping and fastening. At the same time, it ensures greater flexibility and saves time when numbering and allocating the user keys. The fully laser-marked number plates can be stored on site in sets of 50.



Twin-coin deposit lock

Additional security

The SAFE-O-MAT locking system has an exchangeable cylinder system as standard. By means of an emergency opening key, it allows for emergency openings (if keys are lost) through controllable cylinder replacement. Visitors who have lost their key can receive help immediately. The lost key doesn't pose a threat to security, as the replaced lock cylinder ensures that the key no longer fits the lock.

Special benefit of this solution: Quick cylinder replacement after any key loss means there's no need to buy several spare keys for every lock. This also eliminates any associated security risk. One or two replacement cylinders are all you need! In addition, there are no risks associated with the traditional master key system where the loss of the master key can jeopardize the security of the entire locking system.

However, a conventional master key can be provided on request in order to, for instance, take the deposit coin as a "fine" for the unauthorized reservation of a compartment. Let us help you with your individual needs.

The advantages of coin-operated locks at a glance:

- + Lower operating costs No need for staff members to give out and take back keys.
- + Protection against key loss The locker key is held in the lock until the locker is in use. Even after the locker is opened, the key is automatically lodged in position and cannot be removed accidentally.
- Time savings for the user No long wait for keys to be issued.
- + Better utilization of locker capacity The locker can be used by different visitors several times a day.



Twin-coin multi-use token-operated lock

Key head and wristband versions

As standard, SAFE-O-MAT locks are supplied with a standard key head. Wristband set 1, which is also standard, also fits this, where the wristband is inserted crosswise through the key:



On request, the ball holder key head and matching wristband set 1 can also be provided. This features a key protection pouch in which the key can be held parallel to the wristband.



The ball ring key head is also available on request. This is not suitable for wristbands, but only for number tags with a key ring.



Prior to ordering, please choose the variant you need, as different versions cannot be retrofitted!

Benches and benches with coat rack Sturdy and flexible in use.





Stackable benches, series 855

The stackable benches

- + Sturdy round tube steel frame construction with high-quality enamel coating
- + Seat section made of solid beech wood slats coated with clear varnish
- + Benches can be stacked
- + Plastic floor gliders
- + Delivered fully assembled


BASIC benches and benches with coat rack

The tried and tested benches with wood and plastic slats

- + Sturdy steel square tube construction with high-quality enamel coating
- + Seats, backrests and hook rails made of rounded hardwood slats, with clear varnish
- + Alternative plastic bench slats with steel core
- + Adjustable floor gliders for easy level adjustment (10 mm)
- + Hook rails with plastic double clothes hooks, concealed according to DIN 7917
- + Delivered preassembled for immediate use
- + Optional shoe rack, can also be retrofitted







The wet room benches with HPL seats

- Sturdy square profile structure made of steel
- Frames and shoe racks electrolytically zinc plated as standard and with high-quality enamel coating
- Seats, backrests and hook rails made of solid-core top (HPL, 13 mm thick) with decor surface
- Adjustable floor gliders for easy level adjustment (10 mm)
- Hook rails with plastic double clothes hooks, concealed according to DIN 7917
- Delivered preassembled for immediate use
- Optional shoe rack, can also be retrofitted







wardrobes → p. 234

Series 855 stackable benches



Features of stackable benches of the 855 series:

- Sturdy construction
- Feet made of 25 mm round tube steel frame, powder coated in RAL 7021 black gray
- Seat section made of three 80 x 20 mm solid beech wood slats coated with clear varnish
- Seat depth: 300 mm, seat height: 460 mm
- Benches can be stacked
- Black abrasion-resistant plastic floor gliders
- Delivered fully assembled

Dimensions and design			T	
Height: 460 Depth: 460	Width	1200	1600	2000
	Order no.	8550-000	8551-000	8552-000
	Price	146,-	176,-	206,-



Basic benches and benches with coat rack

Features of BASIC benches and benches with coat rack:

- + Sturdy steel square tube construction, 30 x 30 mm, with high-quality enamel coating
- + Seats, backrests and hook rails made of beech hardwood slats rounded and planed on all sides, 60 x 25 mm profile, coated with clear varnish, with natural color differences
- + Alternative plastic bench slats with steel core available for all models at no additional charge
- + Adjustable floor gliders for easy level adjustment (10 mm)
- + Hook rails with plastic double clothes hooks, concealed according to DIN 7917
- + Delivered preassembled for immediate use
- + Optional shoe rack, can also be retrofitted
- + Standard frame color black gray RAL 7021



Order no. 8052-000



Dimensions and design

Free-standing bench	
---------------------	--

Frame in black gray RAL 7021 (standard)

Height: 420 Width Depth: 353

Without shoe rack Feet Order no. Price

1000 4 8050-000 242,-

4 8051-000 315,-

1500 1960 6 8052-000 411,-




Order no. Price

8050-010 293,-

8051-010 380,-

8052-010 497,-



Accessories



Order no. 8078-2101

Wall-mounted wardrobe

Hook rail for wall mounting with plastic double hooks, incl. 20 mm wall spacer

AAA
996
4
68
8078-2101



Width	996	1496
Double hooks	4	6
Depth	68	68
Order no.	8078-2101	8078-2111
Price	91,-	118,-



Comfort coat hooks

Additional functions

- + Combined hat and double coat hook
- + Customizable number plate (with individual motifs, numbering etc.)
- + Coat hook bent backward (concealed according to DIN 7917)

Featuring a modern design, made of high-quality plastic.




Shoe racks

With 5 crossbars made of square profile, one-sided. For retroactive mounting in benches without shoe racks (double-sided benches require a shoe rack on each side).

Width	1000	1500	1960
Order no.	8050-7100	8051-7100	8052-7100
Addtl. charge	51,-	65,-	86,-





	Light gray	White	Black gray
& order no.	+ 8000-7035	+ 8000-9010	+ 8000-7021
& addtl. charge	+ 0,-	+ 0,-	+ 0,-

Basic one-sided and double-sided benches

with coat rack



Dimensions and design

One-sided bench with coat rack

Frame in black gray RAL 7021 (standard)





629,-



1960

Height: 1,710
Seat height: 420

Nidth
Depth

Double hooks

Order no.

000				
103				

403 4

8050-100

484,-

1500		

403 4 6 8051-100

403 6 8 8052-100 822,-



Order no.

Price



8052-110 908,-




8050-110 534,-




Comfort coat hooks with exchangeable individual label



Floor gliders with 10 mm level adjustment





RA

Width	1000
Depth	756
Feet	2x4

Double hooks	
Order no.	

Price


Price

774,-

8050-200

2 x 4


Order no.	8050-210
Price	875 -



1500
756
2 x 4
2x6
8051-200

1.006,-	
8051-210	

1.137,-



1960

756

2x6

2 x 8

1.316,-



Order no. 8050-200 & plastic bench slats 8000-7021

Comfort benches and benches

with coat rack

Features of COMFORT wet room benches with HPL seats:


- + Sturdy square profile construction, 30 x 30 mm, made of steel
- Frames and shoe racks electrolytically zinc plated as standard and with high-quality enamel coating
- Seats, backrests and hook rails made of solid-core top (HPL, 13 mm thick) with decor surface
- + Adjustable floor gliders for easy level adjustment (10 mm)
- + Hook rails with plastic double clothes hooks, concealed according to DIN 7917
- + Delivered preassembled for immediate use
- + Optional shoe rack, can also be retrofitted
- + Standard frame color: black gray RAL 7021




Dimensions and design

Free-standing bench Frame in black gray R	n PAL 7021 (standard)			
Height: 401	Width	1000	1500	1960
Depth: 353 Seat height: 401	Feet	4	4	6
	Order no.	8060-000	8061-000	8062-000
Without shoe rack	Price	363,-	472,-	617,-
	Order no.	8060-010	8061-010	8062-010
With shoe rack	Price	439,-	570,-	745,-
Free-standing bench with backrest	1			
Height: 796	Width	1000	1500	1960
Depth: 407 Seat height: 401	Feet	4	4	6
	Order no.	8060-300	8061-300	8062-300
Without shoe rack	Price	581,-	755,-	987,-
	Order no.	8060-310	8061-310	8062-310
With shoe	Price	656,-	853,-	1.115,-

rack











Order no. 8060-210

Dimensions and design

One-sided bench with coat rack Frame in black gray RAL 7021 (standard)







Height: 1,710 Depth: 407 Seat height: 401


With


shoe rack

Width	
Feet	
Double hooks	
Order no.	

Price


1000
4
4
8060-100
726,-






Without shoe rack

Order no.	
Price	



8061-110 1.042,-



Double-sided bench with coat rack Frame in black gray RAL 7021 (standard)







Height: 1,710 Depth: 760 Seat height: 401

Without shoe	

Width
Feet
Double hooks

Order no.	
Price	

1000
2 x 4
2 x 4
8060-200
1.161,-

1500
2 x 4
2x6
8061-200
1.509,-

1	960
2	2x6
2	2x8
8	3062-200
1	.973,-

With shoe rack	
----------------	--

Order no.	
Price	

8060-210	
1.312,-	

8061-210
1.705,-

8062-210
2.230,-

Accessories & decors



Order no. 8078-4101

Wall-mounted wardrobe

Hook rail for wall mounting with plastic double hooks, incl. 20 mm wall spacer





Width	996	1496
Depth	68	68
Double hooks	4	6
Order no.	8078-4101	8078-4111
Unit price	136,-	177,-



Comfort coat hooks

- + Combined hat and double coat hook
- + Customizable number plate (with individual motifs, numbering etc.)
- + Coat hook bent backward (concealed according to DIN 7917)



Shoe racks

With 5 crossbars made of square profile, for retroactive mounting in benches without a shoe rack electrolytically zinc plated and with enamel coating, RAL 7021 black gray

Width	1000	1500	1960
Order no.	8060-7100	8061-7100	8062-7100
Price	82 -	104 -	138 -



Seats, backrests and hook rails made of high-pressure laminate/HPL, 13 mm thick, with decor surface



Floor gliders with 10 mm level adjustment



Something for everyone Open wardrobe systems.



Wall-mounted and free-standing wardrobes

The useful helpers for the lobby

- + Sturdy steel and aluminum construction
- + Functional and adaptable design
- + Intermediate sizes in 100 mm increments also possible
- + Free-standing wardrobes optionally available with casters for mobile use (on request)
- + Optional double numbering for use as a "theater wardrobe"
- + Two umbrella stand variants
- + Delivered disassembled with easy assembly instructions





Open wardrobes and assembled box lockers

The classic office wardrobe designed for continuous connection

- + Sturdy steel construction with high-quality enamel coating
- 2 box widths (wide version suitable for motorcycle helmets)
- Flexible continuous system comprising assembled box lockers, intermediate parts and end panels, expandable at any time
- + 90° door opening limiter as standard
- + Coat hangers feature special mounting (discourages theft)
- + Double-walled doors with cylinder lock and 2 keys



Wall-mounted and free-standing wardrobes

Features of wall-mounted and free standing wardrobes:

Wall-mounted wardrobes A and B:

- + Cross profile and hook rail made of silver-colored anodized aluminum
- Model B side profiles made of steel, silver-metallic coated (textured paint)

Wall-mounted and free-standing wardrobes C through G:

- All silver-colored profiles made of anodized aluminum
- All dark profiles and frames made of steel, coated dark gray (textured paint)
- All clothes hooks and coat hangers made of plastic, dark gray
- Delivered disassembled with easy assembly instructions
- Wall-mounted wardrobes C and D sized 400 mm to 3,000 mm wide available in 100 mm increments-just ask us!

.......



Dimensions and version

Wall-mounted wardrobes


Wall illounted wardrobes	(A)	(
Height	80	10
Width	1000	10
Depth	80	
Number of hooks	10	19
Number of coat hangers	-	
Order no.	99004-000064	9
Price	166,-	4

17 CTCCCCCCC
B
160
1000
000

330
19
-
99004-000063
492,-


160	
1000	
150	
10	
-	
99004-000039	

239,-



10 99004-000012

719,-





99004-000060 Order no. Price

For all free-standing wardrobes with hooks, consisting of self-adhesive number plates and matching wardrobe tag, both black plastic with white numbering (please specify).

Plastic number plate

29 x 24 mm, self-adhesive, numbers 1 through 999 possible


99004-000061 Order no. Price 7,-

Plastic issue number

65 x 32 mm, can have same number as number plate

Order no.	99004-000062
Price	8,50





Umbrella stands with drip pan

Silver-colored profiles made of anodized aluminum, dark profiles made of steel, coated dark gray (textured paint). Drip pan coated with rubber.





Height: 530 Depth: 220	Width	700	1000	
	Description	For 5 umbrellas	For 7 umbrellas	_
	Order no.	99004-000004	99004-000005	-
	Price	454,-	489,-	-

8070 series

Open wardrobes.





90° door opening limiter





Order no. 80700-00



Order no. 80710-00

Dimensions and versions



Height: 1,950 Depth: 480

Width Description

no. 80700-10, 1 top shelf, 1 hat rack with 5 coat hangers, 1 shoe rack,

For no. of persons

Clear opening dimensions per box HxWxD

Order no.

Price

740

1 locker with 5 boxes, 1 end side panel

5

345 x 190 x 460

80700-00

680,-

960

1 locker with 5 boxes, no. 82700-10, doublewidth, 1 top shelf, 1 hat rack with 5 coat hangers, 1 shoe rack, 1 end side panel

5

345 x 410 x 460 82700-00

824,-

1430

2 lockers with 5 boxes each, no. 80700-10, 1 top shelf, 1 hat rack with 10 coat hangers, 1 shoe rack

10

345 x 190 x 460 80710-00

1.189,-

1870

2 lockers with 5 boxes each, no. 82700-10, double-width, 1 top shelf, 1 hat rack with

10 coat hangers, 1 shoe rack

10

345 x 410 x 460

82710-00

1.476,-



(
ightarrow Body and door color

Color concept → p. 48

Features of the 8070 series:

- + Sturdy steel construction with high-quality enamel coating
- + Expandable and modifiable continuous system
- + Double-walled hinged doors
- + All doors with 90° door opening limiter
- + Cylinder lock with 2 keys
- + Two box sizes
- + Lockers prepared for intermediate parts on left and right
- + Coat hangers feature special mounting (discourages theft)
- + Hat rack and shoe rack made of square tube, coated in black gray, base in body color
- + The wardrobes are delivered disassembled with easy assembly instructions
- + Asymmetrical wardrobes can also be assembled mirrored



Order no. 80730-00



Order no. 80730-20





954 2 end panels, no. 8074-00,

1 top shelf, 1 hat rack with 10 coat hangers,

1 shoe rack, 1 rear panel, no. 8071-02

10

8071-03 607,- 1410

1 locker with 10 boxes, no. 80700-20, 1 top shelf, 1 hat rack with 10 coat hangers,

1 shoe rack, 1 end side panel

10

345 x 190 x 460 80720-00

1.063,-

2100

1 locker with 10 boxes, no. 80700-20, 1 locker with 5 boxes, no. 80700-10 1 top shelf, 1 hat rack with 15 coat hangers,

1 shoe rack

15

345 x 190 x 460 80730-00

1.572,-



2840

2 lockers with 5 boxes each, no. 80700-10, 1 locker with 10 boxes, no. 80700-20, 2 top shelves, 2 hat racks with 10 coat hangers e

2 hat racks with 10 coat hangers each, 2 shoe racks

20

345 x 190 x 460 80730-20

2.065,-

Accessories for open wardrobe systems

Intermediate parts

Width	500	950	1400	
Depth	480	480	480	
	1 top shelf, 1 hat rack with 5 coat hangers, 1 shoe rack for no. 80700-00 and 82700-00	1 top shelf, 1 hat rack with 10 coat hangers, 1 shoe rack for no. 80710, 80720, 8270-00 and 80730-20	1 top shelf, 1 hat rack with 15 coat hangers, 1 shoe rack for no. 80730-00	
Order no.	8070-01	8071-01	8073-01	
Price	210,-	285,-	355,-	



Height: 1,950

Width	
Order no.	
Price	

8070-02 105,-



8071-02 140,-




8073-02 175,-





Depth: 480 mm	
VAC - Lab	





Door reduced in size

For letter drop for 80700/82700 series (addtl. charge per door/longer delivery time possible)

Order no.	8000-25
Price	29,-



Double coat hooks for ease of use, with integrated mounting for coat hangers

Coat hangers



Standard Hardwood in black paint finish (with special mounting)

Order no. 8000-061 Price



Stainless steel

(with conventional mounting)

8000-063 15,-

8070 series

Assembled box lockers.




Order no. 80700-40



Order no. 82700-20

Dimension	ns and design	•	::- ::- ::- ::-		• • • • • • • • • • • • • • • • • • • •	· · ·	· · · · · · · · · · · · · · · · · · ·
Height: 1,950	Width	240	460	680	900	460	900
Depth: 480	Description	With 5 box tiers	With 5 box tiers and 2 adjacent boxes = 10 boxes	With 5 box tiers and 3 adjacent boxes = 15 boxes	With 5 box tiers and 4 adjacent boxes = 20 boxes	With 5 box tiers (double- width)	With 5 box tiers and 2 adjacent boxes (double-width) = 10 boxes
	Clear opening dimensions per box HxWxD	345 x 190 x 460	345×190×460	345 x 190 x 460	345 x 190 x 460	345 x 410 x 460	345 x 410 x 460
	Order no.	80700-10	80700-20	80700-30	80700-40	82700-10	82700-20
	Price	479,-	832,-	1.121,-	1.436,-	623,-	1.081,-




8070 series

Accessories for assembled box lockers.

Cylinder locks and turning bolt latch

Prices per lock	Basic version	Optional			
	Cylinder lock	Cylinder lock in black with 2 keys			Turning bolt latch
			O HS	HS HS	
	Up to 1,000 different key numbers	Up to 6,000 different key numbers	Via master key system with security certificate	Via master key system without security certificate	For padlock
Order no.	8077-30	8077-300	8000-01	8000-001	0003-00
Price	9,-	11,-	49,-	11,-	7,-

Keys and wristband for cylinder locks



*Considerably longer delivery time, brass key





Padlocks

Order no.

Price

For turning bolt latch, bolt size: approx. 6 mm



Brass version, 2 keys, up to 300 different key numbers

0002-10

11,-



Brand name lock, brass version with precision pin cylinder, 2 keys, up to 168,000 different key numbers

263

8,-

0002-11

32,-



BURG number CODE lock with hardened steel shackle, with 4-digit combination

00002-14

29,-



Number plates

Please specify numbers



Number plates in lock area, self-adhesive, loose for easy attachment, suitable for cylinder locks only

263

Stainless steel number plate, self-adhesive, 30 x 50 x 1.0 mm

Version	
Order no.	
Price	

With integrated door protection, 123 x 39 x 1.0 mm		
Plastic	Stainless steel	
4902-0601	4901-0601	
10,-	23,-	

Without integrated 68 x 39 x 1.0 mm	door protection,
Plastic	Stainless steel
4902-0611	4901-0611

19,-

Stainless steel

8501-06

21,-

Lock no. as per customer request

Additional charge per lock


For cylinder lock (longer delivery time)

Order no.

...-...99

& addtl. charge On request







Industry-specific and custom solutions







Fire service lockers

The professionals for professionals

- Complete range for all fire service applications—developed in practice, for use in practice
- + Sturdy steel construction with high-quality enamel coating
- All locker bottoms are zinc-plated for optimum corrosion protection as standard
- Optional folding C+P helmet holder with effective ventilation function, suitable for all common EU helmet manufacturers and sizes without adjustment.
- + Various compartment widths and versions available
- + All lockers can be combined with one another
- Large selection of practiceoriented accessories
- Available floor-standing, wallmounted, with feet or with base

Laundry collection and dispensing lockers

The well thought-out dispensing and collecting lockers

- Sturdy steel construction with high-quality enamel coating
- Dispensing lockers with two different box sizes
- Practical central door for collective loading and individual unloading
- + Either feet or base as sub-frame
- + Collection lockers with integrated swing flap
- + Laundry-bag holder

Laptop lockers

The secure computer garage

- Sturdy steel construction with high-quality enamel coating
- The solution for secure and space-saving storage of 10 or 20 laptops, notebooks or tablets
- Optionally available with power connection in each box (sockets always installed on left, locker connection cable included)
- + Doors hinged on the right, with sturdy swivel rod hinge
- One cylinder lock with 2 keys for each door







Loading assembled box lockers

The spacious loading aid with 2 sockets per box

- With boxes for the secure and space-saving storage of batteries and other implements
- + With two power connections in each box (230 V sockets)
- + Sturdy steel construction with high-quality enamel coating
- + Doors hinged on the right, with sturdy swivel rod hinge
- + Convenient doorstop silencer for pleasant closing
- + All lockers feature a base
- + Usable box sizes (HxWxD): 375 x 330 x 465

Small-compartment and safe deposit box lockers

The specialist lockers

- + Sturdy steel construction with high-quality enamel coating
- + Safe deposit box lockers with door reduced in size, e.g. for letter drop
- + Small-compartment lockers with two box sizes for easy adaptation to the desired use
- + Attractive locker base in black gray
- One cylinder lock with2 keys for each door

Classic PLUS Compartment width: 250

The space-savers for tight spaces

- + Sturdy steel construction with high-quality enamel coating
- + Single- and double-tier versions
- + Break-in-resistant design as per class B according to DIN 4547-2
- + Compartment width: 250 mm
- Reinforced doors with ventilation gills and stamped-in label holder
- + Safety turning bolt for padlock
- + Compartment bottoms can be swept out easily

Available floor-standing, with feet or with base

The professionals for professionals

Developed together with fire service professionals for fire service professionals.


Rescue, extinguish, retrieve and protect: Together with your team, you overcome the biggest challenges day in and day out. This demands 100% professionalismjust like the storage space at your fire station.

We've developed a series of fire service lockers which cover all your individual needs in a very flexible way. From youth firefighters to volunteers to plant firefighters, all the models have one thing in common-they're extremely rugged, highly functional, comply with all the current guidelines and look really good, too. All C+P fire service lockers can easily be combined with one another. Choose from a variety of equipment options and colors—with us, there are no limits to your dream-locker team.

For optimum corrosion protection, all locker bottoms are zinc plated as standard.



lockers →





Dirty/clean separation made easy and very flexible

Many fire service stations need to be modernized to guarantee legally required dirty/clean separation and therefore prevent the potential carryover of contamination. This is also one of the key stipulations for new buildings in Part 1 "Planning guidelines" of DIN 14092 "Fire service stations." C+P fire service lockers can easily be combined with one another. Choose from a variety of equipment options and colors—with us, there are no limits to your dream-locker team.





Fire service lockers from C+P ensure that your personal protective equipment (PPE) and your street clothes are always stored well & securely and guarantee quick drying as well. Thanks to the option to combine all the different models, they can be arranged extremely flexibly in such a way that the storage room solution perfectly suits the individual requirements of your fire station and your team of firefighters. And that goes for colors, too. In addition to the classic "fire red," a broad range of other colors are available.





Product features and accessories well thought out in every detail



Folding helmet holder with effective ventilation function, suitable for all common EU helmet manufacturers and sizes without adjustment.



Base level adjustment as standard, optional for feet and floor-standing versions



Special combination lock with code-cover and master key functions for the secure locking of valuable objects and personal items.



For optimal corrosion protection, all locker bottoms and bases are zinc plated as standard, and the locker feet are made of plastic.



High load-capacity double sliding hooks with hanging option for adjustable partitions or hangers with a "hotel pin"



For the secure storage and quick removal of accessories: side hook rail with high load capacity and stainless steel sliding hooks.



Special drying hanger prevents clothing from being creased and accelerates drying thanks to optimal air circulation.



Maximum stability and ruggedness thanks to the use of steel and high-quality processing.



Integrated security compartment for the secure storage of valuable items like wallets and smartphones.

The C+P professional team Easy to combine.









Maxi

Flexo

Flexo White

Kombi

All fire service lockers are available:



Advantages	Model	Maxi	Flexo	Flexo Whi	te Kombi	Praktus	Expert	Youngster	Aperto
Space for	1x complete	•	•	-	•	•	•	•	•
work clothing	2x complete	•	•	-	0	0	0		0
Helmet area	In the locker	•	•	-	•	-	•	•	-
	On the locker	•	•	-	•	•	•	•	•
Security	Separate small security compartment	•	•	-	-	-		-	-
compartment/ Combination	Separate large security compartment	-		-	•	•			-
compartment	Separate combination compartment (for helmet or personal use)	-	-	-	-	-	•	•	-
Clean area/ Personal	Individual locker compartment for street clothing and personal items	•	-	•	-	-	-	-	-
compartment	Especially large compartment for street clothing and personal items	-	-	-	•	-		-	•

- Ideally suitable/Features present
- O Suitable to some extent
- Not suitable/Features not present



Classic red? Sure, but it doesn't have to be. With fire service lockers from C+P, you not only choose the model and equipment, but the color, too. This way, your fire station not only benefits from order and functionality, but visual variety as well.

Body color









RAL 3000

Front colors











RAL 9006



RAL 5012



Clown green Pure orange RDS 1108060 **RAL 2004**

Don't see the right configuration for your needs here?

Can't find the color you want? We'd be happy to make it all a reality for you. The C+P team is looking forward to your message:

objektvertrieb@cp.de

Laundry collecting and dispensing lockers



Laundry bags made of 100% polyester, with 4 hanging loops, packaging unit: 5 pc.

Version	
& order no.	

& addtl. charge

White

+ 48270-7015

+ 360,-





Order no. 48170-210

Dimensions and design

With feet Locker height: 1,850

Locker depth: 500 Foot height: 150

_	
Width	
Doors	


Clear opening dimensions, HxWxD

Description

Price







126 x 251 x 475 251x475

Laundry dispensing lockers

Featuring central door with which all vertically arranged compartments can be opened at the same time (e.g. for loading). Boxes and central doors with cylinder lock and 2 keys

810

10

Per door

295 x 475

269 x

Order no.	48060-1
<u> </u>	

105 881,-

48060-110 1.391,-

48060-205

1.391,-

420

1 Per swing flap 282 x 270 x 475

Laundry collection lockers

One swing flap at the top in the hinged door, hinged door with cylinder lock and 2 keys. Laundry-bag holder inside

48070-210 510,-







10



810

20

810

20

Per door

295 x 475

48060-210

1.808,-

126 x



With base

Locker height: 1,800 Locker depth: 500 Base height: 100



Width	
Doors	
Clear opening dimensions, HxWxD	

HxWxD	
Description	
Order no.	
Price	

_	_		
g			
5			
_			

251 x 475
See above
48160-105
011 -

Per door


420

5

420
10
Per door 126 x 251 x 475

48160-110

1.421,-



48160-205 1.421,-

Per door 126 x 295 x 475

48160-210 1.838,-



420
1
Per swing flap 282 x 270 x 475
See above

48170-210 540,-

(o) Body and door color

Laptop lockers

Features of the laptop lockers:

- The solution for secure and space-saving storage of 10 or 20 laptops, notebooks or tablets
- Optionally available with power connection in each box (sockets always installed on left, locker connection cable included)
- Sturdy steel construction with high-quality enamel coating
- Either with feet or base as sub-frame
- Doors hinged on the right, with sturdy swivel rod hinge
- One cylinder lock with 2 keys for each door
- Convenient doorstop silencer for pleasant closing



Optional electrification in each box for additional charge

Order no. 48010-1210 & 4800-1210 (electrification)



Dimensions and design

Clear opening dimensions per door: 148 x 330 x 478 mm (H x W x D)





With feet

Locker height: 1,850 Locker depth: 500 Foot height: 150

Width
Compartments
Boxes
Order no.

Price

•	120	
partments	1x400	
S	10	
r no.	48010-1210	
	997,-	

420

810	
2x400	
20	
48010-2210	



Clear opening dimensions per door: 148 x 330 x 478 mm (H x W x D)





1.784,-

With base

Locker height: 1,800 Locker depth: 500 Base height: 100

Width Compartments Boxes Order no.

Price

420 1x400 10 48020-1210 1.027,-

810 2x400 20 48020-2210 1.815,-



Electrification of all boxes

Per box: 1 grounded 2-pin 230 V plug (for sockets used outside Germany, please specify country code (e.g. FR for France) and inquire about prices)

& order no.	+ 4800-1210	+ 4800-2210
& addtl. charge	+ 450,-	+ 900,-



(
ightarrow) Body and door color

Color concept → p. 48

Loading assembled box lockers



Order no. 48020-1204EB



Order no. 48020-220404EB & 8 x 4800-7871 (PIN code locks)

Dimensions and design

With cylinder lock (2 keys) Clear opening dimensions per door: 375 x 330 x 465 (H x W x D) · · ·



With base

Locker height: 1,800 Locker depth: 500 Compartments

Locker width
Order no.

Price

420 48020-1204F

48020-1204EB

1.263,-

1x400

2x400

48020-220404EB

1.937,-

+ WF 1904 for master key, black



Number of key numbers

Color

Order no.

Price



999.999


schwarz

4800-7871

120,-

(
ightarrow Body and door color

Color concept → p. 48





STORAGE SPACE
The individual boxes provide enough space for any user. The steel used is smooth and easy to clean.



ELECTRIFICATION Each box has two 230 V outlets which can be used to charge any devices with a conventional power connection.



THEFT PROTECTION
Each box is equipped with a cylinder lock
and two keys as standard. Many other
locking systems are available, e.g. PIN code
lock, mechanical combination lock, safety
turning bolt latch for padlock and lots more.

Small-compartment and safe deposit box lockers



Dimensions and design

Each box has cylinder lock and 2 keys, base in body color





With base

Height: 1,950 Width: 460 Depth: 200

Clear opening dimensions, HxWxD

Order no. Price

Boxes

30

98 x 190 x 180 80700-201

1.806,-

20

158 x 190 x 180 80700-203

1.483,-



Each box has cylinder lock and 2 keys





Wall-mounted

Height: 770 Width: 460 Depth: 200

Boxes Clear opening dimensions, HxWxD Order no.

Price

1.032,-

98 x 190 x 180 80700-231

158 x 190 x 180

80700-233 871,-



Each box has cylinder lock and 2 keys





12

Wall-mounted

Height: 1,130 Width: 460 Depth: 200

Clear opening

Boxes

Price

dimensions, HxWxD Order no.

18

1.290,-

98 x 190 x 180 80700-221

158 x 190 x 180 80700-223

1.088,-




Order no. 80700-203




Number plates also available as option

All small-compartment lockers (including the base version) are intended for wall mounting due to their depth. Suitable accessories for mounting for the respective wall to be provided by customer.

















All safe deposit box lockers with louvers in the rear panel and 10 mm wall spacers (absolute body depth: approx. 480 mm)

Order no. 8170-111

Dimensions and design

Safe deposit box lockers With 1, 2 or 3x11compartments, doors reduced in size (e.g. for letter drop) with plastic label holder and cylinder lock with 2 keys, locker on black gray base







Height: 1,950 Depth: 490



Width Boxes Clear opening dimensions, HxWxD

Order no. Price

320 11

Closed door: 23x250x460, Open door: 150x230x460

8170-111

1.088,-

920 620 33

22

8170-211 1.669,-

8170-311 2.225,-

Classic PLUS compartment width: 250

The space-savers.

Single-tier lockers:

Inside each compartment:

1 non-adjustable storage shelf with sturdy changing room rail below with 3 anti-rotation double sliding hooks

Double-tier lockers:

Inside each box:
1 sturdy changing room rail with
3 anti-rotation double sliding hooks



Order no. 080000-19



Order no. 080000-29

Dimensions and design

Single-tier,

With safety turning bolt Clear opening dimensions per door: 1,749 x 190 x 477 (H x W x D)



259,-

1x250

299,-

. .





604,-

Floor-standing

Locker height: 1,850 Locker depth: 500 Compartments
Locker width

Order no.

1x250 250 080000-19

080000-29 345,-

2x250

2 x 250

080020-29

500

414,-

2x250

500

3x250 750 080000-39

466,-

4x250 1000 080000-49

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100 Compartments

Locker width

Order no.

250 080010-19 500 080010-29

385,-

750 080010-39

3 x 250

506,-

9 (

4x250 1000 080010-49 644,-

With base

Locker height: 1,950 Locker depth: 500 Base height: 100 Compartments

Locker width
Order no.

Price

1x250

321,-

250 080020-19

3 x 250

750 080020-39

545,-

4×250


080020-49 695,-

 (\rightarrow)

Body and door color

Color concept → p. 48







Order no. 080310-39



Order no. 080320-39

Double-tier,

With safety turning bolt Clear opening dimensions per door: 854 x 190 x 477 (H x W x D)









Floor-standing

Locker height: 1,850 Locker depth: 500

1x250
250
080300-19
307,-

2 x 250 500 080300-29 441,-

3 x 250 750 080300-39 609,-

4 x 250
1000
080300-49
795,-

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100

1x250	
250	
080310-19	
347,-	

2x250
500
080310-29
481,-

3 x 250
750
080310-39
649,-

4×250
1000
080310-49
835,-

With feet

Locker height: 1,950 Locker depth: 500 Foot height: 100

1x250
250
080320-19
369,-

2x250
500
080320-29
510,-

3 x 250
750
080320-39
688,-

4x250
1000
080320-49
886,-

Accessories (optional)

Locks \rightarrow p. 159





Workshop & factory

Order, safety and the support of functional work processes are important principles for the development of warehouse and workshop furniture.

At C+P, you'll find a product range that offers any solution you can imagine, from storage to workplace configuration.

Practical details, such as the patented Ergo-Lock grip lock in hinged-door cabinets, make your work easier and bring real benefit to your everyday workshop and warehouse routines.

Cabinets, workbenches and shelving



262

Hinged-door cabinets



312

Sliding-door cabinets





326

340

Workbenches, drawer cabinets and mobile computer, measurement and testing stations Shelf systems

Hinged-door cabinets Sturdy and practical.







For tools and equipment

The cost-effective universal cabinets for warehouse and workshop

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves, drawers in light gray
- + **Ergo-Lock** grip lock (3-bolt) with 2 keys and optional exchangeable cylinder
- Doors on bolt hinges, approx. 110° opening angle, models with drawer block have doors on external hinges, approx. 180° opening angle
- + Complete product line (different heights, dimension variants and shelf/drawer configurations for any requirement)

With viewing windows

Tool cabinets with a view

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves
- + **Ergo-Lock** grip lock (3-bolt) with 2 keys and optional exchangeable cylinder
- + Doors on external hinges, approx. 180° opening angle
- Steel doors with viewing window made of acrylic glass for direct viewing
- + Complete product line (different heights, dimension variants and shelf/drawer configurations for any requirement)





Loads of up to **700 kg**





Loads of up to **700 kg**

For heavy loads

The strong cabinets for heavy loads

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves, reinforced
- + **Ergo-Lock** grip lock (3-bolt) with 2 keys and optional exchangeable cylinder
- + Doors on external hinges, approx. 180° opening angle
- Load capacity per shelf: 110 kg, cabinet load: 700 kg
- + Complete product line (different heights, dimension variants and shelf/drawer configurations for any requirement)

For heavy loads with a viewing window

Hard workers with a view

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves
- + **Ergo-Lock** grip lock (3-bolt) with 2 keys and optional exchangeable cylinder
- + Doors on external hinges, approx. 180° opening angle
- Load capacity per shelf: 110 kg, cabinet load: 700 kg
- Steel doors with viewing window made of acrylic glass for direct viewing
- + Complete product line (different heights, dimension variants and shelf/drawer configurations for any requirement)

The patented Ergo-Lock from C+P



Outstanding operating safety, wear resistance and an attractive appearance characterize the patented "Ergo-Lock" grip lock from C+P. The "simply push shut to close" feature in particular already makes the work of hundreds of thousands of users easier—and soon yours, too!

Features of the Ergo-Lock:

- + High-quality appearance current and contemporary Fits in with any room and gives your cabinet a distinctive look.
- + Patented "simply push shut to close" mechanism Neatly close a cabinet, even if your hands are full-only from C+P.
- Exchangeable cylinder, subsequent replacement, simultaneous locking-it's all possible! Remain open to future change and safeguard the security of your investment.
- + Suitable locking systems with PIN code or transponder with the same appearance.

Use a PIN code or transponder instead of a key with the same design if required for security purposes. As a complete, electronic offline lock, the Ergo-Lock offers full state-of-the-art features.









Whether you use it as a key lock or with PIN codes or transponders, the Ergo-Lock product range offers the right system to suit every requirement.



Opt for security and access control to suit your particular needs:



Mechanical locking system



- + Standard design for all tool hinged-door cabinets (unless specified otherwise)
- + Also easy and convenient to operate with gloves





PIN code lock

- + Motorized locking bolt
- 4 digits
- 4- to 8-digit codes possible
- Optical function feedback (green/red)
- Master key code

- + Usage range: +5 to +40°C
- + Operated with 2 standard AA batteries (alkaline)
- + Batteries last for approx. 30,000 openings or approx. 3 years

Order no. 8900-750 Price 225,-



RFID transponder lock

- + Motorized locking bolt
- Transponder type: MIFARE® **DESFire®**
- Can be integrated into existing access control systems
- USB programming interface
- Optical function feedback (green/red)
- + Easy operation with programmable user and master cards, as well as a service card
- + Management software also available as an option
- + Usage range: +5 to +40°C
- Operated with 2 standard AA batteries (alkaline)
- Batteries last for approx. 30,000 openings or approx. 3 years

Order no.	8900-740
Price	On request

Hinged-door cabinets for tools and equipment

Features of the tool and equipment cabinets:

- + Sturdy steel construction with high-quality enamel coating
- + Wide range of different dimensions for any application
- Improved operating safety, wear resistance and an attractive ergonomic appearance thanks to the **Ergo-Lock** grip lock (3-bolt latch) in black with 2 keys
- + Doors on bolt hinges, door opening angle of approx. 110°
- + Door reinforcement for high stability
- + Highly flexible interior fittings thanks to adjustability in 15 mm steps
- High load capacity of 70 kg per zinc-plated shelf (reinforced shelf can bear loads up to 110 kg), for reinforcement, see p. 279



Order no. 08920-00

Dimensions With triple-bolt Ergo						
Height: 1,950	Width	500	500	700	700	930
	Depth:	400	500	400	500	400
	Interior dimensions, HxWxD	1840 x 498 x 353	1840 x 498 x 453	1840 x 698 x 353	1840 x 698 x 453	1840×928×353
	Shelves	4	4	4	4	4
	Order no.	8900-00	8901-00	8910-00	8911-00	8920-00
	Price	408,-	470,-	432,-	498,-	480,-

+ Additional shelves

	Widthxdepth	495 x 352	495×452	695 x 352	695 x 452	925 x 352
Zinc-plated	& order no.	+ 8900-80	+ 8901-80	+ 8910-80	+ 8911-80	+ 8920-80
	& unit price	+ 21,-	+ 22,50	+ 24,50	+ 26,50	+ 28,50

Underframes made of square tube, 150 mm high, adjustable level Black gray RAL 7021, other colors on request

Width x depth	-	-	-	-	930×400
& order no.	-				+ 9964-00
& unit price	_	_			+ 129,-





Ergo-Lock grip lock

Improved operation safety, wear resistance and appearance-to close the door, all you need to do is push the grip lock closed





		XXL depth!				XXL depth!
930	930	930	1200	1200	1200	1200
500	600	800	400	500	600	800
1840 x 928 x 453	1840 x 928 x 553	1840×928×753	1840 x 1198 x 353	1840 x 1198 x 453	1840 x 1198 x 553	1840 x 1198 x 75
4	4	4	4	4	4	4
8921-00	8922-00	8924-00	8930-00	8931-00	8932-00	8934-00
553,-	649,-	971,-	624,-	719,-	844,-	1.262,-
		005 750	405 050	1405450	140F., FF0	1195 x 752
	925 x 552	925 x 752	1195 x 352	1195 x 452	1195 x 552	
925 x 452 + 8921-80 + 30,50	925 x 552 + 8922-80 + 32,-	+ 8924-80 + 42,50	+ 8930-80 + 36,-	+ 8931-80 + 38,50	+ 8932-80 + 40,50	+ 8934-80 + 54,-

1200 x 400


+ 2027-00

+ 158,-

930 x 800

+ 2032-00

+ 181,-



930 x 600

+ 9994-00

+ 155,-



930 x 500

+ 9984-00

+ 142,-

1200 x 500

+ 2028-00

+ 173,-

1200 x 600

+ 2033-00

+ 189,-

1200 x 800

+ 2034-00

+ 220,-

Workshop shelving units



Order no. 8911-02




Order no. 8920-02

Dimensions and	d version					
Without doors	Width	500	500	700	700	930
Height: 1,950	Depth	400	500	400	500	400
0	Interior dimensions, HxWxD	1840 x 498 x 353	1840 x 49 x 453	1840 x 698 x 353	1840 x 698 x 453	1840 x 928 x 353
	Shelves	4	4	4	4	4
	Order no.	8900-02	8901-02	8910-02	8911-02	8920-02
	Price	321,-	370,-	334,-	386,-	372,-

+ Additional shelves

	Widthxdepth	495 x 352	495 x 452	695 x 352	695 x 452	925 x 352
Zinc-plated	& order no.	+ 8900-80	+ 8901-80	+ 8910-80	+ 8911-80	+ 8920-80
	& unit price	+ 21	+ 22.50	+ 24.50	+ 26.50	+ 28.50





+ 8930-80

+ 36,-

+ 8921-80

+ 30,50

+ 8922-80

+ 32,-

+ 8924-80

+ 42,50

+ 8931-80

+ 38,50

+ 8932-80

+ 40,50

+ 8934-80

+ 54,-

Hinged-door cabinets for tools and equipment

Dimensions and version

With drawers and shelves, incl. triple-bolt Ergo-Lock grip lock Drawers on sturdy guide slide bearing, load capacity: 25 kg each







Height: 1,950 Depth: 500

Width Interior dimensions, HxWxD

Shelves

Description

Clear drawer interior dimensions, HxWxD*

Order no.

Price

930

1840 x 928 x 453

Left and right 2 large drawers each

125 x 367 x 438

8921-3042

986,-

1200

1840 x 1198 x 453

Left and right 2 large drawers each

125 x 502 x 438

8931-3042

1.161,-

930

1840 x 928 x 453

4 small drawers on left, 2 large drawers on right

70/125 x 367 x 438

8921-3041

1.127,-

Additional shelves



For cabinet width

Widthxdepth

& order no. & unit price 930

459 x 449

+ 8921-3707

+ 21,50

1200

594 x 449

+ 8931-3707

+ 24,50











Generally in light gray RAL 7035

For cabinet width

Drawer panel height

& order no.

& price

With 2 large drawers

(from model 8921/31-3042)

Approx. 170

+ 8921-3723

+ 203,-

Approx. 170

+ 8931-3723

+ 218,-

With 4 small drawers

(from model 8921/31-3041)

Approx. 82

+ 8921-3722 + 294,-

Approx. 82 + 8931-3722

+ 314,-

1200	930	1200
1840 x 1198 x 453	1840 x 928 x 453	1840 x 1198 x 453
6	6	6
4 small drawers on left, 2 large drawers on right	4 small drawers and 4 large drawers on left	4 small drawers and 4 large drawers on left
70/125×502×438	70/125 x 367 x 438	70/125×502×438
8931-3041	8921-305	8931-305
1.302,-	1.258,-	1.433,-
*Panel height: 82 or 170 mn	١	




Order no. 8921-3041



Order no. 8921-3716



Order no. 8921-700




For cabinet width

& order no.

& price

Depth & order no. & unit price







+ 8921-3713 + 109,-

+ 131,-

1200

+ 8931-3713










approx. 68 mm high 930

+ 8921-3716 + 62,-

1200 + 8931-3716 + 78,-



For cabinet width



930

730	
500	
+ 8921-700	
+ 40,-	



1200
500
+ 8931-700
+ 48,-

(+) Accessories (optional)



Hinged-door cabinets

for tools and equipment

Dimensions and version

With security compartments, drawers and shelves, incl. triple-bolt **Ergo-Lock** grip lock Drawers on sturdy guide slide bearing, load capacity: 25 kg each







With hinged doors

Height: 1,950 Depth: 500

Wid	tł
-----	----

Interior dimensions, HxWxD

Security compartment dimensions, HxWxD Clear drawer interior dimensions, HxWxD*

Shelves

Description

Order no.

Price

1840 x 928 x 453

1 security compartment with cylinder lock, 8 large drawers on left

400 x 376 x 460

125 x 367 x 438

8921-306 1.379,-

1840 x 1198 x 453

1 security compartment with cylinder lock, 8 large drawers on left

400 x 511 x 460

125 x 502 x 438

8931-306

1.545,-

1840 x 928 x 453

1 security compartment with cylinder lock. 16 small drawers on left

400 x 376 x 460

70 x 367 x 438

8921-301

1.561,-

Additional shelves



For cabinet width

Width x depth

& order no.

& unit price

930

459 x 449

+ 8921-3707

+ 21,50

1200

594 x 449

+ 8931-3707

+ 24,50











Generally in light gray RAL 7035

For cabinet width Drawer panel height

& order no.

& price

With 2 large drawers

(from model 8921/31-3042)

Approx. 170

+ 8921-3723 + 203,-

Approx. 170

+ 8931-3723

+ 218,-

With 4 small drawers

(from model 8921/31-3041)

Approx. 82 + 8921-3722

+ 294,-

Approx. 82 + 8931-3722

+ 314,-













Order no. 8921-3713

Drawer tidies

For cabinet width

& order no.

Plastic boxes for small parts, approx. 54 mm high

930

+ 8921-3713 + 109,-

1200

+ 8931-3713 + 131,-


Zinc-plated separators, approx. 68 mm high

930 + 8921-3716 + 62,-

1200 + 8931-3716 + 78,-


272

^{*}Panel height: 82 or 170 mm





Order no. 8921-700



For cabinet width

Depth

& order no.

& unit price



930 500

+ 8921-700

+ 40,-



1200 500

+ 8931-700

+ 48,-



Order no. 8921-3042

Keys and locks for tool and equipment cabinets (for PIN and RFID locks, see p. 265)



Order no.

Price

Lock

22,-

Ergo-

8900-721

Ergo-Lock with master key system

8900-723

25,-

Master key for this

8900-7131

18,-

Ergo-Lock with simultaneous locking

8900-7211

25,-

Ergo-Lock with lock no. upon request (longer delivery times)

...-...99

On request

0004-11 19,-

Single/

spare

key

Single/ spare key for master key system

0005-10

19,-

Single/ spare key for security compartment

0006-50 19,-

9494-000

Top, hanging and occasional cabinets



Dimensions and version

Top cabinet with triple-bolt Ergo-Lock
grip lock, incl. accessories for mounting
to underbench cabinet

ies for mounting	·					
Width	930	930	930	1200	1200	
Depth	400	500	600	400	500	
Interior dimensions, HxWxD	440 x 928 x 353	440×928 ×453	440×928 ×553	440 x 1198 x 353	440 x 1198 x 453	
Shelves	-	_	-	-	_	
Order no.	9264-000	9284-000	9294-000	9464-000	9484-000	
Price	323,-	371,-	436,-	403,-	464,-	

	Price	323,-	371,-	436,-	403,-	464,-	544,-
Height: 790	Width	930	930	930	1200	1200	1200
	Depth	400	500	600	400	500	600
	Interior dimesions,	730 x 928 x 353	730 x 928 x 453	730 x 928 x 553	730 x 1198 x 353	730 x 1198 x 453	730 x 1198 x 553
	Shelves	1	1	1	1	1	1
	Order no.	9265-009	9285-009	9295-009	9465-009	9485-009	9495-009
	Price	397,-	457,-	539,-	496,-	571,-	673,-

Wall mount

Height: 500

Customer must provide wall mount for top cabinets.

Price

Hanging cabinet/Hanging shelf

For example for hanging above the hi sh



234,-

	t with doors on bolt olt Ergo-Lock grip lock, ors			
Height: 830	Version	Cabinet	Shelving	
Width: 700	Interior dimensions, HxWxD	770 x 695 x 250	770 x 695 x 250	
Depth: 300	Shelves	3	3	
	Order no.	134013-22	134013-02	

335,-



Order no. 134013-22





Dimensions and version

Occasional cabinets

With triple-bolt Ergo-Lock grip lock, with corrugated rubber mat









Height:	1000
i i Cigiit.	1,000

Height: 1,200

Width	
Depth	

Interior dimensions, HxWxD

Shelves Order no.

Price

Width

Depth

HxWxD

Shelves

Price

Order no.

930 400

855 x 928 x 353

8820-000 536,-

930 500

855 x 928 x 453

8821-000 604,-

1200 400

855 x 1198 x 353

8830-000 640,-

1200 500

855 x 1198 x 453 8831-000 728,-





Interior dimensions,

930 400

8520-000

554,-

2

1055 x 928 x 353

930 500

1055 x 928 x 453

624,-

2 8521-000

1200 400

1055 x 1198 x 353 2

8530-000

662,-

1055 x 1198 x 453 2 8531-000

1200

500

754,-

Occasional cabinets, simultaneous locking

& order no.

+ 8900-7211

& addtl. charge

+ 25,-

(+) Top decor

Additional shelves

Selection \rightarrow p. 272



Occasional cabinets with hinged doors

Features of the occasional cabinets:

These classics shouldn't be missing from any workshop. Outfit your cabinet with our accessories however you like: Storage space near the workstation or mobile helper—everything's possible!

- + Sturdy steel construction with high-quality enamel coating
- + Central door reinforcement for high stability of the doors
- + Hinged doors on bolt hinges with approx. 110° opening angle
- + Cylinder lock with 2 keys
- + Highly flexible interior thanks to adjustability in 30 mm steps
- + High load capacity of each zinc-plated shelf: 70 kg



Order no. 87210-00 & 8721-71656



Order no. 87210-00 & 8721-713 & 8750-00 & 8721-7010



Order no. 87210-00 & 8721-713



Dimensions and version

1 drawer above, 2 adjustable, zinc-plated shelves below

Height: 1,000 Width		500	1000
Depth: 500	Shelves	2	2
	Order no.	87210-00	88210-00
	Price	350,-	539,-

+ Additional shelves

Width	500	1000	
Order no.	8721-80	88210-80	
Price	22,50	38,50	





Corrugated rubber mat for customer attachment to the housing or raised edge

Width	500	1000	
Order no.	8750-00	88500-00	
Price	26,-	40,-	



Raised edge for customer attachment

Width	500	1000	
Depth	500	500	
Height	20	20	
Order no.	8721-713	8821-713	
Price	34	39,-	



Tabletop lectern, 500 x 500, for customer attachment, light gray in color

Width	500
Depth	500
Order no.	8721-71656
Price	215,-



Our tabletop lectern is also suitable for use for cabinet widths up to 1,000 mm!



4 casters, 2 with lock, for installation by customer


Order no.	8721-7010
Price	60,-

(+) Occasional cabinet colors

Hinged-door cabinets

for tools and equipment







Order no. 8921-311

Dimensions and version

With triple-bolt Ergo-Lock grip lock



725,-







896,-



802,-

Various	Width	930	1200	930	930	930
interior fittings	Depth	500	500	400	500	400
Height: 1,950	Interior dimensions, HxWxD	1840 x 460 x 450	1840 x 595 x 450	1840 x 928 x 353	1840×928×453	1840×928×353
	Shelves	8	8	3	3	2
	Two-door security compartment, HxWxD	-	-	1 335 x 755 x 335	1 335 x 755 x 435	-
	Description	With center partition	With center partition	Security compartment with cylinder lock	Security compartment with cylinder lock	9 width- adjustable boxes above
	Order no.	8921-311	8931-311	8920-313	8921-313	8920-314

(+) Additional shelves

Price


Time which if	Width x depth	459 x 449	594 x 449	925 x 352	925 x 452	925 x 352
Zinc-plated	& order no.	+ 8921-3707	+ 8931-3707	+ 8920-80	+ 8921-80	+ 8920-80
	& unit price	+ 21 50	+ 24 50	+ 28 50	+ 30 50	+ 28 50

890,-











1200

400










500	
	1840 x 928 x 453

1840 x 1198 x 353
2

1200		
500		







1840 x 928 x 453	
2	

1840 x 1198 x 353	
2	

1840 x 1198 x 453	
2	

1840 x 460 x 450
4 on the right

1840 x 928 x 453

1840 x 375 x 350
4 on the right

9 widthadjustable boxes above

9 widthadjustable boxes above

9 widthadjustable boxes above

With center partition, storage shelf with changing room rail (without coat hangers) on left

Interior storage shelf with changing room rail (without coat hangers)

With partition, storage shelf on left with fully seet on left with fully extendable changing room rail (without coat hangers), filing section: approx. 380 mm wide, clothing section: approx. 550 mm wide

8921-314 876,-

8930-314 946,-

8931-314 1.041,-

8921-312 714,-

9280-088 606,-

8920-312

641,-

375 x 349

925 x 452

+ 30,50

1195 x 352 + 8921-80 + 8930-80

+ 36,-

1195 x 452 + 8931-80 459 x 449 For right side + 8921-3707 + 21,50

925 x 452 + 1050-80

+ 36,50

For right side + 8920-3707 + 18,-

Reinforced shelf



Load capacity per shelf Approx. 110 kg

Order no. Price

+ ...-802

+ 38,50

Double the shelf price

Tool cabinets with drawer block

Features of the tool cabinets with drawer block:

- Sturdy steel construction with high-quality enamel coating
- Different dimension variants (2 widths, 2 heights, 3 depths)
- Improved operating safety, wear resistance and appearance thanks to the Ergo-Lock grip lock (3-bolt latch) in black with 2 keys
- 3 drawers with telescopic rail guide, fully extendable, 50 kg load capacity/drawer
- Door mounting bracket with external hinges, approx. 180° opening angle
- Highly flexible interior fittings thanks to adjustability in 15 mm steps
- High load capacity of 70 kg per zinc-plated shelf (reinforced shelf can bear loads up to 110 kg), for reinforcements see below



& 8931-5713 (drawer tidy/plastic boxes)

Dimensions and version

With hinged doors on external hinges (door opening angle of 180°), 3 drawers with telescopic rail guide, fully extendable with approx. 50 kg load capacity/drawer, wall mounting necessary











Drawers below

Width
Depth
Shelves
Drawer interio dimensions, HxWxD

930 500 4

930 600 4

100 x 730 x 440

1200 400 4

1200 500 4

1200 600 4

Height: 1,950

dimensions, HxWxD
Drawers
Order no.
Price

100 x 730 x 440

3 8921-503 8922-503 1.057,-1.153,-

100 x 1000 x 330 8930-503 1.127,-

100 x 1000 x 440 3 8931-503 1.223,-

100 x 1000 x 440 3 8932-503 1.347,-

(+) Additional shelves

For cabinet widt	h
Depth	
& order no.	_
& unit price	

930	
500	
+ 8921-80	
+ 30,50	

930
600
+ 8922-80
+ 32,-

1200	
400	
+ 8930-80	
+ 36,-	

1200
500
+ 8931-80
+ 38,50

1200
600
+ 8932-80
+ 40,50



Ergo-Lock grip lock

Improved operation safety, wear resistance and appearanceto close the door, all you need to do is push the grip lock closed





Order no. 8921-5030



Order no. 8931-5030 & 8931-5713 (drawer tidy/plastic boxes)











Drawers in the center

Height: 1,950

930	
500	
3	

930	
600	
3	

1200	
400	
3	

1200	
500	
3	

1200
600
3

100 x 730 x 440	
3	
8921-5030	
1057-	

100 x 730 x 440	
3	
8922-5030	
1.153,-	

100 x 1000 x 330
3
8930-5030
1.127,-

100 x 1000 x 440
3
8931-5030
1.223,-

100 x 1000 x 440
3
8932-5030
1.347,-

930	
500	
+ 8921-80	
+ 30,50	

Price

930
600
+ 8922-80
+ 32,-

1200
400
+ 8930-80
+ 36,-

1200
500
+ 8931-80
+ 38,50

	1200
	600
	+ 8932-80
•	+ 40,50

Reinforced shelf



Lond conneity	nor	chalf	Annrov	110 kg	
Load capacity	per	sneii	Approx.	HU Kg	

Order no. + ...-802

Double the shelf price

(+) Accessories (optional)

Foam rubber mats etc. \rightarrow p. 283

Occasional cabinets with drawer block



Dimensions and version

With hinged doors on external hinges (door opening angle of 180°), with corrugated rubber mat, wall







mounting necessary	,			
Height: 1,000	Width	930	1200	1200
	Depth	500	400	500
	Interior dimensions, HxWxD	450 x 928 x 453	450 x 1198 x 353	450 x 1198 x 453
	Shelves	2	2	2
	Drawer interior dimensions, HxWxD	100×730×440	100×1000×330	100×1000×440
	Drawers	3	3	3
	Order no.	8821-5035	8830-5035	8831-5035
	Price	1.017	1.083	1.171

Drawer tidies



Drawer tidies

Plastic boxes for small parts, 63 mm high



930





For cabinet width Depth Boxes

500/600 4 x 162 x 108 8 x 108 x 108 16 x 54 x 54 16 x 108 x 54

+ 8921-5713

1200 400 6 x 162 x 108 6 x 108 x 108 12 x 54 x 54 18 x 108 x 54 + 8930-5713 1200 500/600 8 x 162 x 108 8 x 108 x 108 16 x 54 x 54 24 x 108 x 54 + 8931-5713

& order no.

& unit price

+ 86,-

+ 114,-





Drawer tidies

Zinc-plated separators, approx. 68 mm high







For cabinet width Depth

Boxes (vertically adjustable)

& order no.

& unit price

930 500/600 2 x 134 x 420 12 x 95 x 110/199 + 8921-5718

+ 8930-5718 + 155,-+ 218,-

1200 400 2 x 161 x 315 18 x 95 x 57/199

+ 8931-5718

+ 235,-

1200

1200

500/600

2 x 161 x 420

18 x 95 x 110/199



Foam rubber mat

To be inserted into the drawer







For cabinet width

Depth

& order no. & unit price 930

+ 40,-

400 500/600 + 8921-701

+ 8930-701

1200

+ 45,-

500/600 + 8931-701 + 48,-

Keys and locks for tool and equipment cabinets

(for PIN code and RFID locks, see p. 265)



Order no.

Ergo-Lock

Ergo-Lock

Master key for this Ergo-Lock with simultaneous locking

Single/ spare key.

Additional charge for lock with lock no. upon request (longer delivery times)

Single/spare key for master key system

8900-721

Price 22,-

with master key system

8900-723

25,-

8900-7131 18,-

8900-7211 25,-

0004-11 19,-

...-...99 On request 0005-10 19,-

Tool and equipment cabinets

With viewing windows

Features of the tool cabinets with viewing windows:

- Sturdy steel construction with high-quality enamel coating
- Different dimension variants (2 widths, 3 heights)
- Door mounting bracket with external hinges, approx. 180° opening angle
- Steel doors with viewing window made of acrylic glass (3 mm thick) for a direct view
- Acrylic glass panes can be replaced using simple screw connection
- Highly flexible interior thanks to adjustability in 15 mm steps
- High load capacity of 70 kg per zinc-plated shelf (reinforced shelf can bear loads up to 110 kg), for reinforcement, see Seite 281

Ergo-Lock grip lock

Improved operation safety, wear resistance and appearance-to close the door, all you need to do is push the grip lock closed





Dimensions and version

With hinged doors on external hinges (door opening angle of 180°), incl. Ergo-Lock triple-bolt grip lock











Height:	1950
neignt.	1,750

Depth
Interior dimensions, HxWxD
Shelves
Order no.

Width

Price

500	
400	
1840 x 498 x 353	
4	

8900-055

500
500
1840 x 498 x 453
4
8901-055
652,-

700
400
1840 x 698 x 353
4
8910-055


795,-

700	
500	
1840×698 ×453	
4	
8911-055	

861,-

930
400
1840×928 ×353
4
8920-055
843,-

Additional shelves



Width x depth	
& order no.	
& unit price	

epth	495 x 352
no.	+ 8900-80
ice	+ 21,-

495 x 452	
+ 8901-80	
+ 22,50	

695 x 352	
+ 8910-80	
+ 24 50	

695 x 452	
+ 8911-80	
+ 26.50	

925 x 352
+ 8920-80
+ 28,50





Cabinets that earn money

Finding instead of searching saves time and money!

- + Simply brilliant: Thanks to the direct view of the cabinet contents, you eliminate tedious searching and cumbersome labeling systems. Better order is automatically kept in viewing window cabinets as well.
- + Die C+P cabinets with viewing windows pay for themselves after just a short period of time—and then they even make you money by saving time and costs!
- + They're also perfectly suited for the implementation of modern simplification and improvement concepts such as KAIZEN or CPI.

		XXL depth!				XXL dep
930	930	930	1200	1200	1200	1200
500	600	800	400	500	600	800
1840×928 ×453	1840×928 ×553	1840×928 ×753	1840×1198 ×353	1840×1198 ×453	1840×1198 ×553	1840 x 119 x 753
4	4	4	4	4	4	4
8921-055	8922-055	8924-055	8930-055	8931-055	8932-055	8934-05
916,-	1.012,-	1.333,-	986,-	1.082,-	1.206,-	1.624,-
925 x 452	925 x 552	925 x 752	1195 x 352	1195 x 452	1195 x 552	1195 x 752
+ 8921-80	+ 8922-80	+ 8924-80	+ 8930-80	+ 8931-80	+ 8932-80	+ 8934-8
+ 30,50	+ 32,-	+ 42,50	+ 36,-	+ 38,50	+ 40,50	+ 54,-

Dimensions and version

Occasional cabinets with viewing windows

With hinged doors on external hinges (door opening angle of 180°), incl. Ergo-Lock triple-bolt grip lock with corrugated rubber mat



855 x 928 x 453

1000 930







Depth:	500

Height
Width
Interior dimensions, HxWxD
Shelves
Order no.

Price

Height
Width
Interior dimensions, HxWxD
Chaluna

 1
 8821-055
 876,-

1000	

1000	1200
1200	930
855 x 1198 x 453	1055 x 928 x 4
1	2
8831-055	8521-055
1.030,-	896,-

1200
1200
1055 x 1198 x

1200
1055 x 1198 x 453
2
8531-055
1.056,-

Tool cabinets with viewing windows

and drawer block





Order no. 8931-553

Dimensions and version

drawer, wall mounting necessary

With hinged doors on external door hinges (door opening angle of 180°), 3 drawers with telescopic rail guide, fully extendable with approx. 50 kg load capacity/









Drawer below

Height: 1,950

Width	930	930	1200	1200
Depth	500	600	500	600
Interior dimensions, HxWxD	1840×928×453	1840×928×553	1840 x 1198 x 453	1840 x 1198 x 553
Shelves	4	4	4	4
Drawer interior dimensions, HxWxD	100×730×440	100×730×440	100×1000×440	100×1000×440
Drawers	3	3	3	3
Order no.	8921-553	8922-553	8931-553	8932-553
Price	1.319,-	1.415,-	1.485,-	1.609,-





Order no. 8931-5530





930



1200



1200

600

Drawers in the center

Height: 1,950

Width
Depth
Interior dimensions, HxWxD
Shelves
Drawer interior dimensions, HxWxD
Drawers

Order no.

Price

930
500
1840×928×453
3

100 x 730 x 440

8921-5530

1.319,-

600
10.10 000 550
1840 x 928 x 553
3

100 x 730 x 440

8922-5530

1.415,-

500
1840 x 1198 x 453
3

100 x 1000 x 440

8931-5530

1.485,-

3
100 x 1000 x 440
3
8932-5530

1.609,-

1840 x 1198 x 553

$\overline{}$		
	Additional	

Zinc-plated	
Ziric-piated	

Width x depth	925 x 452
& order no.	+ 8921-80
& unit price	+ 30,50

925 x 552
+ 8922-80
+ 32,-

1195 x 452
+ 8931-80
+ 38,50

1195 x 552
+ 8932-80
+ 40,50

(+) Accessories

Drawer tidies, foam rubber mats and locks \rightarrow p. 295

Tool and equipment cabinets

For heavy loads




Features of the cabinets for heavy loads:

- + Sturdy steel construction with high-quality enamel coating
- + Different dimension variants (3 widths, 3 heights)
- + Door mounting bracket with external hinges, approx. 180° opening angle
- Door reinforcement for high stability and concealed locking rod
- Highly flexible interior fittings thanks to adjustability in 15 mm steps
- + High load capacity of each zinc-plated shelf: 110 kg
- + Cabinet load: 700 kg



Order no. 8921-052

Loads of up to **700 kg**



Improved operation safety, wear resistance and appearance—to close the door, all you need to do is push the grip lock closed







Dimensions and version

On external hinges (door opening angle of 180°), incl. Ergo-Lock triple-bolt grip lock









Height: 1,950

Width	500
Depth	400
Interior dimensions, HxWxD	1840 x 498 x 353
	4
Shelves	8900-052
Order no.	
D.:	550,-

500
500
1840 x 498 x 453
4
8901-052
618,-

930
400
1840 x 928 x 353
4
8920-052
629,-

930	
500	
1840 x 928 x 453	
4	
8921-052	
709,-	

+ Additional shelves Load capacity: 110 kg



Width x depth	495 x 352	495 x 452	925 x 352	925 x 452
& order no.	+ 8900-802	+ 8901-802	+ 8920-802	+ 8921-802
& unit price	- + 41,50	+ 44,50	 + 57,-	+ 61,-



Order no. 8521-052

Loads of up to **700 kg**

Occasional cabinets with hinged doors on external hinges (door opening angle of 180°), incl. Ergo-Lock triple-bolt grip lock with corrugated rubber mat









		5	

Height	1000	1000	1200	1200
Width	930	1200	930	1200
Interior dimensions, HxWxD	855 x 928 x 453	855 x 1198 x 453	1055 x 928 x 453	1055 x 1198 x 453
Shelves	1	1	2	2
Order no.	8821-052	8831-052	8521-052	8531-052
Price	666,-	835,-	688,-	864,-





930	
600	_
1840 x 928 x 553	_
4	_
8922-052	_

930
800
1840 x 928 x 753
4
8924-052
1.168,-

1200
400
1840 x 1198 x 353
4
8930-052
787,-

1200
500
1840 x 1198 x 453
4
8931-052
892,-

1200	
600	
1840 x 1198 x 553	
4	
8932-052	
1.029,-	

1200
800
1840 x 1198 x 753
4
8934-052
1.489,-

925 x 552	

815,-

25 x 552	925 x 752
8922-802	+ 8924-802

+	85,-		

1195 x 352	
+ 8930-802	
. 70	

1195 x 452	
+ 8931-802	
+ 77,-	

1	195 x 552
+	+ 8932-802
	0.1

1195 x 752
+ 8934-802
+ 108,-

(+) Accessories

Tool cabinets for heavy loads

with drawer block

Dimensions and version

With hinged doors on external hinges (door opening angle of 180°), 3 drawers with telescopic rail guide, fully extendable with approx. 75 kg load capacity/drawer, wall mounting necessary









Drawers below

Height: 1,950

Width Depth Interior dimensions,

Drawer interior dimensions, HxWxD

Drawers

Shelves

Order no. Price

500

1435 x 928 x 453

100 x 730 x 440

8921-523 1.213,-

600 1435 x 928 x 553

100 x 730 x 440

8922-523

1.318,-

3

1200

500 1435 x 1198 x 453

100 x 1000 x 440

8931-523 1.395,-

1200 600

1435 x 1198 x 553

100 x 1000 x 440

3

8932-523

1.533,-



Loads of up to **700 kg**

Order no. 8831-5235

Foam rubber mat To be inserted into the drawer

For cabinet width

Depth & order no.

& unit price

930

500/600

+ 8921-701

+ 40,-



1200

500/600

+ 8931-701 + 48,-

Occasional cabinets with hinged doors on external hinges (door opening angle of 180°), 3 drawers with telescopic rail guide, fully extendable with approx. 75 kg load capacity/drawer, with corrugated rubber mat. Wall mounting necessary



Height: 1,000 Depth: 500

Interior dimensions, HxWxD

Shelves

Drawer interior dimensions, HxWxD

Drawers

Order no.

Price

450 x 925 x 453

100 x 730 x 440

3

8821-5235

1.118,-

450 x 1198 x 453

100 x 1000 x 440

8831-5235

1.272,-

(o) Body and door color



3

8921-5230 1.213,-







1200

Drawers in the center

Height: 1,950

930
500
1435×928×453
3
100×730×440

93	30
60	00
14	35 x 928 x 553
3	
10	00×730×440
3	

1200
500
1435 x 1198 x 453
3
100 x 1000 x 440
3
8931-5230
1.395,-

600
1435 x 1198 x 553
3
100 x 1000 x 440
100 x 1000 x 440
3

Additional shelves Load capacity: 110 kg



For cabinet width
Depth
& order no.
2. unit prico

930
500
+ 8921-802
+ 61,-

8922-5230

1.318,-

930
600
+ 8922-802
+ 64,-

1200	1200
500	600
+ 8931-802	+ 893
+ 77,-	+ 81,-

1200
600
+ 8932-802
+ 81,-

Drawer tidies Plastic boxes



H	-	-	\blacksquare	
F		=	Ħ	Г
F		=		
F				

for small parts, 63 mm high
For cabinet width

63 mm high	
r cabinet width	930

	1200
600	500/600

For cabinet width
Depth
Boxes

500/600	
4×162×108 8×108×108 16×54×54 16×108×54	
. 0001 E710	

1200
 500/600
8 x 162 x 108 8 x 108 x 108 16 x 54 x 54 24 x 108 x 54
+ 8931-5713



Depth

Boxes (vertically adjustable)

& order no.

& unit price







+ 155,-

L				

+ 235,-

+	Drawer tidies Zinc-plated
	separators, appro

separators, approx. 68 mm high	
For cabinet width	

930
500/600
2 x 134 x 420 12 x 95 x 110/199





1200
500/600
2 x 161 x 420 18 x 95 x 110/199
+ 8931-5718



Order. 8931-5230 & 8931-5713

Heavy-duty cabinets with viewing window doors

- Sturdy steel construction with high-quality enamel coating
- Different dimension variants (3 widths, 3 heights)
- Door mounting bracket with external hinges, approx. 180° opening angle
- Steel doors with viewing window made of acrylic glass (3 mm thick) for a direct view
- Acrylic glass panes can be replaced using simple screw connection
- Door reinforcement for high stability and concealed locking rod
- Highly flexible interior thanks to adjustability in 15 mm steps
- High load capacity of each zinc-plated shelf: 110 kg
- Cabinet load: 700 kg



Dimensions and version

With hinged doors on external door hinges (door opening angle of 180°), zinc-plated shelves, 110 kg load capacity/shelf











Without drawers

Height: 1,950

Width Depth Shelves

Order no.

Price



930 400

8920-0552

891,-

930 500

8921-0552 971,-

930 600

8922-0552

1.077,-

4

930

800

8924-0552

1.430,-

Dimensions and version

With hinged doors on external door hinges (door opening angle of 180°), 3 drawers with telescopic rail guide, fully extendable with approx. 75 kg load capacity/ drawer, 110 kg load capacity/shelf, wall mounting necessary









Drawers in the center

Height: 1,950

Width	
Depth	
Shelves	
Order no.	

Price


930
500
3
8921-55302
1.319,-

930
600
3
8922-55302
1 415 -

1200	
500	
3	
8931-55302	
1.485,-	

	1200
(600
-;	3
-	8932-55302
-	1.609,-







Loads of up to **700 kg**





1200

500

8931-0552

1.154,-

4




1.291,-





1200
600
4
8032-0552





Ergo-Lock grip lock (3-bolt latch) Easy to operate with gloves on



Door opening angle Approx. 180° thanks to external hinges



Drawers with telescopic rail guide, fully extendable, 75 kg load capacity per drawer



Steel doors with viewing windows made of permanently adhered 3 mm-thick acrylic glass and concealed locking rods











Drawers below

1200

400

8930-0552

1.049,-

4

Height: 1,950

Width Depth Shelves

Order no.

Price

930 500

4 8921-5532 1.319,-

930

600 4 8922-5532

1.415,-

1200 500 4 8931-5532

1.485,-



1200 600 4 8932-5532

1.609,-

(
ightarrow) Body and door color

Color concept → p. 48

Occasional cabinets



Order no. 8821-0552

Dimensions and version

With hinged doors on external door hinges (door opening angle of 180°), zinc-plated shelves, adjustable, 110 kg load capacity/shelf, corrugated rubber mat for top









or top					
Height	1000	1000	1200	1200	_
Width	930	1200	930	1200	
Shelves	1	1	2	2	
Order no.	8821-0552	8831-0552	8521-0552	8531-0552	
Price	928,-	1.097,-	949,-	1.125,-	

+ Accessories

Additional shelves → p. 288

Drawer tidies



Drawer tidies

Plastic boxes for small parts, 63 mm high







For cabinet width Depth

Boxes

930 500/600 4 x 162 x 108 8 x 108 x 108 16 x 54 x 54 16 x 108 x 54

1200 400 6 x 162 x 108 6x108x108 12x54x54 18 x 108 x 54 1200 500/600 8 x 162 x 108 8 x 108 x 108 16 x 54 x 54 24 x 108 x 54

& order no.

& unit price

+ 8921-5713 + 86,-

+ 8930-5713 + 114,-

+ 8931-5713

+ 131,-



Drawer tidies

Zinc-plated separators, approx. 68 mm high



930



1200



For cabinet width

Depth

& order no.

& unit price

Boxes (vertically adjustable)

2 x 134 x 420 12 x 95 x 110/199

+ 8921-5718

+ 155,-

500/600

400 2 x 161 x 315 18 x 95 x 57/199

+ 8930-5718

+ 218,-

1200 500/600 2 x 161 x 420 18 x 95 x 110/199 + 8931-5718

+ 235,-

1200

+ 48,-

500/600

+ 8931-701



Foam rubber mat

To be inserted into the drawer







For cabinet width

Depth

& order no.

& unit price



500/600

+ 8921-701

1200 400

+ 8930-701

+ 45,-



+ 40,-

930

Keys and locks for tool and equipment cabinets

(for PIN code and RFID locks, see p. 265)



Ergo-Lock

Ergo-Lock with master key system

Master key for this Ergo-Lock with simultaneous locking

Single/ spare key.

Additional charge for lock with lock no. upon request

(longer delivery times)

0005-10

key for master key system

Single/spare

...-...99

19,-

Order no. Price

8900-721 22,-

8900-723

25,-

8900-7131 18,-

8900-7211 25,-

0004-11 19,-

On request

(
ightarrow) Body and door color

Color concept → p. 48

Hinged-door cabinets Sturdy and practical.







As battery charging cabinets

The versatile electrical experts

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves
- Special e-tray, permanently installed, with integrated socket strip
- + Ergo-Lock grip lock (3-bolt) with 2 keys and optional exchangeable cylinder
- + Doors on external hinges, approx. 180° opening angle
- + Rear panel perforated for optimal ventilation, Comfort version with fan
- + Available with solid-metal doors or with viewing windows made of acrylic glass for direct view
- + Basic or Comfort variant for any equipment and electrification needs

As hazardous substance cabinets

The secure cabinets for storing water-polluting substances

- + Protection against high consequential costs!
- + Sturdy steel construction with high-quality enamel coating
- + Trays made of zinc-plated steel or polyethylene
- Ergo-Lock grip lock (3-bolt) with 2 keys and optional exchangeable cylinder
- + Various dimension variants and occasional cabinets









With open-front containers

The top-notchers for small parts

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves
- + Ergo-Lock grip lock (3-bolt)
 with 2 keys and optional exchangeable cylinder
- + Open-front containers in professional quality
- Complete product line (different heights, dimension variants and box/drawer configurations for any requirement)

Battery charging cabinets

Basic and Comfort versions.

Features of the C+P battery charging cabinets:

- + Sturdy steel construction with high-quality enamel coating
- + Doors on external hinges, door opening angle of 180°
- + Available with solid-metal doors or viewing windows made of 3 mm-thick acrylic glass, easy replacement using simple screw connection
- + Ergo-Lock 3-bolt grip lock with 2 keys and patented mechanism: Simply push shut to close!
- + Highly flexible shelf configuration: Adjustability in 15 mm steps
- + Special e-tray, permanently installed, with integrated socket strip, for better order in the cabinet
- + Rear panel perforated for optimal ventilation, Comfort version with fan
- + Upgradable with C+P interior fittings, e.g. drawer block
- + Each cabinet incl. 3 m grounded supply line, 230 V
- + All cabinets comply with Low-Voltage Directive 2014/35/EU, EMC Directive 2014/30/EU & RoHS Directive 2011/65/EU



With 3 zinc-plated shelves, one e-tray (electrical tray) and a 5x socket strip

Height: 1,950		With solid-metal doors	With viewing window doors
Width: 930 Depth: 500	Shelves	3	3
	E-trays	1	1
	Order no.	8921-05E1	8921-055E1
	Price	1158 -	1 420 -

Comfort dimensions and version

With one zinc-plated shelf, 3 e-trays (electrical trays) and 5x socket strips, central master strip with fan connection FI circuit breaker and line circuit breaker

Height: 1,950		With solid-metal doors	With viewing window door
Width: 930 Depth: 500	Shelves	1	1
	E-trays	3	3
	Order no.	8921-05E3	8921-055E3
	Price	2.366,-	2.628,-

The innovative e-tray from C+P: Refined technology, easy to use

- + Concealed placement tray for power packs and supply cables of the charging units for better order
- + More space and better organization of the area
- + Holder and positioning of the socket strip (permanently connected to shelf)
- + Tray perforated to avoid overheating
- + Zinc-plated version
- + Other plug variants available on request







Patented mechanism: Simply push shut to close. Easy to operate with gloves on. Can also be used as PIN code and RFID transponder lock! (see Page 265)



Temperature-controlled fan and central master strip with COMFORT cabinet



Order no.	8921-80
Price	30,50







Comfort version with solid-metal doors, order no. 8921-05E3



Comfort version with viewing window doors Order no. 8921-055E3

(+) Additional e-tray only for BASIC cabinet, only one addtl. shelf with cabinet order possible (cannot be retrofitted), incl. supply line.



Width	930
Depth	500/600
Order no.	+ 8921-80E1
Price	+ 395 -

(+) Corrugated rubber mat for placement on e-tray, For easy assembly, incl. tape strips



Width	930
Depth	500/600
Order no.	+ 8921-703
Price	+ 40,-

+) **Drawer tidy,** plastic boxes for small parts, approx. 63 mm high



44 boxes: 4x 162 x 108 8x 108 x 108 16x 54 x 54 16x 108 x 54

Order no.

Price

+ Drawer tidy, zinc-plated separators, approx. 68 mm high



14 boxes: 2x 134 x 420 12x 95 x 110/199 (vertically adjustable)

Order no. + 8921-5718 Price + 155,-

(+) **Drawer block below**with 3 fully extendable drawers, 50 kg load capacity each, with telescopic rails



Width	930
Depth	500/600
Order no.	+ 8921-5702
Price	+ 535,-

+ 8921-5713

+ 86,-

(+) Foam rubber mat to be inserted into the drawer for careful storage of sensitive stock items



Width	930
Depth	500/600
Order no.	+ 8921-701
Price	+ 40,-

(
ightarrow) Body and door color

Hazardous substance

cabinets

Features of the hazardous substance cabinets:

- + Safe storage of small containers with water-polluting substances (no acids or alkalis)
- Sturdy steel construction with high-quality enamel coating
- Doors on bolt hinges, approx. 110° door opening angle, with easy to clean ventilation hole pattern above and below
- + Protection against consequential costs at a low price
- Legally prescribed for many sectors (e.g. agricultural businesses)
- Collection trays tested according to the German Water Resources Act (WHG)
- + Highly flexible interior fittings thanks to adjustability in 15 mm steps



Order no. 8921-315

Dimensions and version

With hinged doors, with ventilation hole pattern, incl. Ergo-Lock triple-bolt grip lock









Height: 1,950 Depth: 500

Interior dimensions, HxWxD
Shelves
Collection volume
Zinc-plated trays
Polyethylene trays
Order no.

Width

Price

500
1840 x 498 x 453
-
10 L/tray
4
-
8901-315
682,-

930
1840 x 928 x 453
-
20 L/tray
4
-
8921-315
802,-

500	930
1840 x 498 x 453	1840 x
3	3
10 L/tray	20 L/t
-	-
4	4
8901-316	8921-3
1.128,-	1.327,-

930
1840 x 928 x 453
3
20 L/tray
-
4
8921-316
1.327,-

Additional tray or polyethylene tray









For cabinet width
Dimensions, WxD
Collection volume
& order no.
& addtl. charge


500
490 x 450
10 L/tray
+ 8901-3725
+ 51,-

930	
920 x 450	
20 L/tray	
+ 8921-3725	
+ 60	_

500	
490 x 450	
10 L/tray	
+ 8901-3726	
+ 226,-	_

930
920 x 450
20 L/tray
+ 8921-3726
+ 267,-







Order no. 8721-315 & 8751-00 (corrugated rubber mat for top)

Dimensions and version

Occasional safety cabinets

With hinged doors, with ventilation hole pattern, incl. Ergo-Lock triple-bolt grip lock





930

745,-





Height: 1,000 (incl. raised edge: 1,020)

Depth: 500

Width
Interior dimensions, HxWxD
Shelves
Collection volume
Zinc-plated trays
Polyethylene trays
Order no.

500	
855 x 498 x 453	
-	
10 L/tray	

855 x 928 x 453 20 L/tray 2 8721-315 8821-315

500 855 x 498 x 453 10 L/tray 2 8721-316

1.048,-

930
855 x 928 x 453
1
20 L/tray
-
2
8821-316
1.232

Corrugated rubber mat for top Self-adhesive



Price



633,-

For cabinet width	

& order no.

& addtl. charge

500 930 + 8751-00 + 8851-00 + 26,-+ 40,-



Zinc-plated tray: Load capacity: 80 kg



Polyethylene tray: Load capacity: 70 kg

Open-front container cabinets

Features of the open-front container cabinets:

- + Sturdy steel construction with high-quality enamel coating
- Wide range of different dimensions and container hardware for any application
- + Door mounting bracket with approx. 110° opening angle (except for models on page 310/311 (180°))
- + Central door reinforcement for high stability
- Highly flexible interior fitting options thanks to adjustability in 10 mm steps (except models 8931-501 and -502 (15 mm steps))
- + Load capacity per zinc-plated shelf: 70 kg
- + Load capacity per shortened shelf: 50 kg
- + Cabinet load capacity: 450 kg
- Wall mounting is necessary for sturdy and secure positioning. The fastening method depends on the wall material. Please use screws and dowels that are suitable for the respective type of wall (not included)
- Cabinets with drawer block, 3 drawers each with telescopic rail guide, fully extendable,
 50 kg load capacity/drawer





Extra-large cabinets with doors on external door hinges (door opening angle of 180°)

Ergo-Lock grip lock

Improved operation safety, wear resistance and appearance—to close the door, all you need to do is push the grip lock closed







Features of the open-front and shelf containers:

- + Smooth internal walls and recessed grip on the rear panel
- + Stacking lugs facilitate stacking without slippage
- + The slightly roughened bottom ensures anti-slip transport on conveyor belts
- The open-front containers are made of polypropylene (food-safe and oil-resistant from -20 to +90°C).
 Available in 7 practical sizes and in the cadmium-free colors of red and blue
- Can also be fitted with protective label covers, dust covers, front panels, and carrying bars as well as vertical dividers for more better organization













Dimensions and version

Loose, incl. labels, available only in the specified packaging units













Size	1	2	3	4	5	6	7
Outside dimensions,	50 x 102 x 85	75×103 ×160	125 x 150 x 230	145 x 210 x 350	200 x 210 x 350	145 x 315 x 500	200 x 315 x 500
Packaging unit	60 pc.	40 pc.	20 pc.	10 pc.	10 pc.	8 pc.	6 pc.
Color red							
Order no.	8920-59153	8920-59253	8920-59353	8920-59453	8920-59553	8920-59653	8920-59753
Price	129,-	179,-	170,-	170,-	197,-	254,-	170,-
Color blue							
Order no.	8920-59155	8920-59255	8920-59355	8920-59455	8920-59555	8920-59655	8920-59755
Price	129,-	179,-	170,-	170,-	197,-	254	170,-

(+)	Protective label	cover	(1	packaging	unit	= 50) pc.))
-----	------------------	-------	----	-----------	------	------	--------	---

& order no.	+ 8920-59105	+ 8920-59205	+ 8920-59305	+ 8920-59405	+ 8920-59505	+ 8920-59605	+ 8920-59705
& addtl. charge	+ 33,-	+ 38,-	+ 40,-	+ 43,-	+ 46,-	+ 56,-	+ 56,-

(+) **Dust cover** (1 packaging unit = 10 pc.)

& order no.	+ 8920-59101	+ 8920-59201	+ 8920-59301	+ 8920-59401	+ 8920-59501	+ 8920-59601	+ 8920-59701
& addtl. charge	+ 18	+ 33	+ 83	+ 170	+ 170	+ 220	+ 220

+ Vertical dividers (1 packaging unit = 10 pc.)

& order no.	-	-	-	+ 8920-59402	+ 8920-59502	-	+ 8920-59702
& addtl. charge	_	_	_	+ 95	+ 95	_	+ 136

(+) Carrying bar (1 packaging unit = 10 pc.)

& order no.	-	-	-	-	-	+ 8920-59606	+ 8920-59706
& addtl. charge	_	-	_	_	_	+ 33	+ 33

(+) Front panel (1 packaging unit = 10 pc.)

& order no.	+ 8920-59104	+ 8920-59204	+ 8920-59304	+ 8920-59404	+ 8920-59504	+ 8920-59604	+ 8920-5970
& addtl. charge	+ 15,-	+ 40,-	+ 49,-	+ 61,-	+ 80,-	+ 93,-	+ 100,-



Protective label cover



Dust cover



Vertical divider



Carrying bar



Front panel

Open-front container cabinets





Dimensions and version

With hinged doors, incl. Ergo-Lock triple-bolt grip lock, shelves adjustable in 10 mm steps











Height: 830 Width: 700 Depth: 300

Interior dimer HxWxD	nsions,
Shelves	
Open-front containers	į

Order no.

Price

770 x 695 x 250		
4		
18 x size 2 red 12 x size 2 blue		
134013-23		
478,-		

770 x 695 x 250
5
24 x size 2 red 8 x size 3 blue
134013-24
491,-

	770 x 695 x 250
	6
	42 x size 2 blu
	134013-21
Ī	519,-

770 x 695 x 25
3
-
134013-22
335,-

134013-20

363,-

770 x 695 x 250

Accessories

Additional shelves, corrugated rubber mat \rightarrow p. 283

Open-front container cabinets



Dimensions and version

With hinged doors, incl. Ergo-Lock triple-bolt grip lock, shelves adjustable in 10 mm steps, wall mounting necessary











Height: 1,690
Width: 700
Depth: 300

Interior dimensions, HxWxD	1620 x 695 x 250	1620 x 695 x 250	1620 x 695 x 250	1620 x 695 x 250	1620 x 695 x 250
Shelves	9	9	9	11	13
Open-front containers	20 x size 3 red 20 x size 3 blue	12 x size 3 red 28 x size 3 blue	45 x size 1 red 45 x size 1 blue 24 x size 2 red 24 x size 2 blue	36 x size 2 red 24 x size 3 blue	18 x size 2 red 20 x size 3 blue 18 x size 1 red 18 x size 1 blue
Order no.	133413-22	133413-28	133413-24	133413-23	133413-27
Price	833,-	833,-	833,-	866,-	898,-

Occasional cabinets with open-front containers

With hinged doors, incl. Ergo-Lock triple-bolt grip lock, shelves adjustable in 10 mm steps











Height: 1,000
Width: 1,000
Depth: 420

Interior dimensions, HxWxD	890 x 995 x 370	890 x 995 x 370	890 x 995 x 370	890 x 995 x 370	890 x 995 x 370
Shelves	4	4	2	6	6
Open-front containers	18 x size 3 red 12 x size 3 blue	12 x size 3 red 12 x size 4 blue	-	36 x size 2 red 27 x size 2 blue	45 x size 2 red 12 x size 3 blue
Order no.	133944-22	133944-23	133944-21	133944-24	133944-25
Price	684	684	457	732	732

+ Accessories

Corrugated rubber mat → p. 307











1620 x 695 x 250	1620 x 695 x 250	1620 x 695 x 250	1620 x 695 x 250
14	15	17	6
42 x size 2 red 48 x size 2 blue	48 x size 2 red 48 x size 2 blue	30 x size 1 red 30 x size 1 blue 24 x size 2 red 24 x size 2 blue	-
133413-25	133413-29	133413-210	133413-20
915	964	996	391

Corrugated rubber mat for top For occasional cabinets and shelves, self-adhesive





Widthxdepth	700 x 300	1000 x 420	
& order no.	+ 134013-701	+ 133944-701	
& unit price	+ 26,-	+ 38,-	

+ Additional shelves

	For cabinet width	700	1000	
Zinc-plated	Thickness in mm	15	25	
	& order no.	+ 130013-81	+ 130044-81	
	& unit price	+ 21,50	+ 29,-	

Open-front container sizes (HxWxD):

1:	50	х	102	Χ	85 mm	
2:	75	х	103	Х	160 mm	
3:	125	Х	150	Χ	230 mm	
4:	145	х	210	Х	350 mm	
5:	200	Х	210	Χ	350 mm	
6:	145	х	315	Χ	500 mm	
7.	200	х	315	х	500 mm	



The **Ergo-Lock** grip lock (3-bolt latch) in an appealing ergonomic design



Open-front container cabinets





Dimensions and version

Hinged doors, incl. Ergo-Lock triple-bolt grip lock, shelves adjustable in 10 mm steps, wall mounting necessary











Width	700	700	700	700	1000
Depth	300	300	300	300	420
Interior dimensions, HxWxD	1910 x 695 x 250	1910 x 695 x 250	1910 x 695 x 250	1910 x 695 x 250	1870 x 995 x 370
Shelves	11	15	18	9	6
Open-front containers	24 x size 3 red 24 x size 3 blue	60 x size 2 red 24 x size 3 blue	60 x size 2 red 54 x size 2 blue	-	16 x size 5 red 12 x size 5 blue
Order no.	133113-21	133113-22	133113-23	133113-20	133144-22
Price	914,-	1.011,-	1.077,-	514,-	941,-



Open-front container sizes $(H \times W \times D)$:

1: 50 x 102 x 85 mm 2: 75 x 103 x 160 mm

3: 125 x 150 x 230 mm 4: 145 x 210 x 350 mm

5: 200 x 210 x 350 mm

6: 145 x 315 x 500 mm 7: 200 x 315 x 500 mm

Shelf container sizes (outside dimensions, HxWxD):

RK 3109: 90 x 117 x 300 mm RK 3209: 90 x 234 x 300 mm RK 3214: 140 x 234 x 300 mm

		H		
Н	Н	Н	Н	
	_	H	H	
		H	Ħ	













1000	1000	1000	1000	1000	1000	1000
420	420	420	420	420	420	420
1870 x 995 x 370	1870 x 995 x 370	1870 x 995 x 370				
8	8	9	9	11	12	4
24 x size 4 red 12 x size 5 blue	30 x size 3 red 16 x size 5 blue	20 x size 4 red 20 x size 4 blue	30 x size 3 red 20 x size 4 blue	48 x RK 3109 blue 12 x size 4 red 12 x size 4 blue	40 x RK 3109 blue 16 x RK 3209 blue 16 x RK 3214 blue	-
133144-23	133144-25	133144-24	133144-27	133144-29	133144-28	133144-20
1.074,-	1.074	1.132	1.132	1.170	1.189	516

+ Accessories


Extra-large cabinets with open-front containers

Dimensions and version

Hinged doors on external hinges, 180° opening angle, incl. Ergo-Lock triple-bolt grip lock, shelves adjustable in 10 mm steps, for model 8931-502: 15 mm steps, wall mounting necessary









Height: 1,980

Width	
Depth	
Shelves	
Shortened	

shelves Mounting rails

Open-front containers

Order no. Price

1100 535

5 per door

9

40 x size 2 blue 28 x size 3 red 15 x size 4 blue 9 x size 7 red

130276-65 2.636,-

1100 535 9

5

7 per door 56 x size 2 red 35 x size 3 blue 6xsize 6 red

9 x size 7 blue

130276-66 2.636,-

1100 535 11

10 per door 40 x size 1 red 80 x size 2 blue 28 x size 3 red

20 x size 4 blue

130276-61 2.687,-

1100 535 11

10 per door

11

40 x size 1 red 90 x size 2 blue 28 x size 3 red 15 x size 4 blue

130276-62 2.687,-

Extra-large cabinets with drawers

Hinged doors on external hinges, 180° opening angle, incl. Ergo-Lock triple-bolt grip lock, load capacity per drawer: approx. 50 kg, shelves adjustable in 10 mm steps, for model 8931-501: in 15 mm steps, wall mounting necessary









Height: 1,980

310

Width
Depth
Shelves
Shortened shelves
Mounting rails
O ft

Open-front containers

Drawers Order no. Price

1100 535

6 5 per door

40 x size 2 blue 28 x size 3 red 15 x size 4 blue

3 130276-67 2.458,-

1100 535 7

7 per door

56 x size 2 red 35 x size 3 blue 6 x size 6 red

3 130276-68 2.458,-

1100 535 9

8

10 per door 40 x size 1 red 70 x size 2 blue 21x size 3 red 15 x size 4 blue

3 130276-63 2.636,-

10 per door

1100

535

9

40 x size 1 red 70 x size 2 blue 21x size 3 red 5 x size 4 blue 6 x size 6 red

3 130276-64 2.636,-



Drawer tidies Plastic boxes for small parts, 63 mm high







For cabinet width

For cabinet depth

& order no. & unit price 1100 535

> 8 x 162 x 108 8 x 108 x 108 16 x 54 x 54 20 x 108 x 54

+ 131,-

+ 130076-5713

500

8 x 162 x 108 8 x 108 x 108 16 x 54 x 54 24 x 108 x 54

+ 8931-5713

+ 131,-





1100		
535		
4		

1200	1
500	
9	

-			
-			

10	per	door

Each: 40 x size 1 red/blue 21 x size 3 blue 28 x size 3 red 10 x size 4 blue 5 x size 4 red

130276-613	
1.152,-	

8931-502

1.923,-





1200
500
10

9

10 per door

Each: 40 x size 1 red/blue Each: 44 x size 2 red/blue 7 x size 3 red 5 x size 4 blue

3

8931-501

2.353,-



Order no. 130276-64

(
ightarrow) Body and door color





Additional drawer tidies \rightarrow p. 283

Sliding-door cabinets

Space-saving and good for heavy loads.







For tools and equipment

The practical space-saving cabinets

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves
- + Ergonomic bow-shaped handles made of metal for easy operation
- + Push and turn cylinder lock with 2 keys and optional exchangeable cylinder
- + Easy to move sliding doors with long-lasting special casters
- Various dimension variants, top and occasional cabinets

With viewing windows

Sliding-door cabinets with a view

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves
- + Ergonomic bow-shaped handles made of metal for easy operation
- + Push and turn cylinder lock with2 keys and optional exchangeable cylinder
- + Easy to move sliding doors with long-lasting special casters
- + Steel doors with viewing window made of acrylic glass for direct viewing
- + Various dimension variants and occasional cabinets






Loads of up to **700 kg**

For heavy loads

The strong cabinets with sliding doors for heavy loads

- + Sturdy steel construction with high-quality enamel coating
- + Zinc-plated shelves
- + Ergonomic bow-shaped handles made of metal for easy operation
- + Push and turn cylinder lock with2 keys and optional exchangeable cylinder
- + Easy to move sliding doors with long-lasting special casters
- + Load capacity per shelf: 110 kg, cabinet load: 700 kg
- + Various dimension variants and occasional cabinets







Shelving → p. 340

Sliding-door cabinets

Features of the sliding-door cabinets:

- + Sturdy steel construction with high-quality enamel coating
- Zinc-plated shelves
- Ergonomic bow-shaped handles made of metal for easy operation
- + Push and turn cylinder lock with 2 keys and optional exchangeable cylinder
- Easy to move sliding doors with long-lasting special casters
- + Highly flexible interior fittings thanks to adjustability in 15 mm steps
- + High load capacity of 70 kg per zinc-plated shelf (reinforced shelf can bear loads up to 110 kg)
- Various dimension variants, top and occasional cabinets



Dimensions and version

With push and turn cylinder lock







1196 x 527 + 2069-80 + 39,50

Height: 1,950	Width	1200
	Depth	400
	Interior dimensions, HxWxD	1840 x 1197 x 328
	Shelves	4
	Center partition	-
	Order no.	2049-00
	Price	810,-

1200
500
1840 x 1197 x 428
4
-
2059-00
931,-


1200
600
1840 x 1197 x 528
4
-
2069-00
1.093,-


(+) Additional shelves

	Widthxdepth	1196 x 327	1196 x 427	
Zinc-plated	& order no.	+ 2049-80	+ 2059-80	
	& unit price	+ 35,50	+ 37,50	

(
ightarrow) Body and door color







1600
500
1840 x 797 x 428*
8
1
2159-00
1.197,-

1600
600
1840×797×528*
8
1
2169-00
1.398,-

*Interior dimensions refer to **one** side of the cabinet respectively (to the left or right of the center partition)

796 x 327	796×427	796×527
+ 2149-80	+ 2159-80	+ 2169-80
+ 26,50	+ 27,50	+ 29,-

+ Reinforced shelf



Load capacity per shelf	Approx. 110 kg
Order no.	+802
Price	Double the shelf price

Top cabinets

With sliding doors.





Dimensions and version

With push and turn cylinder lock

Height
Width
Depth
Interior dimensions, HxWxD
Shelves
Center partition
Order no.

-		

500	500
1200	1200
400	500
450 x 1197 x 328	450 x 1197 x 428
-	-
-	-
2044-00	2054-00
565,-	649,-

790
1200
400
740 x 1197 x 328
1
-

2045-09 600,-

Wall mount

Customer must provide wall mount for top cabinets.

Price

Body and door color



Order no. 2145-09

790	500	500	790	790
1200	1600	1600	1600	1600
500	400	500	400	500
740 x 1197 x 428	450 x 1597 x 328	450 x 1597 x 428	740 x 797 x 328*	740 x 797 x 428*
1	-		2	2
-	-		1	1
2055-09	2144-00	2154-00	2145-09	2155-09
690,-	750,-	855,-	786,-	898,-

^{*}Interior dimensions refer to **one** side of the cabinet respectively (to the left or right of the center partition)

(+) Top covers, 25 mm thick made of MCPB, for use as occasional cabinet

	For cabinet width	1200	1200	1600	1600
МСРВ	Depth	400	500	400	500
	& order no.	+ 2016-000	+ 2017-000	+ 2018-000	+ 2019-000
	& price	+ 137,-	+ 141,-	+ 173,-	+ 188,-

+ Top decor

Occasional cabinets With sliding doors.

Dimensions and version With push and turn cylinder lock, incl. corrugated rubber mat for top Width: 1,200 Height 1000 1000 1000 400 500 600 Depth Interior dimensions, HxWxD 855 x 1197 x 328 855 x 1197 x 428 855 x 1197 x 528 Shelves Order no. 2046-09 2056-09 2066-09 Price 600,-690,-810,-Width: 1,600 1000 1000 1000 Height 400 500 600 Depth Interior dimensions, HxWxD 855 x 797 x 328* 855 x 797 x 428* 855 x 797 x 528* Shelves 2 2 1 Center partition 2156-09 Order no. 2146-09 2166-09 786,-898,-1.047,-Price

1200

500

+ 2059-80

+ 37,50

1200

600

+ 2069-80

+ 39,50

1600

400

+ 2149-80

+ 26,50

Each is for one cabinet side (left or right of the middle panel)

1600

500

+ 2159-80


+ 27,50

1600

600

+ 29,-

+ 2169-80



Additional shelves

Zinc-plated

For cabinet width

& order no.

& unit price

1200

400

+ 2049-80

+ 35,50





Order no. 2047-09 & order no. 2016-000 (top decor)

1200	1200	1200	
400	500	600	
1055 x 1197 x 328	1055 x 1197 x 428	1055 x 1197 x 528	
2	2	2	
2047-09	2057-09	2067-09	
660,-	759,-	891,-	
1200	1200	1200	
1200 400	1200	1200 600	
400	500	600	
400 1055 x 797 x 328*	500 1055×797×428*	600 1055×797×528*	
400 1055 x 797 x 328*	500 1055×797×428*	600 1055×797×528*	

^{*}Interior dimensions refer to \emph{one} side of the cabinet respectively (to the left or right of the center partition)



Sliding-door cabinets With viewing windows.

Features of the sliding-door cabinets with viewing windows:

- Sturdy steel construction with high-quality enamel coating
- Zinc-plated shelves
- Ergonomic bow-shaped handles made of metal for easy operation
- Push and turn cylinder lock with 2 keys and optional exchangeable cylinder
- Easy to move sliding doors with long-lasting special casters
- Highly flexible interior thanks to adjustability in 15 mm steps
- Steel doors with viewing windows made of acrylic glass (3 mm thick) for a direct view
- Various dimension variants and occasional cabinets



The sliding doors are outfitted with smoothrunning casters

Dimensions and version

With push and turn cylinder lock







Height: 1,950

Width
Depth
Interior dimensions, HxWx
Shelves
Center partition
Order no.

Price

1200
400
1840 x 1197 x 328
4
-
2049-055
1.214,-

1200
500
1840 x 1197 x 428
4
-
2059-055
1.396,-

1200
600
1840 x 1197 x 528
4
-
2069-055
1.639,-

(+) Additional shelves

and the second s	
Zinc-plated	

Width x depth		
& order no.		
& unit price		

1196 x 327
+ 2049-80
+ 35,50

1196 x 427	
+ 2059-80	
+ 37.50	

1196 x 527	
+ 2069-80	
+ 39,50	

(
ightarrow) Body and door color








Cabinets that earn money

Finding instead of searching saves time and money!

- Simply brilliant: Thanks to the direct view of the cabinet contents, you eliminate tedious searching and cumbersome labeling systems.
 Better order is automatically kept in viewing window cabinets as well.
- + Die C+P cabinets with viewing windows pay for themselves after just a short period of time—and then they even make you money by saving time and reducing costs!
- They're also perfectly suited for the implementation of modern simplification and improvement concepts such as KAIZEN or CPI.





1600	1600
400	500
1840 x 797 x 328*	1840 x 797 x 42
8	8
1	1
2149-055	2159-055
1.505,-	1.731,-

1600
500
1840 x 797 x 428*
8
1
2159-055
1.731,-

1600
600
1840 x 797 x 528*
8
1
2169-055
2.032,-

^{*}Interior dimensions refer to \emph{one} side of the cabinet respectively (to the left or right of the center partition)

796×327	
+ 2149-80	
+ 26,50	-

796 x 427		
+ 2159-80		
+ 27,50		

796 x 527
+ 2169-80
+ 29,-

+ Reinforced shelf



Load capacity per shelf	
Order no.	

Price

Approx. 110 kg
+802
Double the shelf price

(←) BACK

Occasional cabinets With viewing windows.



Dimensions and version

With push and turn cylinder lock, incl. corrugated rubber mat for top







Width: 1,200

Width: 1,600 mm

Height
Depth
Interior dimensions, HxWxD
Shelves
Order no.
Price


1000
400
855 x 1197 x 328
1
2046-055
900,-

1000
500
855 x 1197 x 428
1
2056-055
1.034,-

10	00
60	0
85	5 x 1197 x 528
1	
20	66-055
1.2	14,-



Price



1000		

855 x 797 x 328*

2146-055 1.158,-

1000
500
855 x 797 x 428*
2
1
2156-055
1.325,-

1000
600
855 x 797 x 528*
2
1
2166-055
1.548

Additional shelves

	For cabinet width	1200	1200	1200	1600	1600	1600
Zinc-plated	Depth	400	500	600	400	500	600
	& order no.	+ 2049-80	+ 2059-80	+ 2069-80	+ 2149-80	+ 2159-80	+ 2169-80
	& unit price	± 35 50	± 3750	± 30 50	± 26 50	± 2750	± 20 =

Each is for one cabinet side (left or right of the middle panel)



(
ightarrow) Body and door color



Order no. 2056-055



Cabinets that earn money

Finding instead of searching saves time and money!

- Simply brilliant: Thanks to the direct view of the cabinet contents, you eliminate tedious searching and cumbersome labeling systems. Better order is automatically kept in viewing window cabinets as well.
- + Die C+P cabinets with viewing windows pay for themselves after just a short period of time—and they even make you money by saving time and reducing costs!
- They're also perfectly suited for the implementation of modern simplification and improvement concepts such as KAIZEN or CPI.

1200	1200	1200
400	500	600
1055 x 1197 x 328	1055 x 1197 x 428	1055×1197×528
2	2	2
2047-055	2057-055	2067-055
989,-	1.138,-	1.336,-
1200	1200	1200
400	500	600
1055 x 797 x 328*	1055 x 797 x 428*	1055 x 797 x 528*
4	4	4
1	1	1
2147-055	2157-055	2167-055

^{*}Interior dimensions refer to **one** side of the cabinet respectively (to the left or right of the center partition)

(+) Top decor

Sliding-door cabinets for heavy loads

Features of the cabinets for heavy loads:


- Sturdy steel construction with high-quality enamel coating
- Zinc-plated shelves
- Ergonomic bow-shaped handles made of metal for easy operation
- Push and turn cylinder lock with 2 keys and optional exchangeable cylinder
- Easy to move sliding doors with long-lasting special casters
- Highly flexible interior thanks to adjustability in 15 mm steps
- + High load capacity of each zinc-plated shelf: 110 kg
- Cabinet load: 700 kg
- Various dimension variants and occasional cabinets



Dimensions and version

With push and turn cylinder lock





epth: 500	Width
leight: 1,950	Interior dimensions, HxWx[
	Shelves
	Center partition
	Order no.
	Price

1200
1840 x 1197 x 428
4
-
2059-002
1.025,-

1600
1840 x 797 x 428*
8
1
2159-002
1.317,-

^{*}Interior dimensions refer to *one* side of the cabinet respectively (to the left or right of the center partition)

(+) Additional shelves

Zinc-plated	Width	1196	796
	Depth	427	427
	& order no.	+ 2059-802	+ 2159-802
	& unit price	+ 75	+ 55

(
ightarrow) Body and door color





Loads of up to 700 kg



Order no. 2059-002

Order no. 2057-092

Dimensions and version

With push and turn cylinder lock, incl. corrugated rubber mat for top









Danthi	FOO
Depth:	500

d rubber mat for top				
Height	1000	1200	1000	1200
Width	1200	1200	1600	1600
Interior dimensions, HxWxD	855 x 1197 x 428	1055 x 1197 x 428	855 x 797 x 428*	1055 x 797 x 428*
Shelves	1	2	2	4
Center partition	-	-	1	1
Order no.	2056-092	2057-092	2156-092	2157-092
Price	759,-	835,-	988,-	1.082,-

^{*}Interior dimensions refer to \emph{one} side of the cabinet respectively (to the left or right of the center partition)

Workbenches, drawer cabinets and mobile computer, measurement and testing stations Versatility at its best.





Row benches

The flexible modular system

- + Sturdy steel construction with high-quality enamel coating
- + Welded base made of square tube
- + Loads of up to 1,000 kg
- + Cylinder lock with 2 keys
- + Secure central locking of the drawers
- + Various dimension variants and drawer blocks

Cabinet workbenches

The rugged cabinets for heavy-duty purposes

- + Sturdy steel construction with high-quality enamel coating
- + Made of square tube
- + Loads of up to 1,000 kg
- + Cylinder lock with 2 keys
- Secure central locking of the drawers
- + Level adjustment sliders under the feet
- + Various dimension variants and drawer blocks



Drawer cabinets

The heavy-load pros with drawers

- + Sturdy steel construction with high-quality
- enamel coating
- + Recessed handle bars with labeling strips
- + Ball-bearing drawer guides with full extension slide
- + Individual anti-tilt mechanism
- + Cylinder lock with 2 keys
- + Secure central locking
- + Various dimension variants and panel heights



Mobile cabinets

The mobile helpers

- + Sturdy steel construction with high-quality enamel coating
- + Mobile thanks to 4x 125 mm-dia. casters, 2 of which lock
- + Cable openings in the rear panel
- + Small and large cabinet for every need
- + Large cabinet with square perforation in the rear panel for ventilation

Row workbench series 450

Features of the row workbenches:

- + Sturdy steel construction with high-quality enamel coating
- + Welded base made of 50 x 50 x 2 mm square tube
- + The modular principle enables flexible arrangement of the drawer cabinets or workbench legs
- + Large cabinets with usable housing height of 700 mm, doors and drawers flush with housing
- + Recessed, full-length handle bars with labeling strips and transparent cover
- + Secure central locking, combination lock system available
- + Drawers with ball guide and 100% full extension slide
- + Drawers with 50 mm panel height, 70 kg load
- + Drawers with 75 mm panel height and up, 100 kg load
- + Work tops made of 40 mm glued laminated multiplex beech, oiled
- + Delivered disassembled for easy assembly

Dimensions and version











Depth: 750	Width	1000	1500	2000	1000	1500	2000	1000	1500	2000
Height: 859	Description	2xbases, 1xmultiplex beech top		2 x bases, 1x multiplex beech top Cabinet hanging underneath: 1x150		2xbases, 1xmultiplex beech top Cabinet hanging underneath: 2x150				
	Order no.	4501-010	4502-010	4503-010	4501-140	4502-140	4503-140	4501-020	4502-020	4503-020
	Price	411,-	528,-	640,-	637,-	754,-	854,-	794,-	1.140,-	1.197,-





(+) Small-part boxes | 24-piece

For panel height	50	100
Order no.	99003-0001	99003-0002
Price	74,-	87,-

+ Metal dividers | 8-piece

50	100	150	200
99003-0003	99003-0004	99003-0005	99003-0006
44 -	50 -	57-	65 -

Body/Frame

RAL 7035 light gray

The specified product order no. must be supplemented with the color specification when ordering: Body/frame always RAL 7035 light gray, fronts as per chart—please specify color no. (fronts are shown in RAL 5012 light blue in chart header)

Available fronts

RAL 5012 light blue
RAL 3003 ruby red
RAL 5010 gentian blue
RAL 6011 reseda green
RAL 7016 anthracite gray
RAL 7035 light gray









1500	2000	1500	2000	1500	2000
1x base, 1x multiplex beec 1x panel 1x150, 1x hinged door 5		1xbase, 1xmultiplex beec 1x50, 3x100, 1x150 & 1x200 p	1.7	1xbase, 1xmultiplex beec 1x50, 1x100, 1x150 & 2x200 p 1xpanel (right) 1x 1xhinged door (ri	panels (left) 150,
4502-100	4503-100	4502-070	4503-070	4502-130	4503-130
1.111,-	1.225,-	1.779,-	1.899,-	2.313,-	2.385,-

+ Additional	accessories	Whole shelf, thick	25 mm		Half shelf, 25 mm thick		Backboard, 15 mm thick	
Multiplex	For workbench width	1000	1500	2000	1500	2000	1500	2000
beech	Width	840	1350	1850	850	1350	1500	2000
	Depth	550	550	550	550	550	120	120
	Order no.	99003-0011	99003-0012	99003-0013	99003-0014	99003-0015	99003-0016	99003-0017
	Price	129	207	283	145	222	53	71

"Small" workbenches with cabinet

Features of the "Small" workbenches with cabinet:

- + No assembly required—workbenches are delivered fully assembled
- Sturdy steel construction with high-quality enamel coating
- Frame made of 40 x 40 x 2 mm square tube
- Drawers feature ball guides
- Recessed drawers and doors, therefore no risk of injury due to projecting handle bars
- 100% full extension (FE) slide drawers
- Usable drawer dimensions: 450 x 600 mm
- Drawers with 50 mm panel height, 70 kg load
- Drawers with 75 mm panel height and up, 100 kg load
- Secure central locking, cylinder lock with two keys
- + Work top made of 40 mm glued laminated multiplex beech, oiled
- Level adjustment sliders under the feet



Order no. 99003-0019-002

Dimensions and version









rioigni. oo7	
Depth: 750	

Height: 859

Width Description

Order no. (for front 5012)

Price

3 x 200 Right: 3 x 100, 2 x 150

99003-0018-002

2.665,-

1500

Left:

Left: 1xhinged door 600 with shelf

Right 1x100, 1x200 & 1x300

99003-0019-002

1.835,-

1500

1500 Left: 3 x 100, 2 x 150

Right: 1 x half shelf


99003-0020-002

1.891,-





For panel height	50	100
Order no.	99003-0022	99003-0023
Price	54,-	63,-





50	100	150	200
99003-0007	99003-0008	99003-0009	99003-001
52,-	59,-	66,-	75,-



(+) Metal dividers | 25-piece

	100	150
50	100	150
99003-0024	99003-0025	99003-0026
104	117,-	133



For special colors for bodies, frames or fronts, as well as special locks, please inquire on a project-by-project basis











1500	
Left: 1x half	shelf

Right: 1x200, 1xhinged door 400

99003-0021-002

1.226,-

2000
Left: 2x50, 2x100 & 2x150

Right: 1 x half shelf

99003-0027-002

2.190,-

2000	

Left: 1x50, 1x150 & 2x200

Right: 1x150, 1xhinged door 450

99003-0028-002

2.340,-

2000 Left: 4x150

Center: 4 x 150

Right

1xhinged door 600

99003-0029-002

3.170,-

2000 Left: 3x100, 2x150

Center: 3x200 Right: 2x75, 1x150 & 1x300

99003-0030-002

3.770,-



Workbench holder for perforated plates
Suitable for perforated plates on Page p. 338.

Recommendations for widths:

1,000 mm: 2 holders 1,500 mm: 3 holders 2,000 mm: 3 holders

	For 1 perforated plate	For 2 tiered perforated plates
Order no.	99003-0154	99003-0155
Price	29,50	44,-

Body/Frame

RAL 7035 light gray

The specified product order no. includes the first front color of the color chart at the end (RAL 5012 light blue, color no. -002). All other specified colors are available at no additional charge—simply change the color no. at the end of the product order no.

Available fronts	Color no.	
RAL 5012 light blue	-002	
RAL 3003 ruby red	-009	
RAL 5010 gentian blue	-008	
RAL 6011 reseda green	-003	
RAL 7016 anthracite gray	-453	
RAL 7035 light gray	-001	

"Medium" workbenches with cabinet

Features of the "Medium" workbenches with cabinet:

- No assembly required—workbenches are delivered fully assembled
- Sturdy steel construction with high-quality enamel coating
- Frame made of 40 x 40 x 2 mm square tube
- Drawers feature ball guides
- Recessed drawers and doors, therefore no risk of injury due to projecting handle bars
- 100% full extension (FE) slide drawers
- Usable drawer dimensions: 600 x 600 mm
- Drawers with 50 mm panel height, 70 kg load
- Drawers with 75 mm panel height and up, 100 kg load

- Secure central locking, cylinder lock with two keys
- Work top made of 40 mm glued laminated multiplex beech, oiled
- Level adjustment sliders under the feet



Dimensions and version



1500

Height: 859 Depth: 750 Width Description

Left: 2x75, 1x100, 1x150 & 1x200 Right: 1x150. 1xhinged door 450

1500

Left: 2x100 & 2x200 Right: 2x100 & 2x200

Order no. (for front 5012)

99003-0031-002

99003-0032-002

2.770,-





Height: 859 Depth: 750

Description

Width

Price

Price

2.386,-

2.427,-

Left: 1x150, 1xhinged door 450

Center: 2 x shelves Right: 3x200


Left: 1x50, 1x150 & 2x200 Center: 2xshelves Right: 2x75, 1x150 & 1x300


Order no. (for front 5012)

99003-0033-002

99003-0034-002 3.103,-







Small-part boxes | 32-piece

For panel height	50	100	
Order no.	99003-0035	99003-0036	
Price	98,-	116,-	

Metal dividers | 13-piece

50	100
99003-0037	99003-0038
68,-	79,-

150	200	
99003-0039	99003-0040	
89	99	

Metal dividers | 11-piece

	100	150	200
)	99003-0041	99003-0042	99003-0043
	67	76	97

Body/Frame

RAL 7035 light gray

The specified product order no. includes the first front color of the color chart at the end (RAL 5012 light blue, color no. -002). All other specified colors are available at no additional charge simply change the color no. at the end of the product order no.

Available fronts

Color no.

RAL 5012 light blue	-002	
RAL 3003 ruby red	-009	
RAL 5010 gentian blue	-008	
RAL 6011 reseda green	-003	
RAL 7016 anthracite gray	-453	
RAL 7035 light gray	-001	

"Small" drawer cabinets

Features of the "Small" drawer cabinets:

- + Sturdy steel construction with high-quality enamel coating
- 100% full extension (FE) slide drawers
- Drawers: 50 mm, 70 kg load
- Drawers: 75 mm and up, 100 kg load
- Ball bearing drawer guide
- Individual anti-tilt mechanism
- Handle bars with labeling strips for insertion
- Usable drawer dimensions: 450 x 600 mm
- Recessed drawers, therefore no risk of injury due to projecting handle bars
- Secure central locking, cylinder lock with two keys
- For drawer tidies, see p. 330







Height: 819	Width	555	555	555
Depth: 736	Panel heights	1x100 & 4x150	5 x 100 & 1 x 200	1x50, 2x75, 2x100 & 2x150
	Order no. (for front 5012)	99003-0044-002	99003-0045-002	99003-0046-002
	Price	1.348	1.545	1.715



(+) Top cover

Multiplex beech	
Order no.	99003-0047
Price	113,-



Top cover


Particle board coated	with melamine	
resin	_ 99003-0048	
Order no.		
Price		



3-sided metal raised edge

20 mm high	
Order no.	99003-0049
Price	97,-





Order no.	99003-0050
Price	234,-

Body/Frame

RAL 7035 light gray

The specified product order no. includes the first front color of the color chart at the end (RAL 5012 light blue, color no. -002). All other specified colors are available at no additional charge-simply change the color no. at the end of the product order no.



Mobile add-on (cannot be retrofitted)

2xfixed casters and 2x casters with lock, 125 mm dia. 2x plastic push handles

Order no.	99003-0051
Price	293,-

Available fronts

Color no.

RAL 5012 light blue	-002	
RAL 3003 ruby red	-009	
RAL 5010 gentian blue	-008	
RAL 6011 reseda green	-003	
RAL 7016 anthracite gray	-453	
RAL 7035 light gray	-001	

"Medium" drawer cabinets

Features of the "Medium" drawer cabinets:

- + Sturdy steel construction with high-quality enamel coating
- Housing: powder-coated
- 100% full extension (FE) slide drawers
- Drawers: 50 mm, 70 kg load
- Drawers: 75 mm and up, 100 kg load
- Ball bearing drawer guide
- Individual anti-tilt mechanism
- Handle bars with labeling strips for insertion
- Usable drawer dimensions: 600 x 600 mm
- Recessed drawers, therefore no risk of injury due to projecting handle bars
- Secure central locking, cylinder lock with two keys



Order no. 99003-0053-002



Dimensions and version

Height: 1,	019
Depth: 73	36

Width Panel heights

Order no. (for front 5012)

Price



705

2x100, 2x150 & 2 x 200

99003-0052-002

1.221.-

Price



705

1x50, 2x100, 3x150 & 1x200

99003-0053-002

1.403,-



2x50, 2x75, 1x100, 1x150 & 2x200

99003-0054-002

2.037,-





Multiplex beech	
Order no.	99003-0055
Price	139 -



Top cover

Particle board coated with melamine res	
Order no.	99003-0056



3-sided metal raised edge

20 mm high	
Order no.	99003-0057
Price	107 -



Lift truck base

Order no.	99003-0058	
Price	249	



109.-

Mobile add-on (cannot be retrofitted)


2 x fixed casters and 2 x casters with lock, 125 mm dia. 2xplastic push handles

Order no.	99003-0059
Price	317,-

Body/Frame

RAL 7035 light gray

The specified product order no. includes the first front color of the color chart at the end (RAL 5012 light blue, color no. -002). All other specified colors are available at no additional charge-simply change the color no. at the end of the product order no.



"Large" drawer cabinets

Features of the "Large" drawer cabinets:

- Sturdy steel construction with high-quality enamel coating
- Housing: powder-coated
- 100% full extension (FE) slide drawers
- Drawers: 50 mm, 70 kg load
- Drawers: 75 mm and up, 100 kg load
- Ball bearing drawer guide
- Individual anti-tilt mechanism
- Handle bars with labeling strips for insertion
- Usable drawer dimensions: 900 x 600 mm
- Recessed drawers, therefore no risk of injury due to projecting handle bars
- Secure central locking, cylinder lock with two keys



Order no. 99003-0061-002



005	

1x75, 2x100, 1x125, 2x150 & 1x200

99003-0060-002

2.399,-



1005	
2x75, 1x150 & 3x200	
99003-0061-002	

2.037,-



1005
2 x 50, 1 x 100, 4 x 125 & 1 x 200
99003-0062-002

2.664,-



+) Top cover	
--------------	--

Multiplex beech	
Order no.	99003-0063
Price	200 -



Top cover



')	3-sided	metal	raised	edge
----	---------	-------	--------	------

Multiplex beech	
Order no.	99003-0063
Price	200,-

Particle board coated	ith melamine resi	
Order no.	99003-0064	
Price	170 -	

20 mm high	
Order no.	99003-0065
Price	148,-



Lift truck base

Order no.	99003-0066
Price	265,-

Body/Frame

RAL 7035 light gray

The specified product order no. includes the first front color of the color chart at the end (RAL 5012 light blue, color no. -002). All other specified colors are available at no additional charge-simply change the color no. at the end of the product order no.



(+) Mobile add-on (cannot be retrofitted)

2xfixed casters and 2x casters with lock, 125 mm dia. 2 x plastic push handles


Order no.	99003-0067
Price	339,-

Available fronts

Color no.


RAL 5012 light blue	-002	
RAL 3003 ruby red	-009	
RAL 5010 gentian blue	-008	
RAL 6011 reseda green	-003	
RAL 7016 anthracite gray	-453	
RAL 7035 light gray	-001	

Tidies for "Medium" drawer cabinets:




+ Small-part boxes | 24-piece

Comprised of: 12 boxes of size 150 x 150 mm, 4 boxes of size 75 x 150 mm & 8 boxes of size 75 x 75 mm			
For panel height	50	100	
Order no.	99003-0068	99003-0069	
Price	80,-	95,-	



(+) Metal dividers | 10-piece

Comprised of: 2 center rails of size 600 mm & 8 partitions of size 200 mm				
For panel height	50	100	150	200
Order no.	99003-0070	99003-0071	99003-0072	99003-0073
Price		66,-	73,-	81,-



+ Metal dividers | 23-piece

Comprised of: 5 cer	nter rails of size 600 mr	n & 18 partitions of size	100 mm	
For panel height	50	100	150	200
Order no.	99003-0074	99003-0075	99003-0076	99003-0077
Price	112,-	127,-	146,-	166,-



+ Corrugated rubber inlay


For panel height	50 - 200
Order no.	99003-0078
Price	52 -

Tidies for "Large" drawer cabinets:




+ Small-part boxes | 40-piece

Comprised of: 16 bo	xes of size 150 x 150 mm, 8 boxes of	of size 75 x 150 mm & 16 boxes of size 75 x 75 mm
For panel height	50	100
Order no.	99003-0079	99003-0080
Price	125	147



+ Metal dividers | 20-piece

Comprised of: 5 cer	nter rails of size 600 m	m & 15 partitions of size	150 mm	
For panel height	50	100	150	200
Order no.	99003-0081	99003-0082	99003-0083	99003-0084
Price	109,-	126,-	142,-	160,-



+ Metal dividers | 15-piece

Comprised of: 3 cer	nter rails of size 600 mm, 9	partitions of size 200 mm & 3	3 partitions of size 300 mm
For panel height	50	100	150
Order no.	99003-0085	99003-0086	99003-0087
Price	101,-	113,-	142,-



+ Corrugated rubber inlay

For panel height	50 - 200
Order no.	99003-0088
Price	69 -

- Sturdy steel construction with high-quality enamel coating
- + Mobile thanks to 4x 125 mm-dia. casters, 2 of which lock
- + Cable openings in the rear panel
- + Small and large cabinet for every need
- + Large cabinet with square perforation in the rear panel for ventilation





Dimensions and version

Depth: 500	Height	1000	1610
	Width	530	680
	Description	1xhinged door 1xmultiplex beech top cover, 25 mm 1xdrawer, 100 mm, fully extendable, 70 kg load 1xroller base, 125 mm dia. 1x4-socket outlet	2 x hinged doors 1 x pull-out keyboard tray 1 x shelf Perforated rear panel 1 x slanted shelf 1 x flat-screen holder with VESA screw connection 1 x roller base, 125 mm dia. 1 x 4-socket outlet
	Order no. (for front 5012)	99003-0089-002	99003-0090-002
	Price	1.140,-	1.895,-

Body/Frame

RAL 7035 light gray


The specified product order no. includes the first front color of the color chart at the end (RAL 5012 light blue, color no. -002). All other specified colors are available at no additional charge—simply change the color no. at the end of the product order no.

Available fronts	Color no.
RAL 5012 light blue	-002
RAL 3003 ruby red	-009
RAL 5010 gentian blue	-008
RAL 6011 reseda green	-003
RAL 7016 anthracite gray	-453
RAL 7035 light gray	-001

Perforated plates

Perforated plate system: The right hook for every tool. They're simply mounted in the desired hole and clicked in place. The hook stays in place and doesn't wobble.

- + Clear, space-saving storage of tools, small parts and work materials
- Rugged powder coating
- + Reinforced with binding beams



+ Perforated plate

Steel plate, perforated, 10 x 10 mm beveled all around, RAL 7035 light gray perforation spacing: 38 x 38 mm

Order no.	Dimensions	Price
99003-0150	500 x 450	111,-
99003-0151	1000 x 450	137,-
99003-0152	1500 x 450	178,-
99003-0153	2000x450	210,-



+ Tool holder With straight pin

Ø 6 mm		
Order no.	Dimensions	Price
99003-0135	35	4,50
99003-0136	75	4,50
99003-0137	125	5,-



(+) Tool holder With vertical hook end

Ø 6 mm		
Order no.	Dimensions	Price
99003-0098	50	4,50
99003-0099	100	4,50
99003-0100	150	5



(+) Tool holder With slanted hook end

Ø 6 mm		
Order no.	Dimensions	Price
99003-0094	50	4,50
99003-0095	100	4,50
99003-0096	150	5,50
99003-0097	200	5,50



+ Double tool holder With slanted hook end

Ø 6 mm		
Order no.	Dimensions	Price
99003-0103	50	9,-
99003-0104	75	9,50
99003-0105	150	10



(+) Double tool holder With vertical hook end

Ø 6 mm		
Order no.	Dimensions	Price
99003-0139	35	8,50
99003-0140	50	9,-
99003-0141	75	9,50
99003-0142	150	10



Slanted hook For nuts and socket wrench

Ø 6 mm		
Order no.	Dimensions	Price
99003-0138	14/40	5,50



+ Round holder

Order no.	Dimensions	Price
99003-0116	65 x 25	11.50



+ Appliance holder

Order no.	Dimensions	Price
99003-0117	40	18,50
99003-0118	60	20,-
99003-0119	80	22,50



+ Base plate

Order no.	Version	Price
99003-0129	Small	3,50
99003-0130	Large	4,50



+ Magnetic holder

Order no.	Dimensions	Price
99003-0101	40	42 50



(+) Magnets

Pack. unit: 10 pc.			
Order no.	Dimensions	Price	
99003-0102	Ø 25	35,50	



Tool lip, single, small base plate

Order no.	Dimensions	Price
99003-0106	6	6,50
99003-0107	10	7,-
99003-0108	13	7,-
99003-0109	16	7,-
99003-0110	19	7,50



Holder for pliers

Order no.	Dimensions	Price
99003-0143	20 x 35	9,-
99003-0144	50 x 40	12,-
99003-0145	75 x 50	13,-
99003-0146	20 x 55	9,50
99003-0147	20×75	10,50



Saw holder, must be ordered in pairs, packaging unit: 1 pc.

Order no.	Version	Price
99003-0126	für 4 Sägen	20,-



Tube holder Also for hoses, cables etc.

Order no.	Dimensions	Price
99003-0127	62	19,50
99003-0128	100	20,50



Screwdriver holder

Dimensions in mm (WxDxH): 200/390x30x40

Order no.	Version	Price	
99003-0122	For 6 parts	27,50	
99003-0123	For 12 parts	40,-	



tool clip

Order no.	Dimensions	Price
99003-0111	6	9,50
99003-0112	10	10,-
99003-0113	13	10,50
99003-0114	16	10,50
99003-0115	19	11,-



3-compartment tool holder

Order no.	Dimensions	Price
99003-0120	45 x 150	18,-



Wrench holder Horizontal

For 6 wrenches		
Order no.	Dimensions	Price
99003-0121	130/60 x 150 x 50	32,-



Storage tray

Order no.	Dimensions	Price
99003-0148	350 x 125	37,50
99003-0149	445 x 150	52,-



Drill bit/hexagon socket holder (various dia.)

Dimensions in mm (WxDxH): 200/390x30x35

Order no.	Version	Price
99003-0124	For 14 parts	32,50
99003-0125	For 28 parts	50,-

Hook assortments as value sets

Practical combinations (for exact combinations, see lists below)

Hook assortment, 10-piece

7xtool holders with slanted end 2x double tool holder 1xtool clip

Order no.	Price
99003-0131	55,-

Hook assortment, 18-piece

5 x tool holders with slanted end 2xtool holders with vertical end 3 x double tool holders 3 x tool clips 2xholders for pliers 1x drill bit holder 1xwrench holder 1x screwdriver holder

Order no.	Price
99003-0132	189

Hook assortment, 28-piece

6xtool holders with slanted end 8 x tool holders with vertical end 6xdouble tool holders 2xholders for pliers 1xappliance holder 1xwrench holder 1x screwdriver holder 1x drill bit holder 2 x saw holders

Order no.	Price
99003-0133	284 -

(+) Hook assortment, 40-piece

9xtool holders with slanted end 12 x tool holders with vertical end 9 x double tool holders 3xholders for pliers 2 x appliance holder 1xwrench holder 1x screwdriver holder 1x drill bit holder 2 x saw holders

Order no.	Price
99003-0134	369,-

Shelf systems







File shelving

The slot-in shelving for the binder archive

- + Fast and easy to assemble boltless system
- + Shelves adjustable in 25 mm steps
- + Load capacity per shelf: 80 kg
- + Maximum bay load: 600 kg
- + Surfaces: Available zinc-plated or in light gray RAL 7035

Boltless shelving for standard loads

The quick-assembly shelving for standard loads

- + Fast and easy to assemble boltless system
- + Shelves adjustable in 25 mm steps
- + Load capacity per shelf: 100 kg
- + Maximum bay load:1,100 kg (height: 2,000 mm)1,650 kg (height: 2,500 mm)
- + Surfaces: Available zinc-plated or in light gray RAL 7035

Boltless shelving for moderately heavy loads

The right shelving for greater demands

- + Fast and easy to assemble boltless system
- + Shelves adjustable in 25 mm steps
- + Load capacity per shelf: 150 kg
- + Maximum bay load:1,100 kg (height: 2,000 mm)1,650 kg (height: 2,500 mm)
- + Surfaces: Available zinc-plated or in light gray RAL 7035



Boltless shelving for heavy loads

The strong shelving for heavy-duty purposes

- + Fast and easy to assemble boltless system
- + Shelves adjustable in 25 mm steps
- + Load capacity per shelf: 230 kg
- + Maximum bay load: 1,650 kg (height: 2,000 mm) 2,400 kg (height: 2,500 mm)
- + Surfaces: Available zinc-plated or in light gray RAL 7035



Long boltless shelving

The specialists for large and heavy stored goods

- + Fast and easy to assemble boltless system
- Shelves adjustable in 50 mm steps
- + Load capacity per shelf: 500/400 kg (shelving width: 1,700 & 2,000 mm/2,500 mm)
- + Maximum bay load: 3,000 kg
- + Surfaces: zinc-plated, particle board shelves

Boltless file shelving

Features of boltless file shelving:

- + Boltless shelf system using frames with diagonal braces or longitudinal braces, shelves and assembly hardware
- + Set up very quickly and easily
- + Shelf height adjustable in 25 mm steps
- + High load capacity of 80 kg per shelf with evenly distributed load
- + Bay load: 600 kg
- + Available in light gray RAL 7035, coated or zinc-plated
- + Zinc-plated version: Shelf frames are delivered dismantled
- + Coated version: Shelf frames are delivered preassembled







Shelf bracket

Planning dimensions

Basic shelving: Depth + 36 mm

Width + 56 mm

Add-on shelving: Depth + 36 mm

Width + 6 mm



Order no. 99002-000012 & 99002-000018 (cover shelf)

Single/double basic boltless file shelving

Consisting of 2 side frames, 6 shelves for 6 binder heights, 2 diagonal braces with tightener. The double basic shelving has 2 pair of longitudinal braces.









Height: 2,200 Width: 1,000

Depth	300	300	600	600
Version	Zinc-plated	Coated	Zinc-plated	Coated
Capacity	72 binders	72 binders	144 binders	144 binders
Order no.	99002-000016	99002-000012	99002-000017	99002-000013
Price	382,-	436,-	560,-	749,-

Single/double add-on boltless file shelving

Consisting of 1 side frame, 6 shelves for 6 binder heights, 1 diagonal brace with tightener. The double-sided add-on shelving has 2 pair of longitudinal braces.









Height: 2,200 Width: 1,000

Depth	300	300	600	600
Version	Zinc-plated	Coated	Zinc-plated	Coated
Capacity	72 binders	72 binders	144 binders	144 binders
Order no.	+ 99002-000014	+ 99002-000010	+ 99002-000015	+ 99002-000011
& unit price	+ 308,-	+ 333,-	+ 458,-	+ 551,-



Order no. 99002-000012 & 99002-000010 (add-on shelving) & 2x 99002-000018 (cover shelves)



Order no. 99002-000017 & 99002-000021 (cover shelves)



+ Fastening sets	For wall mounting	For floor attachment
For basic shelving		
& order no.	+ 7830-704	+ 7830-706
& unit price	+ 16,-	+ 21,-
For add-on shelvin	g	
& order no.	+ 7830-705	+ 7830-707
& unit price	+ 8	+ 10

Safety information:
Shelving must be secured against tipping over if the height of the shelving is more than 5 times its depth.

Top cover shelf For dust protection, incl. shelf support

Width: 1,000	For shelf depth	300	600	300	600
	Version	Zinc-plated	Zinc-plated	Coated	Coated
	& order no.	+ 99002-000019	+ 99002-000021	+ 99002-000018	+ 99002-000020
	& unit price	+ 33.50	+ 43,50	+ 33,-	+ 47,-

788 series

Boltless shelving for standard loads.

Features of the 788 series:

- Attractively priced shelving for standard loads
- Fast, easy and boltless assembly
- High load capacity per shelf: max. 100 kg
- Bay load: max. 1,100 kg (height: 2,000 mm) max. 1,650 kg (height: 2,500 mm)
- Shelf height adjustable in 25 mm steps
- Available surfaces: Zinc-plated or coated in light gray RAL 7035

All load specifications apply for shelving loaded manually with evenly distributed load.







Side braces, zinc-plated


Planning dimensions

Basic shelving:

Depth + 36 mm Width + 56 mm

Add-on shelving: Depth + 36 mm

Width + 6 mm



Shelf frames are supplied dismantled and can be easily fitted together Example: 2,500 mm

Basic boltless shelving

Consisting of 2 side frames, shelves (for quantity, see below), 2 diagonal braces with tightener for 2,000 heights,

4 diagonal braces with tightener for 2,500 height





Width: 1,000

Zinc-plated

Height Depth

Shelves

Order no.

Price

\vdash

2000


400

5

2000

500

78820-52



Order no

Price

78820-40

78820-42

348,-

78820-50

384,-



Consisting of 1 side frame, shelves (for quantity, see above), 1 diagonal brace with tightener for 2,000 height, 2 diagonal braces with tightener for 2,500 height (for all other dimensions, see basic boltless shelving)





Zinc-plated

Height

& order no.

& unit price

2000 + 78820-43 2000

+ 266,-

+ 78820-53



& order no.

& unit price

+ 78820-41

+ 234,-

+ 268,-

+ 78820-51 + 300,-



For shelf depth & order no.

400 + 78842-80 + 34,-

500 + 78852-80 + 39,-

600 + 78862-80 + 44,-

& unit price



Order no. 78825-52 & 78825-53 (add-on shelving)



High load capacity thanks to multiple edgings



Shelf bracket



Floor attachment for shelving with a height/depth ratio of >_ 5:1.

This shelving must be secured against tipping over (wall or foot anchoring).

+ Fastening sets	For wall mounting	For floor attachment
For basic shelvin	g	
& order no.	+ 7830-704	+ 7830-706
& unit price	+ 16,-	+ 21,-
For add-on shelv	ring	
& order no.	+ 7830-705	+ 7830-707
& unit price	+ 8,-	+ 10,-

2000	2500	2500	2500
600	400	500	600
5	6	6	6
78820-62	78825-42	78825-52	78825-62
367,-	376,-	422,-	461,-
78820-60 419,-	78825-40 442,-	78825-50 488,-	78825-60 531,-
2000	2500	2500	2500
+ 78820-63	+ 78825-43	+ 78825-53	+ 78825-63
			+ 363,-
+ 294,-	+ 289,-	+ 329,-	1 300,
+ 294,- + 78820-61	+ 289,- 	+ 78825-51	+ 78825-61

(+) Additional shelves, coated

For shelf depth	400	500	600
& order no.	+ 78840-80	+ 78850-80	+ 78860-80
& unit price	+ 38,-	+ 43,-	+ 49,-

78 series

Boltless shelving for moderately heavy loads.

Features of the 78 series:

- Attractively priced shelving for moderately heavy loads
- Fast, easy and boltless assembly
- High load capacity per shelf: max. 150 kg
- Bay load: max. 1,100 kg (height: 2,000 mm) max. 1,650 kg (height: 2,500 mm)
- Shelf height adjustable in 25 mm steps
- Available surfaces: Zinc-plated or coated in light gray RAL 7035

All load specifications apply for shelving loaded manually with evenly distributed load.



Diagonal brace with tightener



Side braces, zinc-plated



Shelf frames are supplied dismantled and can be easily fitted together Example: 2,500 mm

Planning dimensions

Basic shelving: Depth + 36 mm

Width + 56 mm

Add-on shelving: Depth + 36 mm

Width + 6 mm

Basic boltless shelving

Consisting of 2 side frames, shelves (for quantity, see below), 2 diagonal braces with tightener for 2,000 height,

4 diagonal braces with tightener for 2,500 height





,000

Zinc-plated

	10	-1	8	,	IL
_	١.	_	_	-1	

Depth

Shelves



Order no.

Price




2000

400

2000 500

99002-000058

377,-



Order no.

Price

99002-000055

99002-000056

409,-

99002-000057


446,-



Consisting of 1 side frame, shelves (for quantity, see above), 1 diagonal brace with tightener for 2,000 height, 2 diagonal braces with tightener for 2,500 height (for all other dimensions, see basic boltless shelving)







Height

& order no.

& unit price

2000

+ 279,-

+ 99002-000032

2000

+ 306,-

+ 99002-000034



& order no.

& unit price

+ 99002-000031

+ 326,-

+ 99002-000033

+ 359,-

Additional shelves, zinc-plated

For shelf depth 400 500 600 & order no. + 99002-000001 + 99002-000002 & unit price + 42,50 + 46,50

+ 99002-000003

346



Order no. 99002-000058 & 2x 99002-000034 (add-on shelving units)



Floor attachment for shelving with a height/ depth ratio of >_ 5:1.

This shelving must be secured against tipping over (wall or foot anchoring).

+) Fastening sets	For wall mounting	For floor attachment	
For basic shelving			
& order no.	+ 7830-704	+ 7830-706	
& unit price	+ 16,-	+ 21,-	
For add-on shelvir	ng		
& order no.	+ 7830-705	+ 7830-707	
& unit price	+ 8	+ 10	

2000	2500	2500	2500
600	400	500	600
5	6	6	6
99002-000060	99002-000068	99002-000070	99002-000072
407,-	435,-	474,-	512,-
99002-000059	99002-000067	99002-000069 565,-	99002-000071 608,-
2000	2500	2500	2500
+ 99002-000036	+ 99002-000044	+ 99002-000046	+ 99002-000048
+ 99002-000035 + 390,-	+ 99002-000043 + 405,-	+ 99002-000045 + 446,-	+ 99002-000047 + 484,-
. 370,	. 100,		. 101,

(+) Additional shelves, coated

For shelf depth	400	500	600
& order no.	+ 99002-000022	+ 99002-000023	+ 99002-000024
& unit price	+ 48,50	+ 54,-	+ 60,-

7800 series

Boltless shelving for heavy loads.

Features of the 7800 series:

- Fast, easy and boltless assembly
- Sturdy T-frames for shelves
- High load capacity per shelf: max. 230 kg
- Bay load: max. 1,650 kg (height: 2,000 mm) max. 2,400 kg (height: 2,500 mm)
- Shelf height adjustable in 25 mm steps
- Shelves with system perforations in 50 mm steps for retroactive fitting of system accessories (e.g. compartment dividers)
- Available surfaces: Zinc-plated or coated in light gray RAL 7035

Planning dimensions Basic shelving: Depth + 36 mm Width + 56 mm Add-on shelving: Depth + 36 mm Width + 6 mm



Order no. 7820-50

All load specifications apply for shelving loaded manually with evenly distributed load.

Basic boltless shelving

Consisting of 2 side frames, 4 shelves, 2 diagonal braces with tightener for 2,000 height, 4 diagonal braces with tightener for 2,500 height






Width: 1,000	Height
	Depth
and the second second second	Order no.
	Price
Zinc-plated	

2000	
400	
7820-42	
412,-	_

2000	
500	
7820-52	
445,-	



Order no.	
Price	

7820-40		
463,-		

7820-50	
496,-	

$(+)\,$ Add-on boltless shelving

Consisting of 1 side frame, 4 shelves 1 diagonal brace with tightener for 2,000 height, 2 diagonal braces with tightener for 2,500 height (for all other dimensions, see basic boltless shelving)





Zin	c-plated

Height	
& order no.	
& unit price	

2000		
+ 7820-43		
+ 330,-		

2000	
+ 7820-53	
+ 363,-	

Coated	

& order no.	
& unit price	

+ 7820-41	
+ 380,-	

+ 7820-51	
+ 412,-	

Additional shelves, zinc-plated

For shelf depth	400	500	600
& order no.	+ 7842-80	+ 7852-80	+ 7862-80
& unit price	+ 48,-	+ 56,-	+ 61,-





Diagonal brace with tightener



Shelf bracket



Floor attachment for shelving with a height/depth ratio of >_ 5:1.

This shelving must be secured against tipping over (wall or foot anchoring).



High load capacity thanks to multiple edgings




sets r basic shelving	mounting	attachment
Fastening	For wall	For floor

For basic shelving		
& order no.	+ 7830-704	+ 7830-706
& unit price	+ 16,-	+ 21,-

For add-on shelving	!	
& order no.	+ 7830-705	+ 7830-707
& unit price	+ 8,-	+ 10,-

2000	2500	2500	2500
600	400	500	600
7820-62	7825-42	7825-52	7825-62
530,-	496,-	530,-	594,-
7820-60	7825-40	7825-50	7825-60
581,-	563,-	594,-	662,-




(+) Additional shelves, coated

For shelf depth	400	500	600
& order no.	+ 7840-80	+ 7850-80	+ 7860-80
& unit price	+ 54,-	+ 58,-	+ 64,-

Long boltless shelving systems For large and heavy loads.

Features of long boltless shelving:

- Fast, easy and boltless assembly
- Complete shelf unit with 4 particle board shelves
- Basic design allows for variable positioning options
- Shelf level height adjustable in 50 mm steps
- Shelf load capacity of shelf widths of 1,700 & 2,000 = up to 500 kg, 2,500 mm = up to 400 kg
- Bay load for shelf widths of 1,700 & 2,000 = up to 3,000 kg, 2,500 mm = up to 2,800 kg
- + Horizontal and vertical stepped beams
- Circumferential edge protection
- 2 binding beams under every shelf
- Surface of profiles and beams zinc-plated
- Metal insertable foot
- Fastening to the floor possible
- All load specifications apply for shelving loaded manually with an evenly distributed load.



Particle board shelf

() Safety information:

Long boltless shelving with particle board shelves

Consisting of 4 support profiles,

- 8 horizontal stepped beams,
- 8 vertical stepped beams,
- 8 A-binding beams, 4 feet,
- 4 shims, 4 19 mm particle boards

2000	2000	2500	2500	

Height: 1,970	Width	1700	1700	1700	2000	2000	2000	2500	2500	2500
	Depth	400	600	800	400	600	800	400	600	800
	Order no.	781120-40	781120-60	781120-80	781220-40	781220-60	781220-80	781320-40	781320-60	781320-80
	Price	687,-	767,-	861,-	748,-	832,-	940,-	852,-	942,-	1.083,-
Height: 2,470	Order no.	781125-40	781125-60	781125-80	781225-40	781225-60	781225-80	781325-40	781325-60	781325-80
	Price	728,-	808,-	902,-	790,-	873,-	981,-	893,-	983,-	1.122,-

Height: 2,970	Order no.	781130-40	781130-60	781130-80	781230-40	781230-60	781230-80	781330-40	781330-60	781330-80
	Price	766,-	847,-	940,-	828,-	912,-	1.019,-	932,-	1.021,-	1.158,-



 $(+)\,$ Additional untreated particle boards 🦳



& order no.	+ 781140-80	+ 781160-80	+ 781180-80	+ 781240-80	+ 781260-80	+ 781280-80	+ 781340-80	+ 781360-80	+ 781380-80
& unit price	+ 129,-	+ 149,-	+ 174,-	+ 144,-	+ 165,-	+ 195,-	+ 170,-	+ 194,-	+ 230,-



Order no. 781120-40





Office & archive

At C+P, you'll find the right cabinet for every application. Choose from a wide selection of cabinet types ranging from hinged-door, sliding-door and tambour cabinets to glass door cabinets and cabinets with drawers, for filing or for a multi-drawer cabinet.

With a variety of practical interior fittings, your C+P cabinet can be individually designed for new storage and organization needs at any time.

Add to this a competent range of lounge furniture, tables, chairs, storage space near the workstation, caddies and accessories for contemporary office furniture.

Cabinet and filing systems





Hinged-door cabinets
Acurado | Asisto | Certos (flame-resistant)





386

Sliding-door cabinets Acurado | Asisto

Office furniture & accessories



440

Counters and lounge furniture



446

Tables



400

Tambour cabinets
Omnispace | Asisto



414

Drawer and filing cabinets Acurado | Asisto | 7000 series



454

Around the desk



460

Chairs and stools



470

Cabinets, pedestals and caddies

Hinged-door cabinets

Sturdy and long-lasting.









Acurado series

The favorably priced cabinets for classic filing


- + Sturdy steel construction with high-quality enamel coating
- + With sliders for floor protection as standard
- + Shelves, coated light gray
- + Ergo-Lock grip lock (3-bolt) with 2 keys and optional exchangeable cylinder
- Doors on bolt hinges, door opening angle of approx. 110°
- + Complete product line (different dimension variants and interior fittings for every requirement)

Asisto series

The attractive steel cabinets and shelving for any office

- Sturdy steel construction
 with high-quality enamel coating
- + Appealing design thanks to narrow edges
- Sliders for floor protection, as standard with level adjustment, adjustable from inside
- + Metal cabinet handles, matt nickel-plated
- + Shelves, coated black gray
- + 3-bolt safety lock with exchangeable cylinder, 2 keys
- + Hinged doors with approx. 225° door opening angle
- + Doors with wood decor fronts as standard, also available in steel or as glass doors
- + Complete product line (different dimension variants and interior fittings for every requirement)





The double-walled cabinets with protection against fires and attempted burglary

- + Double-walled, sturdy steel construction with special insulating plates between the walls and high-quality enamel coating
- + Protection against minor fires and attempted burglary
- Increased protection against burglary thanks to burglar-proof door design on the side and sturdy door locks
- + With sliders for floor protection as standard
- + Shelves, coated light gray
- Double-bit safety lock with five-bolt bolt lock system, with 2 keys
- Doors on external sturdy bolt hinges, convenient door opening angle of approx. 180°
- + Optional electronic code lock
- + Complete product line (various heights and dimension variants for every requirement)







The patented Ergo-Lock from C+P



Outstanding operating safety, wear resistance and an attractive appearance characterize the patented "Ergo-Lock" grip lock from C+P. The "simply push shut to close" feature in particular already makes the work of hundreds of thousands of users easier—and soon yours, too!

Features of the Ergo-Lock:

- + **High-quality appearance—current and contemporary**Fits in with any room and gives your cabinet
 a distinctive look.
- + Patented "simply push shut to close" mechanism
 Neatly close a cabinet, even if your hands
 are full—only from C+P.
- Exchangeable cylinder, subsequent replacement, simultaneous locking—it's all possible!
 Remain open to future change and safeguard the security of your investment.
- Suitable locking systems with PIN code or transponder with the same appearance.
 Use a PIN code or transponder instead of a key with the same design if required for security purposes. As a complete, electronic offline lock, the Ergo-Lock offers full state-of-the-art features.









Whether you use it as a key lock or with PIN codes or transponders, the Ergo-Lock product range offers the right system to suit every requirement.



Opt for security and access control to suit your particular needs:



Mechanical locking system

- + 2 keys per lock
- + Standard design for all Acurado hinged-door cabinets
- Also easy and convenient to operate with gloves





PIN code lock

- + Motorized locking bolt
- 4 digits
- 4- to 8-digit codes possible
- Optical function feedback (green/red)
- Master key code

- + Usage range: +5 to +40°C
- + Operated with 2 standard AA batteries (alkaline)
- + Batteries last for approx. 30,000 openings or approx. 3 years

Order no. 8900-750 Price 225,-



RFID transponder lock

- + Motorized locking bolt
- + Transponder type: MIFARE® DESFire®
- Can be integrated into existing access control systems
- USB programming interface
- Optical function feedback (green/red)
- + Easy operation with programmable user and master cards, as well as a service card
- + Management software also available as an option
- + Usage range: +5 to +40°C
- Operated with 2 standard AA batteries (alkaline)
- Batteries last for approx. 30,000 openings or approx. 3 years

Order no.	8900-740
Price	On request

Acurado

Hinged-door cabinets.

Features of the hinged-door cabinets:

- Sturdy steel construction with high-quality enamel coating
- Wide range of different dimensions for any application
- With sliders for floor protection as standard
- Shelves, coated light gray
- Improved operating safety, wear resistance and an attractive ergonomic appearance thanks to the Ergo-Lock grip lock (3-bolt latch) in black with 2 keys
- Doors on bolt hinges, door opening angle of approx. 110°
- Door reinforcement for high stability
- Highly flexible interior fitting options thanks to adjustability in 15 mm steps
- Interesting range of counter and top solutions as well as shelving
- High load capacity of 70 kg per shelf, reinforced shelf can bear loads up to 110 kg, for reinforcement see page 365





Improved operating safety, wear resistance and an attractive appearance thanks to the grip lock (3-bolt latch) in black with 2 keys-the door can be closed simply by squeezing the grip lock

To Ergo-Lock \rightarrow p. 358



Order no. 9260-000

Dimensions and version p lock









With Ergo-Lock	triple-bolt	gri

Width
Depth
Interior dimensions, HxWxD
Shelves
Order no.
Price

500
400
1840 x 498 x 353
4
9234-000
436,-

500
500
1840 x 498 x 453
4
9235-000
501,-

700
400
1840 x 698 x 353
4
9236-000
490,-

700
500
1840 x 698 x 453
4
9237-000
563

Additional shelves

Height: 1,950

Coated steel, light gray, in special color (project specific) on request

Steel shelves	
Marian .	

Width x depth	
& order no.	
& unit price	

497 x 352			
+ 1034-80			
+ 25,-			

497 x 452				
+ 1035-80				
+ 27,-				

697 x 352	
+ 1036-80	
+ 29 50	

697 x 452
+ 1037-80
+ 31,50

Underframes made of square tube, 150 mm high, adjustable level Black gray RAL 7021, other colors on request



Width x depth			
& order no.			
& unit price			

-			
-			

-		
_		

_			
-	-		
	_		
	_		

-			
-			
_			

(o) Body and door color


Color concept → p. 48



Reinforced shelf

Selection \rightarrow p. 372





(+) Accessories

Office bookcases.



Order no. 9160-000

Dimensions and version			F			
Office bookcases are cabinets without doors	and with shelves					
Height: 1,950	Width	500	500	700	700	
	Depth	400	500	400	500	
	Interior dimensions,	1840 x 498 x 353	1840 x 498 x 453	1840 x 698 x 353	1840 x 698 x 453	
	HxWxD	4	4	4	4	
	Shelves	9134-000	9135-000	9136-000	9137-000	
	Order no.	349,-	401,-	392,-	451,-	
	Price					
+ Additional shelve Coated steel	es					
Steel shelves	Widthxdepth	497 x 352	497 x 452	697 x 352	697 x 452	
The same of the sa	& order no.	+ 1034-80	+ 1035-80	+ 1036-80	+ 1037-80	
	& unit price	+ 25,-	+ 27,-	+ 29,50	+ 31,50	
	de of square tube, 150 mm 021, other colors on reques					
	Width x depth	-	-	-	-	
	& order no.	-	-	_	-	













930
400
1840 x 928 x 353
4
9160-000
436,-

930
500
1840 x 928 x 453
4
9180-000
501,-

930	
600	
1840 x 928 x	553
4	
9190-000	
588,-	

1200
400
1840 x 1198 x 353
4
9360-000
544,-

1200
500
1840 x 1198 x 453
4
9380-000
626,-

925 x 352	
+ 1040-80	
+ 34,-	

925 x 552	
+ 1051-80	
+ 38,50	

1195 x	352	
+ 936	0-80	
+ 43,-		

1195 x 452
+ 1060-80
+ 46,-

930 x 400	
+ 9964-00	
+ 129	

930 x 500	
+ 9984-00	
+ 142,-	

930 x 600
+ 9994-00
+ 155,-

1200 x 400	1200 x 500
+ 2027-00	+ 2028-00
+ 158,-	+ 173,-









Selection \rightarrow p. 372

Hinged-door cabinets.



Order no. 9260-100

Dimensions and version

With different interior fittings With Ergo-Lock triple-bolt grip lock





Height: 1,950 Width: 930	Depth	400	500	
	Interior dimensions, HxWxD	1840×928×353	1840 x 928 x 453	
	Shelves	3	3	
	Two-door security compartment, HxWxD	1 335 x 755 x 335	1 335 x 755 x 435	
	Description	Security compartment with cylinder lock	Security compartment with cylinder lock	
	Order no.	9260-100	9280-100	
	Price	746,-	827,-	

(+) Additional shelves Coated steel (standard)

	Width x depth	925 x 352	925×452	
Steel shelves	& order no.	+ 1040-80	+ 1050-80	
	& unit price	+ 34,-	+ 36,50	

→ Body and door color







Order no. 9280-088



400	
1840 x 375 x 350	

4

Storage shelf with extendable coat rack rail (without coat hangers) on the left, coat rack section: approx. 550 mm wide

9260-30

675,-



500

1840 x 459 x 450

4

_

Storage shelf with coat rack rail (without coat hangers) on left, central partition

9280-30

757,-



500

1840 x 928 x 453

-

Full-length storage shelf on the inside with coat rack rail (without coat hangers)

9280-088

606,-

375 x 349 (additional shelf for **right** side for 9260-30)

+ 1040-38

+ 21,50

459 x 449

(additional shelf for \boldsymbol{right} side for 9280-30)

+ 1050-38

+ 25,50

+ Reinforced shelf

Load capacity per shelf

& order no.

Price

110 kg

+ ...-802

Double the shelf price

+ Accessories

Hanging frames, binder supports and locks \rightarrow p. 372

Office cabinets and bookcases.



Order no. 9260-410



Order no. 9160-600

Dimensions and version

Office cabinets with suspension bars and compartments with Ergo-Lock triple-bolt grip lock

		IIII
	•	
		IIII

Height: 1,950
Width: 930

Depth

Description

Dimensions, HxWxD

Interior dimensions, HxWxD

Order no.

Price

400

6 suspension bars (for Elba/Leitz)

 $1840\,x\,928\,x\,353$

9260-600

685,-

400

21 compartments 240 x 280 x 352

 $1840\,x\,928\,x\,353$

9260-410

847,-

(
ightarrow) Body and door color



Dimensions and version

Office bookcases with suspension bars and compartments

Office bookcases are cabinets without doors with rear panel and shelves in light gray





Height: 1,950	Depth	400	400
Width: 930	Description	6 suspension bars	21 compartments
	Interior dimensions, HxWxD	1840 x 928 x 353	1840 x 928 x 353
	Order no.	9160-600	9160-410
	Price	577	739

+ Additional shelves

Selection \rightarrow p. 372

+ Accessories
Selection → p. 372

Top cabinets and bookcases.



Order no. 9264-000/9464-00

Dimensions and version

Top cabinets with Ergon triple-bolt grip lock, incommounting to underbend	cl. accessories for						
	Height	500	500	500	500	500	500
	Width	930	930	930	1200	1200	1200
	Depth	400	500	600	400	500	600
	Shelves	-	-	-	-	_	-
	Binder heights	1	1	1	1	1	1
	Interior dimensions, HxWxD	440 x 928 x 353	440×928 ×453	440 x 928 x 553	440 x 1198 x 353	440 x 1198 x 453	440 x 1198 x 553
	Order no.	9264-000	9284-000	9294-000	9464-000	9484-000	9494-000
	Price	323,-	371,-	436,-	403,-	464,-	544,-
Dimensions ar	& addtl. charge	+ 25	5,-				
Top bookcases incl. act to underbench cabinet		g					
	Height	500	1	500	500	50	00
	Width	930		930	1200	12	00
	Depth	400		500	400	50	00
	Shelves			-		-	
	Binder heights	1		1	1	1	
	Interior dimensions, F	1xWxD 440	x928x353	440×928×453	440 x 1198	8 x 353 44	10 x 1198 x 453
	Order no.	9164	1-000	9184-000	9364-00	0 93	384-000

Oustomer must provide wall mounting for top cabinets and bookcases

→ Body and door colorColor concept → p. 48

(+) Accessories

Binder supports and locks \rightarrow p. 372



Order no. 9165-000

790	790	790	790	790	790
930	930	930	1200	1200	1200
400	500	600	400	500	600
1	1	1	1		1
2	2	2	2	2	2
730×928 ×353	730×928 ×453	730 x 928 x 553	730×1198 ×353	730 x 1198 x 453	730 x 1198 x 553
9265-000	9285-000	9295-000	9465-000	9485-000	9495-000
100					
403,-	464,-	544,-	504,-	580,-	680,-
+ 8900-7211 + 25,-	464,-	544,-	504,-	580,-	680,-
+ 8900-7211 + 25,-	790	544,-	790	790	680,-
+ 8900-7211		544,-			680,-

Additional shelves

1

2

730 x 928 x 353

9165-000

323,-

Coated steel (standard), only possible with cabinet/bookcase height of 790 mm

730 x 928 x 453

9185-000

371,-

1

2

	For cabinets (WxD)	930 x 400	930 x 500	930 x 600	1200 x 400	1200 x 500	1200 x 600
Steel shelves	Widthxdepth	925 x 352	925 x 452	925 x 552	1195 x 352	1195 x 452	1195 x 552
	& order no.	+ 1040-80	+ 1050-80	+ 1051-80	+ 9360-80	+ 1060-80	+ 1061-80
	& unit price	+ 34,-	+ 36,50	+ 38,50	+ 43,-	+ 46,-	+ 48,50

1

2

730 x 1198 x 353

9365-000

403,-

1

2

730 x 1198 x 453

9385-000

464,-

Occasional and counter cabinets/shelving.



Order no. 9267-1200



Order no. 9286-1200 & 1125-110 (steel top cover)

Dimensions and version

Occasional and counter cabinets with MCPB top, 25 mm thick, with **Ergo-Lock** triple-bolt grip lock









Height
Width
Depth
Shelves
Binder heights
Interior dimensions, HxWxD
Order no.
Price

1000
930
400
1
2
855 x 928 x 353
9266-1200
484,-

1000
930
500
1
2
855 x 928 x 453
9286-1200
544,-

1000
1200
400
1
2
855 x 1198 x 353
9466-1200
585,-

1000
1200
500
1
2
855 x 1198 x 453
9486-1200
660,-

Occasional and counter	shelving with MCPB top,
25 mm thick	









544,-

Order no.	
Price	

9166-1200
 103 -

9186-	1200
452 -	

9366-1200	

9386-1200

+ Alternative top covers Instead of MCPB top



Width
Depth
& order no.
& addtl_charge


930	
400	
+ 1124-110	
+ 0,-	

930	
500	
+ 1125-110	

12	200
4	00
+	2016-110
+	0,-

1200
500
+ 2017-110
+ 0,-


Body and door color





+ 0,-





(+) Under frame 150 mm high, made of square tube, adjustable level. Black gray RAL 7021, other colors on request

Width Depth & order no. & price



~	•
930	

	930
	400
_	+ 9964-00
	+ 129,-



930
500
+ 9984-00
+ 142 -



1200	
400	
+ 2027-00	
+ 158,-	



1200
500
+ 2028-00
+ 173,-

(+) Additional accessories

Binder supports and locks \rightarrow p. 372

Accessories for hinged-door cabinets.

Additional shelves

For cabinets







91/9260-410

9260-30

9280-30

Cabinet dimensions, WxD

930 x 400

are supplied loose.

The vertical partitions of the cabinets are permanently installed. The **horizontal intermediate shelves** are supported on both sides and can only be adjusted vertically together. Additional shelves

930 x 400 Filing section

right side

930 x 500

Filing section Shelf for right side Shelf support set Zinc-plated, pack. unit = 20 pc.



Order no.

Price

With front edging

1040-49

63 -

1040-38 21,50 1050-38 25,50 1118-00-20

20,-

Reinforced shelf

Load capacity per shelf	110 kg
& order no.	+802
Price	Double the shelf price

Hanging frame

Fully extendable, on ball bearings, with adjustable dividers, including anti-tilt mechanism, cannot be retrofitted, color: light gray RAL 7035





For cabinet width
For cabinet depth
Inner useful depth
Rows
For files

930	930
400	500
328	328
2-row	
2-row DIN A4	DIN A4

1200	1200
400	500
328	328
3-row	
DIN A4	DIN A4
9360-811	1060-811
237	241,-



Order no.

Single, for hanging frame



230,-

Inner useful depth
For files
Order no.
Price

328
DIN A4
1000-841
15,-

225,-

400
EDP
1000-842
15,-



Order no. 1050-811

Suspension bars




(Suspension bars from other systems on request)

System	Elba/Leitz			Zippel		
For cabinet width	930	930	1200	930	930	1200
For cabinet depth	400	500	500	400	500	500
Inner useful width	848	848	1118	848	848	1118
Order no.	1040-82	1050-82	1060-82	1040-83	1050-83	1060-83
Price		53,-	62,-	51,-	53,-	62,-

Binder supports

Height Widthxdepth Order no. Price





100
100 x 230
4221-25
25,-



200	
100 x 270	
4222-25	
28 _	



Shelf with coat rack rail

Includes holder below the storage shelf (including storage shelf, possible from 500 mm exterior cabinet depth only), without coat hangers

Order no.	88
Price	On request



Keys and locks: Ergo-Lock



Ergo-Lock with 2 keys

Ergo-Lock with master key system without security certificate

Master Ergo-Lock with for this locking

simultaneous

key

Single/

spare

for lock with lock no. upon request (longer delivery times)

Additional charge

spare key for security compartment

Single/

Order no. 8900-721 Price

22,-

8900-723 25,-

8900-7131 18,-

key

8900-7211 25,-

0004-11 19,-

...-...99 On request 0006-50 19,-

Other additional charges

Asisto

The strength and flexibility of steel in the office.

Asisto from C+P is a leading product in all areas of modern office furniture and also offers added value that is "as strong as steel" and that you can only get from C+P. The Asisto cabinets with the innovative steel body stand out thanks to their technology, design and price-performance ratio. Asisto is the intelligent complete range from the market leader in steel furniture.

Features of Asisto hinged-door cabinets:

- + Sturdy steel construction with high-quality enamel coating
- + Appealing design thanks to narrow edges which you can only achieve with intelligently manufactured steel bodies
- Excellent stability and suitability for moving thanks to Asisto steel body (with useful magnetic surfaces on the side)
- Sliders for floor protection, as standard with level adjustment, adjustable from inside
- + Metal cabinet handles, matt nickel-plated
- + Shelves, coated black gray

- + 3-bolt safety lock with exchangeable cylinder, 2 keys
- + Hinged doors with approx. 225° door opening angle
- + Different fronts (steel, wood and clear glass) and tops can be matched to the steel body
- Highly flexible interior fitting options thanks to adjustability in 15 mm steps
- + High load capacity of 70 kg per shelf
- + MCPB tops, 25 mm thick, for cabinets up to 1,635 mm in height



All units feature the narrow 6 mm edge that is characteristic for the Asisto cabinet system



The standard Asisto handles are matt nickel-plated and continue the elegant style of this product line



The adjustable hinges (opening angle of approx. 225°) are extra flat, thus allowing even better access to the cabinet interior



The Asisto level adjustment can be easily adjusted from the inside with easy access to the adjustment screw through a guide sleeve



Company

Color concept

Changing room & wardrobe

Asisto

Hinged-door cabinets.

Features of the hinged-door cabinets:

- For general description, see page 374
- Shelves made of steel in black gray RAL 7021 (standard), for additional or alternative shelves, see page 380
- Glass doors (addtl. charge) without lock



Order no. 141032-000 & 141032-710 (steel doors)

Dimensions and door material

Hinged-door	cahinate
mingeu-uoor	Capillets

Incl. 25 mm-thick MCPB tops for cabinet heights up to 1,635 mm















Width	800	1000	1200	800	1000	1200
Depth	435	435	435	435	435	435
Height	915	915	915	1310	1310	1310
Interior dimensions, HxWxD	745 x 795 x 352	745 x 995 x 352	745 x 1195 x 352	1140 x 795 x 352	1140 x 995 x 352	1140 x 1195 x 352
Shelves	1	1	1	2	2	2
Binder heights	2	2	2	3	3	3
Order no.	141053-000	141052-000	141051-000	141033-000	141032-000	141031-000
Price	575,-	665,-	756,-	689,-	798,-	907,-





Optional:
& order no.

& addtl. charge





+ 141051-710 + 75,-

+ 141033-710 + 75,-

+ 141032-710 + 75,-

+ 141031-710 + 75,-

Clear glass doors



Optional:

& order no. & addtl. charge + 141053-750 + 228,-

+ 141052-750 + 228,-

+ 141051-750 + 228,-

+ 141033-750 + 228,-

+ 141032-750 + 228,-

+ 141031-750 + 228,-

MCPB = Melamine coated particle board

Alternative top covers Solid-core/HPL or steel \rightarrow p. 380

(+) Additional shelves

Selection → p. 380

Accessories

Binder supports and hanging frames \rightarrow p. 381

(o) Body and door color

Color concept → p. 48

(
ightarrow) Door decor (possibly top decor) or door color (with steel doors)

Color concept \rightarrow p. 50





MCPB wood decor doors are standard for all Asisto cabinets (19 mm thick)





Steel doors are optional and feature double-wall insulation (19 mm thick)



Glass doors are optional and consist of safety glass (TSG) with a thickness of 6 mm

Order no. 141002-000 & 141002-710 (steel doors)





	For cabinet height		
	Binder heights		
truction	Per cabinet/shelf		
n layer-	& order no		

For all cabinet and shelving widths

for more pleasant sound behavior of the cabinet

1 of oabillot floight
Binder heights
Per cabinet/shelf
& order no.
& addtl. charge



915	
2	
+ 141050-701	

+ 83,-




+ 101,-

1310	
3	
+ 141030-701	



+ 118,-



35	1980	
	5	
41010-701	+ 141000-701	

+ 136,-

Asisto

Office bookcases.

Features of the office bookcases:

- + For general description, see p. 374
- Shelves made of steel as standard in black gray, for additional/alternative shelves, see p. 380



Order no. 140031-000

Dimensions and version

Incl. MCPB tops, 25 mm thick, for shelving up to 1,635 mm in height

l .
l .









Depth: 435

Height	
Width	
Shelve	S
Binder	heights
	dimen-

Order no. Price

915
800
1
2
745 x 795 x 352
140053-000

483,-

915
1000
1
2
745 x 995 x 352
140052-000
559,-


1310
800
2
3
1140 x 795 x 352
140033-000
579,-


1310	
1000	
2	
3	
1140 x 995 x 352	
140032-000	

671,-

1310
1200
2
3
1140 x 1195 x 352
140031-000
762,-

(
ightarrow) Top decor






MCPB = Melamine coated particle board



Tops → p. 380



Selection \rightarrow p. 380



Selection \rightarrow p. 377



Asisto

Accessories for hinged-door cabinets and office bookcases.



Steel shelves, black gray, load capacity: 70 kg Order no. ...-80



Glass shelves made of 6 mm-thick safety glass (TSG), load capacity: 40 kg Order no. ...-580

Additional shelves

Coated steel, black gray



For cabinet width	800	1000	1200
Width x depth	794 x 352	994 x 352	1194 x 352
Order no.	140003-80	140002-80	140001-80
Unit price	32,-	34,-	43,-


Alternative design



Thickness	6	6	6
Order no.	140003-580	140002-580	140001-580
Unit price	80,-	85,-	108,-

Alternative top covers

As solid-core/HPL or steel top, instead of MCPB top





Selection \rightarrow p. 52



Binder support

Attachable, for steel shelves, black gray

Height	200
Width	100
Depth	270
Order no.	140000-701
Price	28,-



Shelf with coat rack rail

Extendable, below the shelf, without coat hangers



For cabinet width	800
Dimensions, HxWxD	24×759×352
Interior dimensions, WxD	759 x 363
Order no.	140003-88
Price	64 -

Hanging frame

Fully extendable, on ball bearings, with 2/4 adjustable vertical fixed links, incl. double anti-tilt mechanism, for DIN A4 files. Cannot be retrofitted







For cabinet width	800	1000	1200
Inner useful depth	330	330	330
Rows	2-row	2-row	3-row
Order no.	140003-811	140002-811	140001-811
Price	252,-	261,-	275,-

Certos

Flame-resistant cabinets.

Features of the flame-resistant Certos hinged-door cabinets:

- + Double-walled on all sides and especially sturdy steel construction with high-quality enamel coating
- 25 mm-thick special insulating plates between the walls, category A1, non-flammable according to DIN 4102
- Protection against minor fires and attempted burglary
- Increased burglary protection thanks to burglar-proof door design on the side and sturdy door locks which snap into the side walls on the left and right
- Wide range of different dimensions for any application
- With sliders for floor protection as standard
- Shelves, coated light gray
- 5-bolt lock system (3 on the sides, 1 each at the top/bottom)
- Double-bit safety lock with 2 keys
- Optional electronic code lock
- Doors on external sturdy bolt hinges, convenient door opening angle of approx. 180°
- Highly flexible interior fitting options thanks to adjustability in 15 mm steps
- High load capacity of 70 kg per shelf



Order no. 1161-000

Dimensions and version

Flame-resistant, incl. 25 mm-thick MCPB tops for cabinet heights up to 1,226 mm









D	
Depth:	500

Height	1226	1226	1226	1950
Width	650	930	1200	650
Interior dimensions, HxWxD	1060 x 598 x 429	1060 x 878 x 429	1060 x 1148 x 429	1810 x 598 x 429
Shelves	2	2	2	4
Weight	Approx. 64 kg	Approx. 84 kg	Approx. 102 kg	Approx. 92 kg
Binder heights	3	3	3	5
Security compartment dimensions, HxWxD	-	-	-	-
Order no.	1160-000	1171-00	1181-00	1161-000
Price	1.285,-	1.428,-	1.784,-	1.577,-



Additional shelves Coated steel

	Width x depth	597 x 428	877 x 428	1147 x 428	597 x 428
Steel shelves	Order no.	+ 1160-80	+ 1170-80	+ 1180-80	+ 1160-80
	Unit price	+ 28,50	+ 33,-	+ 42,50	+ 28,50

(o) Body and door color


(
ightarrow) Top decor

Color concept → p. 52





Order no. 1170-100





1950

1200

1147 x 428





1950	
930	
1810 x 878 x 429	
4	
Approx. 115 kg	
5	
1170-00	
1.752,-	

1200	93
1810 x 1148 x 429	181
4	3
Approx. 140 kg	Ар
5	4
-	1 (t 33
1180-00	117
2.190,-	1.9

1950	1950
930	930
1810 x 878 x 429	1810 x 878 x 429
3	3
Approx. 120 kg	Approx. 123 kg
4	4
1 (two-door) 335 x 758 x 400	2 (single-door) 335 x 370 x 400
1170-100	1170-200
1.953,-	1.953,-



Order no. 1160-000

877 x 428	
+ 1170-80	

1170-80	+ 1180-80
33,-	+ 42,50

877 x 428	
+ 1170-80	
+ 33 -	

877 x 428
+ 1170-80
+ 33


(+) Accessories

Accessories for flame-resistant cabinets

Suspension bars



eitz	Zippel



Elba/Leitz	
930	
825	
1170-82	
51,-	

1200
1095
1180-82
60,-

Zippel	
930	1200
825	1095
1170-83	1180-83
51,-	60,-



Hanging frame

Fully extendable, on ball bearings, black gray color, with 2 adjustable dividers, includes anti-tilt mechanism, cannot be retrofitted



For cabinet width	930
For cabinet depth	500
Inner useful depth	328
Rows	2-row
For files	DIN A4
Order no.	1170-8110
Price	230,-

1200	0
500)
328	
	ow and tra compartment
DIN	A4
1180)-8110
236	,-



Additional accessories







Electronic lock	
In black (instead of double-bit lock)	
1131-02	
390,-	

Single or spare key	Handle silver anodized
1128-3399	1170-701
93,-	105,-



Company

Color concept

Changing room & wardrobe

Sliding-door cabinets

Space-saving and tidy.



Acurado series

The attractively priced and spacing-saving sliding-door cabinets

- + Sturdy steel construction with high-quality enamel coating
- + With sliders for floor protection as standard
- + Shelves, coated light gray
- + Push and turn cylinder lock with2 keys and optional exchangeable cylinder
- + Easy to move sliding doors with long-lasting special casters
- + Complete product line (different dimension variants and interior fittings for every requirement)










The attractive and flexible space savers

- + Sturdy steel construction with high-quality enamel coating
- + Appealing design thanks to narrow edges
- + Sliders for floor protection, as standard with level adjustment, adjustable from inside
- + Metal cabinet handles, matt nickel-plated
- + Shelves, coated black gray
- Safety lock (push and turn cylinder lock) with exchangeable cylinder, 2 keys
- + Easy to move sliding doors with long-lasting special casters
- + Doors with wood decor fronts as standard, also available in steel (exchangeable door front concept)
- + Complete product line (different dimension variants and interior fittings for every requirement)








Sliding-door cabinets with steel doors.


Features of the Acurado sliding-door cabinets:

- Sturdy steel construction with high-quality enamel coating
- Wide range of different dimensions for any application
- With sliders for floor protection as standard
- Shelves, coated light gray
- Push and turn cylinder lock with 2 keys and optional exchangeable cylinder
- Easy to move sliding doors with long-lasting special casters
- Highly flexible interior fitting options thanks to adjustability in 15 mm steps
- Interesting range of counter and top solutions
- High load capacity of 70 kg per shelf, reinforced shelf can bear loads up to 110 kg, for reinforcement see page 394

Sample visualization of the functional floor space required by space-saving cabinet types (The example does not take into account the possibility of overlapping traffic areas according to regulations.)



= Traffic area





Order no. 2140-00

Dimensions and version

Adjustable shelves











Height: 1,950	Width	1200	1200	1200	1200	1200
	Depth	400	500	600	400	500
	Interior dimensions, HxWxD	1840 x 1197 x 328	1840 x 1197 x 428	1840×1197 ×528	1840 x 1197 x 328	1840 x 1197 x 428
	Shelves	4	4	4	3	3
	Center partition	_	-	-	-	-
	Suspension bars	_	-	-	-	-
	Security compartments single-door (per side)	-	-	-	2 400×595×290	2 400 x 595 x 390
	Order no.	2040-00	2050-00	2060-00	2040-200	2050-200
	Price	952,-	1.095,-	1.286,-	1.315,-	1.458,-

(o) Body and door color



Order no. for top cabinet above: 2045-00/2145-00 Order no. for basic cabinets below: 2040-00/2140-00



Order no. for top cabinet above: 2044-00/2144-00 Order no. for basic cabinets below: 2040-00/2140-00







1600

500









1200
500
1840 x 1197 x 428
_
6 (Elba/Leitz)
-
2050-60
1.095,-

1600
400
1840 x 1596 x 328
2 x 4
1
-
-
2140-00
1.231,-

Additional shelves and underframes \rightarrow p. 394

0 x 1596 8	1840 x 1596 x 428
	2 x 4
	1
	-
	-
0-00	2150-00
1,-	1.408,-

1600
600
1840 x 1596 x 528
2 x 4
1
-
-
2160-00
1.644,-

1600
400
1840 x 1596 x 328
2x3
1
-
2 400×795×290
2140-100
1.594,-

1600
500
1840 x 1596 x 428
2x3
1
-
2 400×795×390
2150-100
1.771,-

1600
500
1840 x 1596 x 428
-
1
2x6 (Elba/Leitz)
-
2150-60
1.408,-

+ Accessories



Ergonomic bow-shaped handles: Made of metal for easy operation.

Top cabinets with steel sliding doors.



Order no. 2044-00 (top cabinet)

Dimensions and version

Incl. accessories for mounting to underbench cabinet, requires tops for use as occasional cabinets

500	500
1200	1200
400	500
450 x 1197 x 328	450 x 1197 x 428
-	-
1	1
2044-00	2054-00

500	790
1200	1200
500	400
450 x 1197 x 428	740 x 1197 x 328
-	1
1	2
2054-00	2045-00
649,-	706,-

790	
1200	
500	
740 x 1197 x 428	
1	
2	

2055-00

811,-

1000	
1200	
400	
950 x 1197 x 328	
2	
2 + Restfach	
2046-00	
706,-	

1000
1200
500
950 x 1197 x 428
2
2 + Restfach
2056-00

811,-

Oustomer must provide wall mounting for top cabinets

Price

Height
Width
Depth
Interior dimensions, HxWxD
Shelves
Binder heights
Order no.

Top covers made of MCPB, 25 mm thick, for use as occasional cabinet

МСРВ	

For cabinet width
Depth
& order no.
& unit price

1200	
400	
+ 2016-000	
+ 137,-	

565,-

1200
500
+ 2017-000
+ 141,-

12	200
4	00
+	2016-000
+	137

1200
500
+ 2017-000
+ 141,-

1200
400
+ 2016-000
_ 127_

120	1200				
50	500				
+ 2	2017-000				
. 1	41				



Order no. 2045-00/2145-00 (top cabinets)

500	500	790	790	1000	1000
1600	1600	1600	1600	1600	1600
400	500	400	500	400	500
450 x 1597 x 328	450 x 1597 x 428	740 x 1597 x 328	740 x 1597 x 428	950 x 1597 x 328	950 x 1597 x 428
-		2x1	2x1	2	2
1	1	2	2	2 + Restfach	2 + Restfach
2144-00	2154-00	2145-00	2155-00	2146-00	2156-00
750,-	855,-	925,-	1.056,-	925,-	1.056,-

1600	1600	1600	1600	1600	1600
400	500	400	500	400	500
+ 2018-000	+ 2019-000	+ 2018-000	+ 2019-000	+ 2018-000	+ 2019-000
+ 173,-	+ 188,-	+ 173,-	+ 188,-	+ 173,-	+ 188,-

+ Rear panel reinforcement For mounting the cabinet on the wall

& order no.	+ 1000-53
& addtl. charge	+ 62,-

+ Accessories

Additional shelves → p. 394

MCPB = Melamine coated particle board

Occasional cabinets with steel sliding doors.





786,-

Price



Order no. 2048-1200

Dimension Incl. 25 mm-thic	s and version						
Width: 1,200	Height	1000	1000	1200	1200	1600	1600
	Depth	400	500	400	500	400	500
	Shelves	2	2	2	2	3	3
	Binder heights	2 1/2	2 1/2	3	3	4	4
	Interior dimensions, HxWxD	855 x 1197 x 328	855 x 1197 x 428	1055 x 1197 x 328	1055 x 1197 x 428	1455 x 1197 x 328	1455 x 1197 x 428
	Order no	2046-1200	2056-1200	2047-1200	2057-1200	2048-1200	2058-1200

857,-

973,-


998,-

1.135,-

892,-

Width: 1,600	Height	1000	1000	1200	1200	1600	1600
	Depth	400	500	400	500	400	500
	Shelves	2 x 2	2x2	2x2	2x2	2x3	2x3
	Center partition	1	1	1	1	1	1
	Binder heights	2 1/2	2 1/2	3	3	4	4
	Interior dimensions, HxWxD	855 x 1596 x 328	855 x 1596 x 428	1055 x 1596 x 328	1055 x 1596 x 428	1455 x 1596 x 328	1455 x 1596 x 428
	Order no.	2146-1200	2156-1200	2147-1200	2157-1200	2148-1200	2158-1200
	Price	1006-	1137-	1093 -	1237-	1 268 -	1439-







Dimensions and version

Desk height, adjustable level, adjustable shelves, 1,200 and 1,600 mm in width, with center partition, with 25 mm-thick MCPB top

Т		





Height: 720
Depth: 400

Width	800	1000	1200	1600
Shelves	1	1	2 (1 per side)	2 (1 per side)
Binder heights	2	2	2	2
Interior dimensions, HxWxD	675 x 740 x 340	675 x 940 x 340	675 x 564 x 340	675×764×340
Order no.	5722-00	5725-00	5723-00	5724-00
Price	536,-	621,-	756,-	925,-

+ Additional SLIM shelves

	For cabinet width	800	1000	1200	1600
	Widthxdepth	740 x 340	940 x 340	563×340	740 x 340
	Center partition	-	-	1	1
	& order no.	+ 5722-80	+ 5725-80	+ 5723-80	+ 5724-80
Steel shelves	& unit price	+ 52,-	+ 56,-	+ 48,-	+ 52,-

(+) Underframes made of square tube, 150 mm high, adjustable level, black gray RAL 7021, other colors on request



For cabinet width	800	1000	1200	1600
& order no.	+ 2026-00	+ 2031-00	+ 2027-00	+ 2029-00
& unit price	+ 125,-	+ 140,-	+ 158,-	+ 186,-

+ Accessories

Additional shelves \rightarrow p. 394

MCPB = Melamine coated particle board

Accessories for sliding-door cabinets.

Additional shelves

Coated steel, light gray



	For cabinet dimensions
	Widthxdepth
	Center partition
	Order no.
	Unit price

1200×400
1196 x 327
-
2040-80
42,50

1200 x 500
1196 x 427
-
2050-80
45,-

1600 x 400
796 x 327
1
2140-80
31,50

1600 x 500
796 x 427
1
2150-80
33,-

Reinforced shelf

Load capacity per shelf	110 kg
Order no.	802
Price	Double the shelf price

Binder supports

Depth/WidthxDepth

Attachable, with 2-fold edging, suitable for all shelves

100

25,-

Zippel

1200

500

2050-83

100 x 230

4221-25





200	
100 x 270	
4222-25	
28 -	



Suspension bars

System

For cabinet width

For cabinet depth Inner useful width Order no.



Height

Order no.

Price

Elba/Leitz	
1200	1600
500	500
1111	731
2050-82	2150-82
62,-	49,-



1600

500

2150-83

	(



Suspension bars for Elba/Leitz system, (order no. 2050-82, 2150-82)

Underframes

For cabinet width

For cabinet depth


Order no.

Price

150 mm high, square tube, adjustable level. Black gray RAL 7021, other colors on request



158,-





1200
500
2028-00
173,-



1600
400
2029-00
186,-



1600
500
2030-00
204 -

Shelf with coat rack rail

Below the shelf, possible from 500 mm exterior cabinet depth only, without coat hangers

Includes holder			
Order no.	88		
Price	On request		



Shelf support set

Zinc-plated, pack. unit: 20 pc



Order no.	1118-00-20
Price	20,-

Keys and locks

	Simultaneously locking	Exchangeable cylinder for master key system	Master key for exchangeable cylinder	Removal key for exchangeable cylinder	Single/ spare key for Acurado series	Lock with lock no. upon request (longer delivery times)
Order no.	2025-021	2025-03	2025-031	2025-026	0005-10	99
Price	17,-	17,-	18,-	19,-	19,-	On request

Asisto

Sliding-door cabinets.

Features of the sliding-door cabinets:

- Sturdy steel construction with high-quality enamel coating
- Appealing design thanks to narrow edges which you can only achieve with intelligently manufactured steel bodies
- Excellent stability and suitability for moving thanks to the Asisto steel body (with useful magnetic surfaces on the side)
- Sliders for floor protection, as standard with level adjustment, adjustable from inside
- Metal cabinet handles, matt nickel-plated
- Shelves, coated black gray
- Safety lock (push and turn cylinder lock) with exchangeable cylinder, 2 keys
- Easy to move sliding doors with long-lasting special casters
- Different fronts (steel, wood) and tops can be matched to the steel body
- Highly flexible interior fitting options thanks to adjustability in 15 mm steps
- High load capacity of 70 kg per shelf
- MCPB tops, 25 mm thick, for cabinets up to 1,635 mm in height









Order no. 142002-000 & 142002-710 (steel doors)

Dimensions and door material

Incl. 25 mm-thick MCPB tops for cabinet heights up to 1,635 mm, without center partition, adjustable shelves



915

2

931,-

1000







Depth: 435

Wood decor doors (standard)

Height

Width

Interior dimensions, HxWxD

Binder heights

Order no.

Price

745 x 995 x 352

142052-000

915

1200

745 x 1195 x 352

2

142051-000

1.058,-

1310 1000

1140 x 995 x 352

3

142032-000 1.117,-

142031-000

1.270,-

Steel doors



Optional:

& order no.

& addtl. charge

+ 142052-710

+ 75,-

+ 142051-710

+ 75,-

+ 142032-710

+ 75,-

+ 142031-710

+ 75,-

Body and door color

Color concept → p. 48

Door decor (possibly top decor) or door color (with steel doors)

Color concept → p. 50







1635
1000
1465 x 995 x 352
3
4
1/2012-000

1.210,-			

1635
1200
1465 x 1195 x 352
3
4
142011-000

42011-000		
.375,-		

ĺ		
l		
1		

1980
1000
1825 x 995 x 352
4
5
142002-000

	1980
	1200
995 x 352	1825 x 1195 x 352
	4
	5
2-000	142001-000
-	1.428,-

+ 142012-710	
--------------	--

+ 96,-

+ 142011-710

+ 96,-

+ 142002-710

+ 96,-

1.257,-

+ 142001-710

+ 96,-

+ Alternative top covers

Solid-core/HPL or steel \rightarrow p. 398

(+) Sound absorption

Sandwich construction in the side walls \rightarrow p. 398



Shelves and binder support \rightarrow p. 398

Accessories for sliding-door cabinets.

Additional shelves

Coated steel, black gray (standard), load capacity: 70 kg



For cabinet width
Width x depth
Order no.
Unit price

1000
994 x 352
140002-80
34 -

1200
1194 x 352
140001-80
43,-



Binder support


Attachable, for steel shelves, black gray



Order no. Price

140000-701


28,-




In the side walls, for all cabinet widths, for a more pleasant sound behavior of the cabinet











Sandwich construction (steel-absorption layer-steel)

For cabinet height

Binder heights
Order no.

& addtl. charge



915	1310
2	3
141050-701	14103
83,-	101,-

1310	
3	
141030-701	

1635
4
141010-701
118

1980
5
141000-701
136

Alternative top covers

As solid-core/HPL or steel top, instead of MCPB top



For cabinet width
Depth
Thickness
Order no.
& addtl. charge

& addtl. charge
Thickness
Order no.
& addtl. charge

1000	
435	
13	
140002-130	
131,-	

131,-		
7		
140002-110		
0,-		

120	00		
43	5		
13			
140	001-130		
151	,-		

7
140001-110
0,-

Steel



Tambour cabinets

More room in less space.



Omnispace series

The affordable complete tambour cabinet range

- + Body in sturdy steel construction with high-quality enamel coating
- Sliders for floor protection, as standard with level adjustment, adjustable from inside
- + Shelves, coated black gray
- + Hook bolt lock with 2 keys
- + Plastic tambour doors made of polypropylene with recessed grip, smooth and quiet functioning
- + Complete product line (different dimension variants and interior fittings for every requirement)








Asisto series

The elegant single-door cabinets: Flexible and especially easy to move

- + Body in sturdy steel construction with high-quality enamel coating
- + Appealing design thanks to narrow edges
- + Sliders for floor protection, as standard with level adjustment, adjustable from inside
- + Shelves, coated black gray
- + Hook bolt lock with exchangeable cylinders, 2 keys
- Plastic tambour doors, hinged on the left, with matt nickel-plated bow-shaped handle, especially smooth and quiet functioning
- + Doors also available with sound-absorbing acoustic tambour
- + Complete product line (different dimension variants and interior fittings for every requirement)







Omnispace series

Tambour cabinets.


The Omnispace series offers:

- + Body in sturdy steel construction with high-quality enamel coating
- Planning dimensions: 600, 800, 1,000 and 1,200 mm
- Sliders for floor protection, as standard with level adjustment, adjustable from inside
- No assembly required—tambour cabinets are delivered fully assembled
- Shelves, coated black gray
- Body and internal walls have the same color
- Hook bolt lock with 2 keys
- Tambour doors consist of full-length, flexible plastic mats (polypropylene) with a practical recessed grip for easy operation
- Tambours move smoothly and quietly
- Highly flexible interior fitting options thanks to adjustability in 15 mm steps
- Load capacity of 50 kg per shelf











Order no. 3203-00

Dimensions and version













Height: 1,980
Depth: 420

wiath
Interior dimer
Shelves

Binder heights

Description

Order no

Price

600 1836 x 493

x385 4 5

Tambour door stopping on left

648,-

3200-00L

1836 x 493

x385 4 5

Tambour door stopping on right 3200-00R

648,-

1836 x 493 x385

Stopping on left with extendable

> coat rack rail 3200-088L

602,-

1836 x 651 x385

4 5

x385

3201-00 724,-

1836 x 851

4 5

3202-00 838,-

> 3203-00 952,-

(+) Top cabinets

Selection → p. 406



(
ightarrow) Body color

Color concept → p. 48


Tambour fronts

Color concept → p. 406

(+) Accessories

Extendable coat rack rail → p. 407





Tambour cabinets.

Omnispace series

Dimensions and version



1030

800

1345



1030



Depth: 420

Order no.

Price

Price

Height Width Interior dimensions, HxWxD Shelves

886 x 651 x 385 Binder heights 2 + extra compartment 3241-00 536,-

1000 886 x 851 x 385 2 + extra compartment 3242-00 621,-

1030 1200 886 x 1051 x 385 2 + extra compartment 3243-00 706,-

Depth: 420



Height Width Interior dimensions, HxWxD Shelves Binder heights Order no.

800 1201x651x385 3 3 + extra compartment 3221-00 644,-

1345 1000 1201 x 851 x 385 3 3 + extra compartment 3222-00 745,-

1345 1200 1201 x 1051 x 385 3 + extra compartment 3223-00 847,-

(+) Top covers 25 mm thick, in MCPB, please specify top decor



MCPB = Melamine coated particle board

For cabinet width Depth & order no.

& addtl. charge

800 420 + 3212-0800 + 98,-

1000 420 + 3212-1000 + 112,-

1200 420 + 3212-1200 + 126,-



Standard level adjustment:


For Omnispace tambour cabinets, height adjustable up to 10 mm

- + Easy to access
- + Easy to adjust



404








Order no. 3213-00

1660	1660
800	1000
1516 x 651 x 385	1516 x 851 x 385
3	3
4	4
3211-00	3212-00
697	807







Order no. 3233-00 & 3212-1200 (top cover)



+ Accessories

Suspension bars \rightarrow p. 407


Omnispace series

Top and occasional cabinets.

Dimensions and version

Top cabinets						
Height: 450	Width	600	600	800	1000	1200
Depth: 420	Interior dimensions, HxWxD	356 x 493 x 385	356 x 493 x 385	356 x 651 x 385	356 x 851 x 385	356 x 1051 x 385
	Description	Tambour door stopping on left	Tambour door stopping on right	-	-	-
	Order no.	3260-00L	3260-00R	3261-00	3262-00	3263-00
	Price	384,-	384,-	429,-	497,-	565,-

(+) Wall mount
Customer must provide wall mount for top cabinets



Available colors and materials

Available **body colors** (please note: additional charge for body in white aluminum, see C+P color concept on Page 48/49)



Light gray



Black gray



White

colors at no additional charge:



The smooth-running plastic tambour mats are made

of polypropylene and are available for all cabinet heights in the following





Top covers

Traffic white

25 mm thick with 3 mm edge band available in 3 decors:



MCPB = Melamine coated particle board Master key system—price on request

Omnispace series

Accessories for tambour cabinets.

Set of casters (4 pc.)


For 720 and 1,030 mm-high cabinets only. 4 casters, both front casters with lock.

Order no.	57700-701		
Price	139		



Additional shelves

Coated steel, black gray (standard)



Suspension bars

(Suspension bars from other systems on request)





	Elba/Leitz				Zippel			
For cabinet width	600	800	1000	1200	600	800	1000	1200
Order no.	3200-82	3201-82	3202-82	3203-82	3200-83	3201-83	3202-83	3203-83
Price	39	44.50	51	56	39	44.50	51	56



Hanging frame

Fully extendable, max. 4 hanging frames per cabinet possible, color black gray RAL 7021







For DIN A4 suspension files (incl. anti-tilt mechanism, cannot be retrofitted!)			
For locker width	800	1000	1200
Rows	1-row	2-row	3-row
Order no.	3201-811	3202-811	3203-811
Price	214,-	225,-	237,-



Shelf with coat rack rail

Extendable, below the shelf, without coat hangers





For cabinet width	600	800
Order no.	3200-88	3201-88
Price	46,-	54,-



Binder support

Attachable, suitable for all shelves

Order no.

Price



28,-

3200-701

Single/
spare
key



Simultaneous lok- king

Lock



	Order no. 3200-7027		Order no.	3200-7021
_	Price*	19,-	Price*	17,-

*When ordering for cabinet

Tambour cabinets

Features of Asisto tambour cabinets:

- + Body in sturdy steel construction with high-quality enamel coating
- + Appealing design thanks to narrow edges which you can only achieve with intelligently manufactured steel bodies
- + Excellent stability and suitability for moving thanks to the Asisto steel body (with useful magnetic surfaces on the side)
- + Sliders for floor protection, as standard with level adjustment, adjustable from inside
- + No assembly required—tambour cabinets are delivered fully assembled
- + Shelves, coated black gray
- + Hook bolt lock with exchangeable cylinders, 2 keys
- + Tambour doors consist of full-length, flexible plastic mats (polypropylene) with aluminum locking bar and metal cabinet handle, matt nickel-plated, for easy operation
- + Tambours move especially smoothly and quietly
- + Doors also available with sound-absorbing acoustic tambour
- + Highly flexible interior fitting options thanks to adjustability in 15 mm steps
- + Load capacity of 50 kg per shelf
- + MCPB tops, 25 mm thick, for cabinets up to 1,635 mm in height







Patented acoustic tambour:

Absorb sound, improve acoustics—and look good doing it: The light-running, patented and award-winning special tambour absorbs a majority of the sound occurring in day-to-day work. In some frequency ranges, it "swallows" almost

seven times as much sound as a conventional cabinet.



$^{+})$ Optional for all cabinets:


Make the office an area of tranquility! "Typical" background noise is part and parcel of the day-to-day routine in open-concept offices: Talking, clatter and ringing

hamper concentration while working. All the better if you can solve this problem by utilizing the office storage you need anyway and create a healthy, pleasant working atmosphere for employees at the same time.


Tambour cabinets for efficient office space utilization

When open, tambour cabinets always provide unobstructed access without the hindrance of doors extending into the room. This allows you to

- + fit more workstations and storage space in the room
- + or achieve a more generous appearance of your furnishings while using the same amount of space,
- + utilizing valuable office space more efficiently!









Order no. 143002-000

Dimensions and tambour material

Adjustable shelves





Height: 1,980 Depth: 435



Width
Interior dimensions, HxWxD
Shelves

Shelves
Binder heights
Order no.
Price

800
1865 x 695 x 365
4
5
143003-000
1.086,-

1000
1865 x 895 x 365
4
5
143002-000
1.257,-

1200
1865 x 1095 x 365
4
5
143001-000
1.428,-

Acoustic tambour



Optional: & order no.

& addtl. charge

-

-

+ 143001-716 + 1.603,-

+ Accessories

Additional shelves, hanging frames and binder support \rightarrow p. 412

 $\widehat{
ightarrow}$ Body color

Color concept → p. 48



→ Tambour fronts

Please choose from white, light gray, black gray and white aluminum (acoustic tambour only available in white and white aluminum)

Color concept \rightarrow p. 413

Tambour cabinets.



Order no. 143053-000



Order no. 143012-000

Dimensions and tambour material

Incl. MCPB tops, 25 mm thick, adjustable shelf

k,

915

1.058,-

Standard tambour

Height

Width

Interior dimensions,

HxWxD

Shelves

Binder heights

Order no.

1 2 143053-000

785 x 695 x 365

915

800

804,-

915 1000 785 x 895 x 365 1 2 143052-000

1200 785 x 1095 x 365 1 2 143051-000

Acoustic tambour

Opt

Price

Optional:
& order no.
& addtl. charge

-

+ 143051-716 + 911,-

 $\stackrel{\textstyle (}{\Rightarrow}{}$ Body color


Please choose from white, light gray, black gray and white aluminum (acoustic tambour only available in white and white aluminum)

Color concept \rightarrow p. 413

Tambour fronts

931,-





MCPB = Melamine coated particle board

(+) Accessories

Alternative top covers and additional shelves \rightarrow p. 412

Accessories for tambour cabinets.

Alternative top covers


As solid-core/HPL or steel top,

instead of MCPB top

Depth: 435	For cabinet width	800	1000	1200
	Thickness	13	13	13
Solid-core (HPL)	Order no.	140003-130	140002-130	140001-130
	& addtl. charge	114,-	131,-	151,-
	Thickness	7	7	7
Steel	Order no.	140003-110	140002-110	140001-110
	& addtl. charge	0,-	0,-	0,-

Additional shelves

Coated steel, black gray (standard)




Hanging frame

Fully extendable, on ball bearings, with 2/4 adjustable vertical fixed links,

incl. double anti-tilt mechanism, for DIN A4 files.

Cannot be retrofitted





1000	
330	
2-row	
143002-811	
261	



1200
330
3-row
143001-811
275,-

Binder support

Attachable,

for steel shelves, black gray



Height	200
Width	100
Depth	270
Order no.	140000-701
Price	28

Shelf with coat rack rail

Extendable, below the shelf, without coat hangers

For cabinet width	
Dimensions, HxWxD	_
Interior dimensions, WxD	
Order no.	
Price	



800
24×695×355
695 x 365
143003-88
64,-

+ Top design

Selection \rightarrow p. 52



Order no. 143001-000

Available colors for tambour

The smooth-running plastic tambour mats are available for all cabinet heights in the following colors at no additional charge:

Standard tambour:



White

Light gray





Black gray

White aluminum

Acoustic tambour:





White White aluminum

Notes on body paint according to the C+P color concept:

Body colors RAL 9016 traffic white, RAL 7035 light gray and RAL 7021 black gray are all in color group 0 and therefore have no surcharge.

The surcharge for body color RAL 9006 white aluminum (color group I) can be found in the C+P color concept on page 48/49.

Drawer and filing cabinets Order across the board.





Acurado series

The cost-effective cabinets for suspension files and index cards

- Sturdy steel construction with high-quality enamel coating
- + With sliders for floor protection as standard
- + Integrated full-width handle bar
- + Central locking system with 2 keys and exchangeable cylinder
- + Drawers are fully extendable, with anti-tilt mechanism
- Load capacity per drawer: 50 kg
- + For DIN A4 suspension files and DIN A4/A5 index cards
- + Available in light gray RAL 7035, black gray RAL 7021, white aluminum RAL 9006 and traffic white RAL 9016

Asisto series

The convenience range for all filling tasks

- + Sturdy steel construction with body sound absorption and high-quality enamel coating
- + Appealing design thanks to narrow edges
- + Sliders for floor protection, as standard with level adjustment, adjustable from inside
- Elegant and ergonomic bow-shaped handles, matt nickel-plated
- Optional wood decor fronts and tops
- + Central locking system with 2 keys and exchangeable cylinder
- + Drawers are fully extendable, with anti-tilt mechanism
- + Load capacities per drawer:
 50 kg (435 mm deep)
 60 kg (600 mm deep)
 100 kg (600 mm deep with heavy-duty rails)
- + Complete modular system for different filing materials





7000 series

The universal drawer cabinets for everything flat

- Sturdy steel construction with overlay drawer fronts and high-quality enamel coating
- + With sliders for floor protection as standard
- + Elegant and ergonomic bow-shaped handles, matt nickel-plated
- + Central locking system with 2 keys
- + Drawer, fully (DIN A1) or 4/5 (DIN A0) extendable, with anti-tilt mechanism
- + Load capacity per drawer: 40 kg
- + Drawer bottoms are stepped and can be divided, therefore suitable for different applications
- Available in two sizes (DIN A1 and DIN A0) and two cabinet heights with different drawer configurations







Acurado

Suspension file and card-index cabinets.

Features of the Acurado suspension file and index card cabinets:

- + Sturdy steel construction with high-quality enamel coating
- + Economical solution for "classic" office tasks
- + Three heights, three widths
- + With sliders for floor protection as standard
- + Integrated full-width handle bar
- + Central locking system with 2 keys and exchangeable cylinder
- + Fully extendable steel drawers on long-lasting telescopic ball-bearing rails, flush folded in, sealed drawer bottom
- + Anti-tilt mechanism
- + Load capacity per drawer: 50 kg
- + Card-index cabinets with 2 card-index dividers per index row

Dimensions and version

Suspension file cabinets

With hanging frame and sealed drawer bottom, for suspension files of size DIN A4, fully extendable









Depth: 590

y extendable						
Height	733	1045	1357	733	1045	1357
Width	433	433	433	787	787	787
Interior dimen- sions, HxWxD	250 x 330 x 528	250 x 330 x 528	250×330 ×528	250 x 330 x 528	250 x 330 x 528	250 x 330 x 528
Drawers	2	3	4	2	3	4
Rows	1-row	1-row	1-row	2-row	2-row	2-row
Order no.	12412-311	12423-311	12434-311	12912-312	12923-312	12934-312
Price	443,-	476,-	547,-	685,-	741,-	852,-



Our interior dimension specifications generally indicate **the usable dimensions** (e.g. from the suspension point of the DIN A4 size suspension file to the next lower panel or drawer bottom).

The usable dimensions from the suspension point to the **next higher** panel are indicated in the drawing above.

Available in the following colors with no surcharge:









Light gray RAL 7035

Black gray RAL 7021

Deep black

Traffic white RAL 9016

Special colors from 10 cabinets per order please ask us.



Dimensions and version

Card-index cabinets for DIN A5 and DIN A4 index cards, drawers fully extendable













Depth: 590	Height	1045	1357	1045	1357	1357	1357
	Width	433	433	787	787	553	787
	Interior dimensions, HxWxD	285 x 300 x 528	185 x 214 x 518	185 x 214 x 518			
	Drawers	3	4	3	4	6	6
	Rows	1-row	1-row	2-row	2-row	2-row	3-row
	For index cards	DIN A4 landscape	DIN A4 landscape	DIN A4 landscape	DIN A4 landscape	DIN A5 landscape	DIN A5 landscape
	Order no.	12423-321	12434-321	12923-322	12934-322	12736-322	12936-323
	Price	617,-	728,-	882,-	1.033,-	968,-	1.250,-


Based on applicable standards and guidelines (e.g. EN 14073-2),

cabinets must be secured against tipping. There are two

convenient options for this:

1. Version with wall mount* or







For cabinet width	433	553	787
Load capacity per drawer	35 kg	40 kg	50 kg
& order no.	+ 6400-01	+ 6700-01	+ 6900-01
& addtl. charge	+ 57,-	+ 69,-	+ 105,-



Order no. 12936-323

Acurado

Accessories for drawer and filing cabinets.

Standard

Self-adhesive

26 x 76 x 4

17 x 67

6103-13

6,-

For supplementation of the

included inscription fields.

Color black, incl. label

and transparent cover

Label holder

Made of plastic, per piece



Version

HxWxD

Window, HxW

Order no.

Price

Width

Depth

Price

Order no.



Transparent, incl. white label (1 pc. per drawer as standard)

Self-adhesive

32 x 100 x 2

26 x 98

6103-10







Comfort


As an alternative to additional drawer labeling. Color black, incl. label and transparent cover

Self-adhesive 39 x 114 x 5

30 x 105

6103-11

15,-



Underframes

150 mm high, square tube, adjustable level. Black gray RAL 7021, other colors on request





64020-00

590 112,-



590 67020-00

124,-



787 590 69020-00

136,-



All cabinets feature sealed drawer bottoms

Card-index dividers

Individual Version

Unit price



Panel height Order no.

For DIN A4 landscape index cards 6 HU 6494-10



For DIN A5 landscape index cards

4 HU 6495-10

11,-





12,-

With 2 keys, nickel-plated

2025-02 Order no. Price 15.-





Single/spare key

Per pc.

Order no. Price



0005-10

19,-



Cylinder lock with exchangeable cylinder:

As central locking system. Compatible with many other C+P furniture items. Also ideal for subsequent organization of locking groups. Flush steel drawers with integrated, fullwidth handle bar



Company

Color concept

Changing room & wardrobe

Workshop & factory

Drawer and filing cabinets 435 mm deep.

Features of the Asisto 435 mm-deep drawer and filing cabinets:

- Cabinet depth: 435 mm, with MCPB panels and top covers as standard, can be combined with Asisto hinged-door, slidingdoor and tambour cabinets
- Sturdy steel construction with high-quality enamel coating
- Body with body sound absorption for pleasant sound behavior
- Appealing design thanks to narrow edges
- Sliders for floor protection, as standard with level adjustment, adjustable from inside
- Elegant and ergonomic bow-shaped handles, matt nickel-plated
- Fronts also available in steel
- Central locking system with 2 keys and exchangeable cylinder
- Full extension slides (width: 1,200 mm with parallel control) with selfclosing system, anti-tilt mechanism and soft-close silencers as standard
- Drawers and hanging frames in black gray or graphite black
- Load capacity per drawer: 50 kg
- For DIN A4 suspension files and DIN A4/A5 index cards
- Card-index cabinets with 2 card-index dividers per index row
- High-quality, self-adhesive plastic label holder with inscription field (1 supplied for each drawer)



Order no. 146041-313

Dimensions and panel material of filing cabinets

With closed hanging frame for DIN A4 suspension files, fully extendable, incl. 25 mm-thick MCPB top









Depth: 435

Height
Width
Interior dimensions, HxWxD
Hanging frame
Drawers
5

TINTIND
Hanging frame
Drawers
Rows
Order no.
Price

240 x 330 x 320		240×330×320	
	240 x 330 x 320	1	
	240 x 330 x 320		
800		1010	

1310
800
240 x 330 x 320
1
4x6 HU
2-row
14/000 440

6 HU
row
6023-412
550,-

_	
010	
200	

1
3x6 HU
3-row
146041-313
1.547,-

240 x 330 x 320

1310
1200
240 x 330 x 320
1
•
4x6 HU
4x6 HU 3-row

Steel panels
-

Optional:	
& order no.	
& addtl. charge	

+	6900-401
+	0

+ 6900-402	
+ 0,-	

+ 6400-401	
+ 0,-	

+ 6400-402
+ 0,-



Color concept → p. 48



Dimensions and panel material of card-index cabinets

For DIN A4 and DIN A5 index cards, drawers fully extendable,

incl. 25 mm-thick MCPB top







Width: 800 Depth: 435

Interior dimensions, HxWxD

Rows

Height

Drawers

For index cards

Order no.

Price

1010

2-row

260 x 303 x 320

3x6 HU

DIN A4 landscape

146043-322

1.554,-

260 x 303 x 320

2-row

4x6 HU

DIN A4 landscape

146023-422

1.840,-

1310 160 x 213 x 320

3-row

6 x 4 HU

DIN A5 landscape

146023-623

2.187,-



Wood decor panel

Optional:

& order no.

& addtl. charge

+ 6900-401


+ 0,-

+ 6900-402

+ 0,-

+ 6900-402

+ 0,-



Our interior dimension specifications generally indicate the usable dimensions (e.g. from the suspension point of the DIN A4 size suspension file to the next lower panel or drawer bottom). The usable dimensions from the suspension point to the **next higher** panel are indicated in the drawing above.

Based on applicable standards and guidelines (e.g. EN 14073-2), cabinets must be secured against tipping. There are two convenient options for this:

- 1. Version with wall mount (please use screws and dowels that are suitable for the respective type of wall)
- 2. Version with an additional counterweight

Additional counterweight

if wall mounting is not possible-cannot be fitted retroactively

For cabinet width	800	1200	800	1200
For cabinet height	1010	1010	1310	1310
Load capacity per drawer	50 kg	50 kg	50 kg	50 kg
& order no.	+ 6700-01	+ 6700-01	+ 6900-01	+ 6900-01
& addtl. charge	+ 69,-	+ 69,-	+ 105,-	+ 105,-

MCPB = Melamine coated particle board 1 HU = 50 mm (height unit)

Drawer and filing cabinets 600 mm deep.

Features of the drawer and filing cabinets:

- + Cabinet depth of 600 mm, as standard with panels and top covers made of steel
- Sturdy steel construction with high-quality enamel coating
- Body with body sound absorption for pleasant sound behavior
- Appealing design thanks to narrow edges
- Sliders for floor protection, as standard with level adjustment, adjustable from inside
- Elegant and ergonomic bow-shaped handles, matt nickel-plated
- Optional wood decor fronts and tops
- Central locking system with 2 keys and exchangeable cylinder
- Full extension slides on sturdy telescopic rails, with anti-tilt mechanism and self-closing system
- Drawers and hanging frames in black gray or graphite black
- Load capacities per drawer: 60 kg with standard rails 100 kg with heavy-duty rails
- Complete modular system for different filing materials
- Card-index cabinets with 2 card-index dividers per index row
- High-quality, self-adhesive plastic label holder with inscription field (1 supplied for each drawer)



Order no. 146243-312

Dimensions and panel material of filing cabinets

With closed hanging frame

for DIN A4 suspension files, fully extendable, incl. 7 n







1298



Depth:	600
Deptii.	000

mm-thick steel	top cover
600	Height



698

440

1-row

2x6 HU

DIN A4

146275-211

240 x 330 x 498



998 440

240 x 330 x 498

440

240 x 330 x 498

4x6 HU

146225-411 1.055,-

1298

Steel panels (standard)

Rows Drawers

Price

Width

For suspension files Order no.

Interior dimensions,

726,-

1-row 3x6 HU

DIN A4

905,-

146245-311

1-row

DIN A4

345 x 451 x 518 3 x 8 HU DIN A3 146224-301

Wood decor

Optional:

& order no. & addtl. charge + 6400-410

+ 6400-411

+ 6400-412

+ 0.-

+ 6700-412

1.175.-


Based on applicable standards and guidelines (e.g. EN 14073-2), cabinets must be secured against

tipping. There are two convenient options for this: 1. Version with wall mount*

2. Version with additional counterweight



*The fastening method depends on the wall material. Please use screws and dowels that are suitable for the respective type of wall (not included).





Panel/top decor (wood decor panels)











_	
_	
_	
_	1

698
800
240 x 330 x 498
2-row
2x6 HU
DIN A4
146273-212
919,-

998
800
240 x 330 x 498
2-row
3x6 HU
DIN A4
146243-312
1.153,-

1298
800
240 x 330 x 498
2-row
4x6 HU
4x6 HU DIN A4
DIN A4

Cabinet heights For top covers

in steel (standard)

1298
998
698
or
MCPB (see Page 431)
MCPB (see Page 431) 1316

MCPB = Melamine coated particle board 1 HU = 50 mm (height unit)

716

(+) Additional counterweight

+ 6900-410

+ 0,-

if wall mounting is not possible—cannot be fitted retroactively

+ 0,-

+ 6900-411

For cabinet width	440	562	800	440	800	440	562	800
For cabinet height	698	698	698	998	998	1298	1298	1298
Load capacity per drawer	35 kg	35 kg	50 kg	35 kg	50 kg	50 kg	50 kg	50 kg
& order no.	+ 6400-01	+ 6700-01	+ 6900-01	+ 6400-01	+ 6900-01	+ 6400-01	+ 6700-01	+ 6900-01
& addtl. charge	+ 57,-	+ 69,-	+ 105,-	+ 57,-	+ 105,-	+ 57,-	+ 69,-	+ 105,-

+ 6900-412

+ 0,-

Drawer cabinets, 600 mm deep.



Order no. 146224-321



Order no. 146243-322 & 69011-000 (MCPB top cover, optional)

Dimensions and panel material of card-index cabinets, 600 mm deep

For DIN A4 and DIN A3 index cards, drawers fully extendable, incl. 7 mm-thick steel top cover







Depth: 600	Height	698	998	1298
	Width	440	440	440
	Interior dimensions, HxWxD	285 x 300 x 518	285 x 300 x 518	285 x 300 x 518
	Rows	1-row	1-row	1-row
	Drawers	2x6 HU	3x6 HU	4x6 HU
Steel panels (standard)	For index cards	DIN A4 landscape	DIN A4 landscape	DIN A4 landscape
(otaliadia)	Order no.	146275-221	146245-321	146225-421
	Price	855,-	1.131,-	1.345,-



Optional:

& order no.

& addtl. charge

+ 6400-410

+ 0,-

+ 6400-411

+ 0,-

+ 6400-412

+ 0,-





698

800

2-row

2x6 HU

285 x 300 x 518



998 2-row

DIN A4 landscape DIN A4 landscape 146273-222 146243-322

1.048,-



800 285 x 300 x 518

3x6 HU

1.378,-



1298 800 285 x 300 x 518 2-row

4x6 HU

DIN A4 landscape

146223-422 1.636,-

1298 562 390 x 429 x 518

1-row

3 x 8 HU

DIN A3 landscape 146224-321

1.400,-



1298 562 390 x 214 x 518

2-row

3x8 HU

DIN A4 portrait

146224-322 1.428,-

*Cabinet heights incl. MCPB tops + 18 mm in each case

+ 6900-410	
	7

+ 0,-+ 0,-

+ 6900-411


+ 6900-412 + 0,-

+ 6700-412 + 0,-

+ 6700-412 + 0,-

MCPB = Melamine coated particle board







Accessories

Central locking system with exchangeable cylinder \rightarrow p. 430

Compatible with many other C+P furniture items. Also ideal for subsequent organization of locking groups.

Drawer cabinets, 600 mm deep.

Dimensions and panel material

Card-index cabinets, 600 mm deep

For DIN A5 index cards, drawers fully extendable, incl. 7 mm-thick steel top cover











Depth: 600

Height
Width
Interior dimensions, HxWxD
Rows
Drawers
Facility of the second





698
800
185 x 214 x 518
3-row
3x4 HU
3x4 HU DIN A5 landscape






Diaweis
For index car
Order no.
Price

3x4 HU		
DIN A5 landscape		
146274-322		
1.080,-		

146224-622
1.791,-







Optional:	
& order no.	
& addtl_charge	

+	6700-412
+	0,-

Dimensions and panel material

Card-index cabinets, 600 mm deep

For DIN A6 index cards, drawers fully extendable, also for microfilm jackets/microfiches, incl. 7 mm-thick steel top cover



DIN 1462 1.315,-







1.685,-

Depth: 600

	Width
	Interior dimensions, HxWxD
	Rows
	Drawers
Steel panels (standard)	For index cards
	Order no.
	Price

Height

4x3 HU
2-row
130 x 155x518
440
698

	440
: 155x518	130 x 155
W	2-row
HU	6x3 HU
A6 landscape	DIN A6
75-422	146245-

998
440
130 x 155 x 518
2-row
6x3 HU
DIN A6 landscape
146245-622

1298
440
130 x 155 x 518
2-row
8x3 HU
DIN A6 landscape
146225-822

698
800
130 x 155 x 518
4-row
4x3 HU
DIN A6 landscape
146273-424



Optional:	
& order no.	

& addtl. charge

+ 6400-410	
+ 0,-	

+ 6400-411
+ 0,-

1.522,-

+	6400-412
+	0

1.825,-

+ 6900-410
+ 0,-

^{*}Cabinet heights incl. MCPB tops + 18 mm in each case



Body and panel color (for steel panels)





Order no. 146223-824



	•	
998		

 998
 1298

 800
 800

130 x 155 x 518 4-row

6x3 HU

DIN A6 landscape

146243-624

2.515,-

Γ	_	
ı		
Ī	_	
Γ	-	
Γ	-	
ſ	-	
ſ	_	

8x3 HU
DIN A6 landscape

146223-824

130 x 155 x 518

3.047,-

4-row

+ 6900-411

+ 0,-

+ 6900-412

+ 0,-





Central locking system with exchangeable cylinder \rightarrow p. 430

Compatible with many other C+P furniture items. Also ideal for subsequent organization of locking groups.



MCPB (wood decor) instead of steel top \rightarrow p. 430

Drawer cabinets with special fittings, 600 mm.

Dimensions and panel material

Drawers fully extendable, suitable for CDs/DVDs in W 142 x D 10 x H 125 mm format (jewel case), or W 142xD 5xH 125 mm (slim case), incl. 7 mm-thick steel top cover





Depth:	600	

Height
Width
Interior dimensions, HxWxD
Rows
Drawers

698 800 185 x 154 x 514 4-row

800 185 x 154 x 514 4-row **6 x 4** HU



Capacity

360 iewel cases or 720 slim cases 720 iewel cases or 1,440 slim cases



Order no. Price

146273-324 1.620,-

3 x 4 HU

146223-624 2.950,-



Optional:

& order no. & addtl. charge + 6900-410 + 0,-

+ 6900-412 + 0,-



Interior fittings for CDs/DVDs in jewel case

Please specify your project requirements when inquiring about cabinets with interior fittings for DVDs in the W 135 x D 14 x H 190 mm format!

Dimensions and panel material

Drawers fully extendable, for microfilm roll boxes* of size 16 or 35 mm, incl. 7 mm-thick steel top cover Box capacity per drawer: 16 mm film roll: 108 pc. 35 mm film roll: 60 pc.





1298

Depth: 600

Steel panels

(standard)

Width	
Interior dimensions,	HxWxD
Rows	
Drawers	
Order no.	

Height

Price

998 800 135 x 100 x 485 6-row **6x3** HU 146243-600 3.159,-

135 x 100 x 485 6-row 8x3 HU 146223-800 3.852,-



Tray for microfilm roll boxes

Wood decor panels

Optional: & order no. & addtl. charge

+ 6900-411 + 0,-

+ 6900-412

+ 0,-

*Drawer cabinets for jackets/microfiches of size DIN A6, see p. 426/427

Body and panel color

Color concept → p. 48

(for steel panels)

Panel/top decor (wood decor panels)





Our interior dimension specifications generally indicate $\ensuremath{\text{the usable dimensions}}$ (e.g. from the suspension point of the DIN A4 size suspension file to the next lower panel or drawer bottom).

The usable dimensions from the suspension point to the next $\mbox{\bf higher}$ panel are indicated in the drawing on the left.

1 HU = 50 mm MCPB = Melamine coated particle board Cabinet heights incl. MCPB top + 18 mm in each case

(+) Tops covers*

MCPB (wood decor) instead of steel top \rightarrow p. 430



Accessories for drawer and filing cabinets.

For 435 mm-deep cabinets

Card-index dividers. single






Panel height	
Order no.	
Price	

For DIN A5 landscape index cards
4 HU
146000-750
11 -

For DIN A4 landscape index cards 6 HU 146000-740 13,-

Alternative top covers

As solid-core/HPL top, instead of the MCPB top



For cabinet width	800	1200
Depth	435	435
Thickness	13	13
Order no.	140003-130	140001-130
& addtl. charge	114,-	151,-

Dividers



initia	
ndex row	nlate

_	
_	Length
	Order no.

hanging frame 330 146000-707

19,-

Vertical fixed link For reducing the

track width of the

1 set (2 pc.), suitable for all models with full drawer bottoms

146000-706 19,-

For 435 and 600 mm-deep cabinets

Label holder



Made of plastic, per piece









Standard For supplementing the supplied inscription fields (1 per drawer as standard). Color black, incl. label and transparent cover



Price

As an alternative to additional drawer labeling. Color black, incl. label and transparent cover



Version HxWxD Window, HxW Order no. Price

Self-adhesive 26 x 76 x 4 17 x 67 6103-13

Self-adhesive 39 x 114 x 5 30 x 105 6103-11

	Magnetic
	39 x 114 x 5
	30 x 105
	6103-12
	15 -



Exchangeable lock cylinder

With 2 keys, nickel-plated

Order no. Price



2025-02 15,-

Single/ spare key

Per pc.

15,-

Order no. Price



0005-10 19,-

For 600 mm-deep cabinets

Card-index dividers, single











Panel height	
Order no.	
Price	

For DIN A6 landscape index cards
3 HU
6496-10
11,-

For DIN A5 landscape index cards
4 HU
6495-10
11,-

For DIN A4 landscape index card
6 HU
6494-10
12,-

For DIN A4 portrait index cards
8 HU
6494-20
14,-

For DIN A3 landscape index card
8 HU
6493-10
23,-

Alternative MCPB tops

Instead of the 7 mm-thick steel top cover

440
600
25
64011-000
79,-

562
600
25
67011-000
96,-

800
600
25
69011-000
112,-

Underframes

150 mm high, steel tube, adjustable level. Black gray RAL 7021, other colors on request





Height	
Width	
Order no.	
Price	

150
440
146200-700
117,-

150	
562	
146200-701	
131,-	

150
800
146200-702
150

Soft-stop

For an even softer selfclosing system

Version	Per drawer
Order no.	146000-705
& addtl. charge	27,-



Dividers





		L
H	-	13
 - 1		
100	198	ı
	888	N
- 44		н

width of the hanging frame

Order no.

Price

520
146200-710
10

Vertical fixed link

For reducing the track

Index row plates

1 set (2 pc.), suitable for all models with full drawer bottoms

527
6492-00
23 -

HD rail guide (heavy duty)

For an even higher load capacity

Version	Per drawer	Per drawer incl. soft-stop
Order no.	146000-704	146000-703
& addtl. charge	21,-	48,-





7100 and 7200 series Multi-drawer cabinets.

Multi-drawer cabinets from C+P know how to inspire They can be used for just about any desired custom solution, not least thanks to their stepped horizontal and vertical dividers. Only available from C+P.

The cabinet with 10 drawers in one and the same body is another specialty from C+P, just like the trouble-free space-saving storage of up to 15 drawers (per cabinet with a height of 760 and 420 mm)—also on base and with MCPB top on request.





For every application.



For sample collections (with C+P dividers)



For screw/mounting accessories



For watches (with C+P foam rubber mat)



For office supplies (with C+P dividers)



For collections (with C+P aluminum dividers)



For coins



For miniatures

7100 and 7200 series


Multi-drawer cabinets.

Features of the multi-drawer cabinets of the 7000 series:

The universal drawer cabinets for everything flat,

e.g. drawings, plans, pictures, prints, graphics, collections, medication, small parts and lots more.

- Sturdy steel construction with overlay drawer fronts and high-quality enamel coating
- Many combination options thanks to optional base and top covers
- With sliders for floor protection as standard
- Elegant and ergonomic bow-shaped handles, matt nickel-plated
- Central locking system with 2 keys (cylinder lock with exchangeable cylinder)
- Drawer with self-closing system, fully (DIN A1) or 4/5 (DIN A0) extendable, with anti-tilt mechanism
- All drawers with pressure device at the front and with cover strip at the back
- Load capacity per drawer: 40 kg
- Drawer bottoms are stepped and can be divided, therefore suitable for different applications
- Available in two sizes (DIN A1 and DIN A0) and two cabinet heights with different drawer configurations
- Per drawer: 1 transparent label holder with white label as standard



Explanation of the interior dimensions:

Standard version

45 mm = Height of the drawer pan

43 mm = Internal height of the drawer pan

66/134 mm = Exterior panel height

(regular/double panel height)

55/120 mm = Internal height of the drawer

(regular/double panel height)

Version with high drawer pan and double panel height

(addtl. charge for model 7000-80, see bottom of Page 436)

100 mm = Height of the drawer pan

98 mm = Internal height of the drawer pan 134 mm = Exterior panel height

120 mm = Internal height of the drawer

C+P multi-drawer cabinets in an archive on a customer's rolling shelving system





Order no. 7100-000 & 7101-000 & 7105-000 (top cover) & 7103-000 (base)



Order no. 7101-000 & 7105-000 (top cover) & 7103-000 (base)

Dimensions and version

7100 series for sizes up to DIN A1, central locking,

with fully extenda



420

1100

45/55 x

1005 x 710

5 drawers with

regular panel









Depth:	765
--------	-----

able draw	ers
Height	

Width Drawer interior dimensions

HxWxDDescription

Order no.

Price

Height

7100-000 1.459,-

height

420

1100 45/55/120 x

1005 x 710 3 drawers, 1 with

regular panel height, 2 with double height

7100-100

1.194,-

760 1100

45/55 x 1005 x 710

10 drawers with regular panel height

7101-000 2.418,-

760 1100

45/120 x 1005 x 710

5 drawers with double panel height

7101-100

1.700,-



760 1100

45/55/120 x 1005 x 710

8 drawers, 6 with regular panel height, 2 with double height

7101-200

7200 series for sizes up to DIN A0, central locking, with 4/5 extendable drawers











Depth: 960

Width Drawer interior dimensions, HxWxD

Description

Order no. Price

420

1350 45/55 x 1255 x 905

5 drawers with regular panel height

7200-000 1.582,-

420

1350 45/55/120 x 1255 x 905

3 drawers, 1 with regular panel height, 2 with double height

7200-100 1.229,-

760 1350

45/55 x 1255 x 905

10 drawers with regular panel height

7201-000 2.821,-

760 1350

45/120 x 1255 x 905

5 drawers with double panel height

7201-100 1.864,-

760

1350

2.131,-

8 drawers, 6 with regular panel height, 2 with double height

45/55/120 x

1255 x 905

7201-200 2.438,-

(
ightarrow) Body and frame color

Color concept \rightarrow p. 48



Selection → p. 436




7100 and 7200 series

Accessories for multi-drawer cabinets.

Top covers, bases and underframes

For 7100 series,









Approx. 25 mm thick (please specify decor, for decor overview, see page 52)

Made of square tube For compartment with drawers, grips into without intermediate shelf, the cabinet bottom please specify color all the way around, recessed approx. 15 mm

Made of square tube

with an intermediate shelf, please specify color

Dimensions, HxWxD

Order no.

Price

159,-

7103-000 125,-

7106-000

150 x 1100 x 750

217,-

445 x 1100 x 750

7104-000

292,-

For 7200 series, DIN A0 drawers



25 x 1100 x 765

7105-000



100 x 1100 x 750





MCPB top

Approx. 25 mm thick (please specify decor, for decor overview. see Page 52)

For compartment with drawers, grips into the cabinet bottom all the way around, recessed approx. 15 mm in front, please specify color

in front, please specify color

Underframe

Made of square tube without intermediate shelf, please specify color

Underframe

Made of square tube with an intermediate shelf, please specify color

Dimensions, HxWxD

Order no.

Price

25 x 1350 x 960

7205-000

210,-

150 x 1350 x 945

7206-000

274,-

445 x 1350 x 945

7204-000

Compartment dividers

For DIN A1 drawers





100 x 1350 x 945

7203-000

145,



Maximum compartment

dimensions per divider, WxD

Number of compartments

Order no

Price



2xDIN A2

620 x 440

0102-00

11,-

4xDIN A3

500 x 340

0104-00

30.-

8xDIN A4

245 x 340

0108-00

48.-

Compartment dividers







For DIN A0 drawers

Number of compartments Maximum compartment dimensions per divider, WxD

Order no.

Price



2 x DIN A1

620 x 890

0202-00

15,-

4×DIN A2 620 x 440

0204-00 29,-

8 x DIN A3

305 x 440 0208-00

57,-

16 x DIN A4 305 x 220 0216-00

Drawer pans

Height of 100 mm* for drawers with double panel height in models 7100/7200-100 and 7101/7201-100/200. Additional charge per drawer (for explanation of the interior dimensions, see page 434)

Order no.

Price

7000-80

36.-

Compartment dividers

Single, max. fill height up to pressure device: approx. 4 cm





95.-

Application

Price

Order no.

Used vertically, without pressure device with pressure device

7000-20

7000-10

2,-

2,-

Used horizontally,


*Longer delivery time possible.

Drawer dividers

Made of sturdy plastic, color gray, with approx. 20 mm steps

Vertical divider

For insertion into horizontal divider



Dimensions, HxWxD

Order no.

Price

40 x 5 x 702

7100-704

16,-

Horizontal divider

For insertion into vertical divider



40 x 1003 x 5

7100-705

21,-



Order no. 7100-704 & 7100-705



Order no. 7100-5051



Order no. 7100-709

Drawer tidies

Plastic boxes for small parts

For mod. 7100/7101

With 7 vertical aluminum rails, 5 transparent horizontal dividers per rail, each row steplessly adjustable, for quick and flexible configuration



For drawer

Description

20 boxes each: 198 x 99 mm 99 x 99 mm 49 x 49 mm 10 boxes: 99 x 49 mm

All 40 mm high

7100-5051

DIN A1

Order no.

Price



DIN A1

7 horizontal rows 6 x 145 mm row width 1x90 mm row width Height: 35 mm

7100-709

470,-

Foam rubber mat

3 mm thick

For drawer







DIN A1

Dimensions, WxD

Order no. Price

203,-

1005 x 710

7100-706

48,-



DIN A0

1255 x 905

7200-706

79,-

Single/ spare key

Order no.

Price

0005-00 19,-

Label holder

Made of plastic, per piece



Label holder



32 x 100 x 2

26 x 98

Window, HxW Order no.

Price

Version

HxWxD

Transparent,

incl. white label (1 pc. per drawer as standard)



6103-10

Self-adhesive

4,-

Standard

For supplementation of the included inscription fields. Color black, incl. label and transparent cover



Self-adhesive

26 x 76 x 4

17 x 67

6103-13

6,-

Comfort

As an alternative to additional drawer labeling. Color black, incl. label and transparent cover



Self-adhesive

39 x 114 x 5 30 x 105

6103-11 15,-



Magnetic 39 x 114 x 5 30 x 105

6103-12 15,-



Office furniture & accessories





Counters and lounge furniture

The right furniture for THE NEW WORLD OF WORKING

The way we work is changing. Coziness and an atmosphere of well-being in the office are playing an increasingly important role. More and more, the office of today is becoming a living room where lounge and meeting furniture are supplementing the classic desk and workstation.

What you'll find in this section:

- + Customized solutions for reception counters
- + Basic standing tables as a "moving" meeting point
- + Asisto lounge furniture as a place to retreat to for concentrated work and informal meetings

Tables

The contemporary work and meeting solutions

Whether it's ergonomic sit/stand workstations or smart solutions for meetings: Contemporary office tables of today have to offer more than function and efficiency. Like tables from C+P, which come in an attractive selection of colors and decors, among other things.

What you'll find in this section:

- + Electric height adjustment Asisto sit/stand tables
- + Asisto occasional tables with fixed or adjustable height
- + Asisto folding tables as a mobile, nestable version
- + Basic cafeteria tables and folding tables







Around the desk

Welcome additions for working better

The difference is in the details! The right parameters in the work environment have a major influence on well-being and motivation—and therefore on the results of work. Whether it's the addition of thinking lighting, the acquisition of privacy sections or optimization of the monitor position: These investments always pay off.

What you'll find in this section:

- + Workstation dividers
- + Asisto light with active brightness control
- + Asisto monitor holders

Chairs and stools

The ergonomic swivel and task chairs

Healthy and pleasant sitting isn't just a decisive factor at the workplace. Chairs which not only look good, but also enable comfortable sitting, are also needed at meetings & seminars, for visits and for meetings at the office counter.

What you'll find in this section:

- + Basic workstation swivel chair
- + Asisto office swivel chair with 3D knitted membrane
- + Basic and Asisto visitor chairs
- + Basic and Asisto stackable chairs
- + Bar stools

Cabinets, pedestals and caddies

The experts for storage space and flexible catering near the workstation

Everything at hand and in the right place in the right pull-out cabinet or pedestal: Naturally, made of steel with long-lasting and convenient pull-outs, nearly unlimited color variety and an impressive appearance and technology. This also applies for C+P fridge caddies, which provide perfect service in the conference area.

What you'll find in this section:

- + Asisto pull-out cabinets at standing and sitting height
- + Asisto mobile pedestals
- + Asisto fridge caddies

Reception counter

Design meets function and expression.

The reception counter is the first piece of furniture at your company that people see. That's why it's all the more important that you design this area in line with your tastes and your company's image. C+P has an extensive portfolio:

- + Reception solutions for every need
- + Stylish business cards for the entrance area of any company
- + Also for clinics, institutes, public facilities and lots more
- + Available in a wide variety of different surfaces, colors and versions
- + Made of sturdy and high-quality materials

Whether it's light or dark, modern or timeless: The choice is yours, and you'll be delighted at how your new counter influences the effect of the space and creates a positive impression.

Ask us about your customized reception counter—we look forward to handling your task!







Basic

Standing tables.

The Basic standing table keeps the body in motion and the thoughts flowing.

Basic-keeps the body in motion and the thoughts flowing. Meetings held standing are generally shorter and thereby promote work efficiency.

For short meetings, an exchange of ideas, brainstorming, collecting information or a coffee break, the Basic standing table makes communication zones possible in large offices.

- Sides and tabletop are always made of sturdy 38 mm-thick panels
- All surfaces are coated with high-quality, durable HPL
- Sides each feature 2 floor-compensating adjustable feet for easy leveling
- Connection between side and tabletop with 5 mm shadow gap in silver
- Delivered disassembled with easy assembly instructions
- The decor of the work top is your choice, and the side & connection crossbar are always diamond white

Dimensions and versions







Size
Height
For no. of people
Order no. (for work top decor diamond white)
Price
Surfaces

1.600 x 800
1.100
4 people
99001-0025-183
2.140,-
HPL surface

2.000 x 800
1.100
6 people
99001-0026-183
2.410,-
HPL surface

2.400 x 800
1.100
8 people
99001-0027-183
2.680,-
HPL surface

Тор	decor	of	work	top

Top decor of work top				
	Diamond white			
	Light gray			
7	Royal maple			
	Light acacia			
4/1	Basalt oak			
	Light concrete			

Decor no.	
-183	
-002	
-053	
-062	
-189	
-185	
-	

The specified product order no. includes the first work top decor of the decor chart at the end (diamond white, decor no. -183). All other work top decors are available at no additional charge—simply change the decor no. at the end of the product order no.





Asisto

Lounge.

Features of the Asisto lounge sofas:

- + Ideal supplement for the reception, lounge or central zone
- + Currently available as a sofa and highback in 3 widths
- + 5 materials from the FENICE collection can be combined

The way we work is changing. On the one hand, day-to-day work is getting faster all the time and requirements on each individual are increasing. On the other hand, coziness and an atmosphere of well-being play an important role at the office. Relaxation and the ability to retreat are utilized to develop new energies and creativity.

More and more, the office of today is becoming a living room where lounge and meeting furniture are supplementing the classic desk and workstation.

The Asisto lounge offers a visual and acoustic space to retreat to for concentrated work.



Dimensions and versions







Model	2-seaters	2-seaters MAX	3-seaters
Version	2-seater sofa with low sides and back	2-seater sofa WIDE with low sides and back	3-seater sofa with low sides and back
Width	1410	1810	2045
Height	870	870	870
Upholstered backrest	Freely selectable and combinable, order no. for upholstered backrest material color light green: 41		
Upholstered seat	Freely selectable and combinable, order no. for upholstered seat material color dark green: -042		
Order no.	99001-0141-042	99001-0241-042	99001-0341-042
Price	2.450,-	2.700,-	3.230,-

- + All lounge furniture features sturdy powder-coated steel tube framing on round plastic sliders, black
- + Version always features upholstered sides and back panels
- + Material selection from the FENICE collection, as per the EU Ecolabel
- + One loose back cushion for increased sitting comfort per seat, always in the seat upholstery color
- + Internal structure made of reinforced laminated wood
- + Seat height: 460 mm
- + Other shapes, combinations, materials, versions and electrification options on request



Dimensions and versions







Model	2-seaters	2-seaters MAX	3-seaters
Version	2-seater sofa with high sides and back	2-seater sofa WIDE with high sides and back	3-seater sofa with high sides and back
Width	1410	1810	2045
Height	1310	1310	1310
Upholstered backrest	Freely selectable and combinable, order no. for upholstered backrest material color sand: 52		
Upholstered seat	Freely selectable and combinable, order no. for upholstered seat material color orange: -012		
Order no.	99001-0452-012	99001-0552-012	99001-0652-012
Price	2 790 -	3 230 -	3 460 -

Colors/Materials (see number code)

FENICE material	Upholstered backrest	Upholstered seat
Orange	12	-012
Light green	41	-041
Dark green	42	-042
Sand	52	-052
Red	21	-021



Number code in example 99001-0421-021 (see figure to left)

Basic number: 99001-0421-021

Upholstered backrest: 99001-04<u>21</u>-021

Upholstered seat: 99001-0421-**021**

⁽⁺⁾ Other material colors and combinations on request


Asisto

Sit/stand tables.

The affordable sit/stand tables for diverse office tasks

- + T-foot frame made of sturdy steel rectangular tubing
- + Electric height adjustment (40 mm/sec), with enhanced collision protection as per DIN
- + Double telescopic extension with sit/stand height of 625 1,285 mm
- + Table load capacity up to 100 kg
- + Available in 3 attractive frame colors
- + Tabletop in MCPB, optionally with high-quality Synchro surface
- + Delivered fully assembled, frame collapsible for easier transport and storage
- + Economical and ergonomic sit/stand table promotes movement, reduces downtime costs and motivates employees

Dimensions and versions









Height: 625 - 1,285	Width	1600	1800	2000
Depth: 800				

MCPB top, 25 mm (standard)	Order no.	540490-1.1	540490-1.10	540490-1.8
	Price	1.159,-	1.192,-	1.229,-
Syncro decor,	& order no.	+ 540708-1.1	+ 540708-1.10	+ 540708-1.8
25 mm	& addtl. charge	+ 70,-	+ 70,-	+ 70,-

Frame/runner color

Traffic white
White aluminum
Black gray metallic

(+) Exclusive height adjustment
With memory control,
height indicator and 2x USB

& order no.	+ 540700-725
& addtl. charge	On request



(+) Cable aperture sockets 80 mm dia., installed in tabletop at factory







Installation location	Version	White plastic	Black plastic	Metal
Left	Order no.	540700-721L	540700-722L	540700-707L
	Price	36,-	36,-	50,-
Center	Order no.	540700-721M	540700-722M	540700-707M
	Price	36,-	36,-	50,-
Right	Order no.	540700-721R	540700-722R	540700-707R
	Price	36,-	36,-	50,-



Sheet metal cable duct Folds down in front and back, lockable at 2 heights, hole in center for triple socket



For desk width
Order no.
Price

160 540 49,-

	00	1
40700-7084	10700-7084	5

1800 540700-7085 56,-

2000 540700-7086 63,-



Price







Version		
Order no.		

Triple socket strip 540700-713

540700-715

GST-18 supply line, 3 $\,\mathrm{m}$

GST-18 extension, 3 m 540700-717

36,-

17,-

25,-

Netboxes with various power, data and communication connections on request









 $\stackrel{\textstyle \frown}{}$ Top decor

Color concept \rightarrow p. 52

(+) Other accessories on request



Asisto

Occasional tables.

The affordable meeting tables for diverse office tasks:

- + Sturdy foot frame made of thick-walled steel tube
- + Fixed heights of 720 and 1,100 mm
- + Or with height adjustment of 700 1,135 mm, depending on the lifting technology
- + Available in 3 attractive frame colors
- + Tabletops in MCPB
- + Delivered fully assembled

Tabletop decors	Decor no.
Diamond white	-183
Light gray	-002
Royal maple	-053
Light acacia	-062
Basalt oak	-189
Concrete	-185

The specified product order no. includes the first decor of the decor chart at the end (diamond white, decor no. -183). All other decors are available at no additional charge—simply change the decor no. at the end of the product order no.

Dimensions and version

Meeting table SQUARE

25 mm tabletop Base plate and foot tube Square







4	<u></u>		
Height	720	1.100	700 - 1.135
Size	800 x 800	800×800	800×800
Version	Fixed height	Fixed height	Lifting technology
Frame color	White aluminum		
Order no. (for diamond white decor)	99001-0001-183	99001-0004-183	99001-0007-183
Price	660,-	710,-	1.160,-
Frame color	Traffic white		
Order no. (for diamond white decor)	99001-0002-183	99001-0005-183	99001-0008-183
Price	660,-	710,-	1.160,-
Frame color	Black gray metallic		
Order no. (for diamond white decor)	99001-0003-183	99001-0006-183	99001-0009-183
Price	660,-	710	1.160,-



Dimensions and version

Meeting table ROUND 25 mm tabletop Base plate and foot tube, round





Height	720	1.100	700 - 1.135
Size	Ø 800	Ø 800	Ø 800
Version	Fixed height	Fixed height	Lifting technology
Frame color	White aluminum		
Order no. (for diamond white decor)	99001-0010-183	99001-0013-183	99001-0016-183
Price	700,-	770,-	1.190,-
Frame color	Traffic white		
Order no. (for diamond white decor)	99001-0011-183	99001-0014-183	99001-0017-183
Price	700,-	770,-	1.190,-
Frame color	Black gray metallic		
Order no. (for diamond white decor)	99001-0012-183	99001-0015-183	99001-0018-183
Price	700,-	770,-	1.190,-

Asisto

Mobile folding table.

The flexible solution for seminars and meetings:

- + Easy to operate folding mechanism with a bar under the front edge of the tabletop for one-handed operation
- Foldable table frame, for space-saving nesting
- Frame color: Silver aluminum
- 2 table top grid sizes in 6 standard decors each
- 720 mm high
- MCPB tabletops, with standard edge band or rounded with rubber edge for better impact resistance
- Delivered fully assembled

Dimensions and version

With edge band

MCPB tabletop, rectangular Table height: 720, on casters, foldable, silver aluminum frame




1400 x 700

	7
1	•



Size
Height
Version
Table top edge
Order no. (for diamond white decor)

720
Foldable/Nestable
Edge bands
99001-0019-183
1.080,-



With rubber edge

Price


MCPB tabletop, rounded Table height: 720 mm, on casters, foldable, silver aluminum frame





Size
Height
Version
Table top edge
Order no. (for diamond white decor)
Deine

1400×700
720
Foldable/Nestable
With rubber
99001-0021-183
1.290,-







Modesty panel, light gray

For easy assembly

Width	1400	1.600
Size	1040×250	1240 x 250
Version	Foldable/Nestable	Foldable/Nestable
Order no. (for diamond white decor)	99001-0023-183	99001-0024-183
Price	180,-	190,-

Tabletop decors	Decor no.
Diamond white	-183
Light gray	-002
Royal maple	-053
Light acacia	-062
Basalt oak	-189
Concrete	 -185

The specified product order no. includes the first decor of the decor chart at the end (diamond white, decor no. -183). All other decors are available at no additional charge—simply change the decor no. at the end of the product order no.

Basic


Cafeteria tables.

4-foot tables:

Multi-purpose tables from C+P meet a variety of needs. They can be used as meeting tables, as storage space and as workspace. The steel frame of the multi-purpose tables isn't just very robust, but has a timeless and minimalist effect as well:

- + Tabletop: 25 mm thick with 3 mm edge band, light gray decor
- + Steel underframe with 30x30 mm square legs, light gray RAL 7035
- + Level adjustable by 25 mm
- + Load capacity of max. 100 kg with evenly distributed load
- + Tables are delivered disassembled, but are easy to assemble!
- + Dimensions, (HxWxD): 750 x 1,200 1,800 x 800 mm

Dimensions and version









Size		
Height		
Version		

1.200 x 800
750
Disassembled

1.600 x 800
750
Disassembled

1.800 x 800		
750		
Disassembled		
	750	750

Order no.	
Price	

990	99-	.000	JUI	
143	_			

99699-	00002
174	

99699-00003	
205,-	

Folding tables:

- + Folding table frame made of chrome-plated round tube with folding mechanism, stackable
- + Table height: 750 mm (folded only 125 mm)
- + Durable, melamine-coated tabletop (25 mm thick) with edge band

Dimensions and versions

Chrome-plated round-tube frame, 30 mm dia., quick setup thanks to special folding mechanism, stackable for space-saving storage,

height: 750 mm (folded: 125 mm)







MCPB, 25 mm (standard)	
(standard)	

Width	
Depth	
Order no.	
Price	

1400	
700	
51022-1.9	
546,-	

1600
800
51022-1.1
560,-

1600/800
800/693
51022-2.10
560,-

Top decor
(for folding tables only)





Workstation dividers

Features of the privacy element:

- + Privacy with improved direct speech acoustics
- + Table-back element, rigid
- + Height: 800 mm, 200 mm projection under top edge of tabletop
- + Planked support panel/honeycomb panel, corner radius: R40, depth: 25 mm
- + Attached with spacing of 10 mm to tabletop
- Lucia fabric cover (colors as per LUCIA fabric card) featuring quilting seams
- Wall thickness: approx. 28 mm
- + Incl. holder set for tabletop clamping (for 10 mm spacing)



Dimensions	and
versions	







versions		4	
Width	1600	1800	2000
Height	800	800	800
Surfaces	LUCIA fabric	LUCIA fabric	LUCIA fabric
Holder color	White aluminum	White aluminum	White aluminum
Order no. (for fabric color rum)	99001-0043-086	99001-0044-086	99001-0045-086
Holder color	Traffic white	Traffic white	Traffic white
Order no. (for fabric color rum)	99001-0046-086	99001-0047-086	99001-0048-086
Holder color	Black gray metallic	Black gray metallic	Black gray metallic
Order no. (for fabric color rum)	99001-0049-086	99001-0050-086	99001-0051-086
Price	500	 530	 550



The stand-up wall system offers ideal privacy and fits into a harmonious overall picture thanks to its lightness. With its rounded corners the standup wall exhibits modern zeitgeist. It's available as a table back element, where the cable duct and cable channel are covered by the projection. A host of color variants are available for selection.

(+) Additional versions, surfaces and dimensions on request

LUCIA fabric colors	Fabric no.
Rum (light gray)	-086
Havana (black)	-009
Paseo (dark gray)	-019
Sombrero (dark olive)	-046
Solano (yellow)	-088
Apple (light green)	-096
Madura (bright green)	-056
Marianna (light blue)	-057

The specified product order no. contains the first color of the fabric chart (rum, fabric no. -086) at the end. All other colors are available at no additional charge—simply change the fabric no. at the end of the product order no.


Composition of LUCIA fabric: 100% recycled polyester Dyes do not contain heavy metals Environmentally friendly In accordance with EU Ecolabel certificate In accordance with OEKO-TEX ® Standard 100 certificate Made of 100% recycled polyester

<u>Asisto</u>

Light.

Features of ASISTO floor lamp SOLO:

- + LED floor lamp, single illumination, direct/indirect
- + With LRC (Luminosity Range Control, see description below)
- + Presence detector for maximum energy efficiency
- + Color temperature: 4,000 kelvin neutral white (daylight)
- + Protection type IP20
- + Lamp head rotatable 90° and telescopic
- + 24 volts (with 230-volt connection cable)/55 watts, standby: 0.5 watts
- + 3 colors



1.900,-

The smart lamp system of the Asisto series complements the ergonomic workstation.

1.900,-

Newly developed active Luminosity Range Control ensures that the illumination angle and the illumination values are automatically adapted to the working height of sit/stand tables. Customized light scenes set by the user are retained at each table height.

LEDs of the lamp head are dimmed depending on the table height. This means that your eyes don't have to adjust to changing lighting conditions, but rather that the lighting conditions adjust to your eyes.

The light shines both up (indirect) and down. Dimmable adjustment is made using the display

A spotlight function for continuous constant light is integrated and can be selected using the operating panel

Price

1.900,-



Company

Color concept

Changing room & wardrobe

Asisto

Monitor holders.

Features of the Asisto monitor arm:

- + Single- or double-screen solution
- + Up to 27" in size and 7 kg in weight
- Attachment standard VESA 75/100, incl. quick release
- + With gas lift and horizontal arm element
- + Toolless monitor changing
- + Sturdy, yet flat, pivot joint for nearly unlimited freedom of movement
- + Flexible attachment options thanks to 3-in-1 table attachment
- Color: white, silver or black
- Delivered disassembled for easy assembly







Dimensions and versions

Туре	
Max. monitor size	
Range in mm	
Color	
Order no.	
Price	

SINGLE
27" / 7 kg
457
White
99001-0041-023
450

SINGLE
27" / 7 kg
457
Silver
99001-0041-025
450,-

SINGLE
27" / 7 kg
457
Black
99001-0041-026
450,-



Туре	
Max. monitor size	
Range in mm	
Color	
Order no.	
Price	

DUO
2x27" / 7 kg
333
White
99001-0042-023
810,-

DUO
2 x 27" / 7 kg
333
Silver
99001-0042-025
810,-

DUO
2x27" / 7 kg
333
Black
99001-0042-026
810,-





Smart cable duct

All connecting cables are routed neatly and protected under the unobtrusive cover. The powerful gas lift element for top-notch ease of operation is also found here.



Quick release

Monitors can easily be inserted or changed by one person by hand without any tools at all. The holder fits all common monitors with the 75×75 and 100×100 attachment standard.



Sturdy joint technology

The high-quality pivot joint is considerably flatter than a conventional ball joint, so it offers nearly unlimited freedom of movement in every turn and tilt direction. Large monitors can also be effortlessly handled and remain securely in the set position.



3-in-1 table attachment

The standard attachment element can be conveniently secured from above and covers three mounting types in one: clamp, cable opening and drill hole attachment. It offers optimal flexibility should the attachment type be changed.

Basic

Workstation swivel chair.

Features of the Basic office workstation chair:

- + Office swivel chair with load-dependent braked casters
- + Attractively shaped plastic base in black
- + Integrated synchronous mechanism for seat and backrest, 4 locking positions
- + Body weight adjustment in the mechanism between 45 and 120 kg
- + Functional seat depth adjustment (adjustment range: 50 mm)
- + Backrest with net fabric
- + Armrest height and depth adjustable in 3D
- + Height-adjustable lumbar support



Dimensions and versions

	Fabric	Xtreme black	
	Model	With 3D armrest	
	Chair base	Black	
	Height	1025–1155	
	Seat height	418-539	
	Width without/with armrests	480/635	
	Depth	475	
With soft casters	Order no.	99001-0030-002	
	Price	660,-	
With hard casters	Order no.	99001-0030-001	
	Price	660,-	

Xtreme is a modern fabric made of up to 100% recycled polyester. This prevents waste and conserves raw materials. Thanks to its stretch characteristics, flameresistance, long service life and anti-pilling properties, Xtreme is ideal for use on chairs.

Composition

100% recycled flame-resistant polyester Dyes do not contain heavy metals Environmentally friendly Made of 100% recycled polyester In accordance with EU Ecolabel certificate







3D armrest Polyamide armrests with fiberglass and SoftTouch PU coating. Vertically adjustable, with depth-adjustable and swiveling support



Lumbar Vertically adjustable lumbar support with flexible slats



Soft casters (for hard floors)



Hard casters (for soft floors)

Asisto Office swivel chair.

Features of the Asisto office swivel chair:

- + Dynamic synchronous mechanism
- + 5 plastic colors for back, mechanism cladding, armrests and base
- + Colorful overall design available in 5 colors
- + Seat always made of special molded PU foam with opaque knit fabric in 5 colors
- + 2D armrests, black
- 2 back variants:
 3D knit back, transparent in 5 colors (net)
 3D knit back, opaque in 5 colors (comfort)
- + Version always features integrated lumbar support
- + 100 % recyclable due to modular principle
- + Made in Germany
- + Certified with the highest European sustainability certification level 3







Dimensions and versions

	Color	LIGHT GRAY	Black gray	
	Model	Office swivel chair	Office swivel chair	
	Armrest	2D PP	2D PP	
	Frame color/5-star base	3008 light gray	3004 black gray	
With seat cover	Order no.	99001-3108-N03	99001-3104-N02	
& 3D net back	Price	810,-	810,-	
With seat cover	Order no.	99001-3108-K03	99001-3104-K02	
& 3D comfort back	Price	830,-	830,-	

The 3D knit membrane

This is precisely fit to the backrest and seat. It's various back zones are designed in such a way that the flexible functions of the backrest are optimally supported. In the lumbar area, it features greater tension than in the shoulder area, forming a perfect symbiosis together with the back design for comfortable sitting. The 3D knit membrane also contributes to sustainability.











DARK RED	DARK GREEN	BLACK
Office swivel chair	Office swivel chair	Office swivel chair
2D PP	2D PP	2D PP
3021 dark red	3022 dark green	3005 black
99001-3121-N05	99001-3122-N04	99001-3105-N01
810,-	810,-	810,-
99001-3121-K05	99001-3122-K04	99001-3105-K01
830,-	830,-	830,-

All chairs are outfitted with soft casters for hard floors as standard, indicated by the -31 in the order number. If you change this number to -32, we will supply hard rollers for carpet at no additional charge.

Visitor chairs



Basic visitor chairs:

- + Cantilever chair with armrest, stackable
- + Steel tube frame, 25 mm dia., chrome-plated
- + Perforated backrest made of plastic in 2 colors
- + Upholstered seat with Xtreme fabric

Model	Basic (visitor chair)	
Upholstered seat fabric	Xtreme	
Version	Cantilever chair with armrest,	stackable
Frame	Steel tube, chrome-plated	
Back	Black	Silver gray
Order no. (for Havana fabric, black)	99001-0032-240	99001-0033-240
Price	440,-	440,-

Padang, black gray

Xtreme fabric colors	Fabric no.
Havana, black	-240
Ocean, blue	-210
Blizzard, gray	-220
Scuba, navy blue	-226
Costa, dark blue	-230
Panama, red	-260

-270



The specified product order no. contains the first color of the fabric chart (Havana, black, fabric no. -240) at the end. All other colors are available at no additional charge—simply change the fabric no. at the end of the product order no.





Asisto visitor chairs:

- Cantilever chair with armrest, stackable
- + Steel tube frame, powder-coated in 5 colors
- + Attractively shaped perforated backrest made of plastic in 5 colors
- + Upholstered seat with Asisto fabric same as frame color

Model	Asisto (visitor chair)				
Fabric seat upholstery	Asisto fabric Cantilever chair with armrest, stackable				
Version					
Frame	Steel, powder-coated				
Back	Light gray	Black gray	Red	Green	Black
Order no.	99001-3505-N03	99001-3505-N02	99001-3505-N05	99001-3505-N04	99001-3505-N01
Price	520,-	520,-	520,-	520,-	520,-



Asisto colors

19503 light gray -N03 19502 black gray -N02 19505 red -N05 19504 green -N04 19501 black -N01			
19505 red -N05 19504 green -N04	19503 light gray	-N03	
19504 green -N04	19502 black gray	-N02	
	19505 red	-N05	
19501 black -N01	19504 green	-N04	
	19501 black	-N01	

These colors are already encoded in the specified product order numbers.

Stackable chairs

When chairs need to be set up and put away again quickly and with space in mind, stackable chairs are the right choice:

The all-plastic **Basic** model is the right alternative for anyone with high aesthetic demands and a limited budget.

Should you prefer an appealing steel frame and optional seat upholstery, **Asisto** is the right address.







Model			
Seat			
Version			
Frame			
Seat shell	Seat shell		
Upholstered seat			
Seat height			
Total height			
Seat width			
Total width			
Total depth			
Order no. (for 1st color in color chart)			
Price			

Basic	
PP	
Stackable chair	
Plastic, black	
Plastic	
-	
461	
941	
526	
526	
539	
99001-0031-803	
210,-	

Asisto		
Anti-UV PP		
Multi-purpose chair		
Steel, chrome-plated		
Plastic		
-		
440		
815		
450		
540		
580		
99001-0034-057		
210,-		

Colors

Basic seat shell Color no.		
Olive	-803	
White	-800	
Ocher	-801	
Light gray	-802	
Light blue	-804	
Pink	-805	
Dark gray	-806	
Terracotta	-807	

Asisto seat shell Color no.		
White	-057	
Red	-051	
Black	-056	
Gray	-054	

The specified product order nos. contain the first color of the respective color chart at the end. All other colors are available at no additional charge—simply change the color no. at the end of the product order no.









ASISTO faux leather
Anti-UV PP
Multi-purpose chair
Steel, chrome-plated
Black PP
EcoPELLE faux leather
440
815
450
540
580
99001-0034-820
290

ASIS	TO fabric
Anti-	UV PP, seat with cover
Multi	i-purpose chair
Stee	l, chrome-plated
Black	< PP
Xtrer	me fabric (description on Seite 469)
440	
815	
450	
540	
580	
9900	01-0035-240
290,	=

ASISTO fabric
Anti-UV PP, seat with cover
Multi-purpose chair
Steel, chrome-plated
White PP
Xtreme fabric (description on Seite 469)
440
815
450
540
580
99001-0036-240
290,-

Asisto seat upholstery (faux leather)

	•	• •	
Black			-820

Asisto seat upholstery (fabric)	Fabric no.
Havana, black	-240
Ocean, blue	-210
Blizzard, gray	-220
Scuba, navy blue	-226
Costa, dark blue	-230
Panama, red	-260
Padang, black gray	-270

The specified product order nos. contain the first color of the fabric chart at the end. All other colors are available at no additional charge—simply change the fabric no. at the end of the product order no.

Bar stools

In different frame colors, with 4-foot or skid frame, optionally with seat upholstery








Model	
Seat	
Frame	
Seat shell	
Upholstered seat	

Order no.
Price

	Beech, laminated
_	Steel, chrome-plated, stackable
	Beech, white
ed seat	-
	99001-0039-000
	280,-

Basic 4 Bar

Basic 4 Bar
Beech, laminated
Steel, chrome-plated, stackable
Beech, natural
-
99001-0039-001
270,-











Basic Bar
Oak, laminated
Steel, white
Oak, veneered
-
99001-0038-001
400,-

Basic Bar
Oak, laminated with seat upholstery
Steel, black
Oak, veneered
Xtreme fabric
99001-0037-240 (Havana, black)
490,-

Basic Bar
Oak, laminated with seat upholstery
Steel, white
Oak, veneered
Xtreme fabric
99001-0038-260 (Panama, red)
490,-

Seat upholstery fabric colors

Fabric	nο

Havana, black	-240	
Ocean, blue	-210	
Blizzard, gray	-220	
Scuba, navy blue	-226	
Costa, dark blue	-230	
Panama, red	-260	
Padang, black gray	-270	

The specified product order nos. contain the specified color of the fabric chart at the end. All other colors are available at no additional charge-simply change the fabric no. at the end of the product order no.

Xtreme is a modern fabric made of up to 100% recycled polyester. This prevents waste and conserves raw materials. Thanks to its stretch characteristics, flameresistance, long service life and anti-pilling properties, Xtreme is ideal for use on chairs.

Composition

100% recycled flame-resistant polyester Dyes do not contain heavy metals Environmentally friendly Made of 100% recycled polyester In accordance with EU Ecolabel certificate

Asisto

Pull-out cabinets.

Features of the pull-out cabinets:

- Body in sturdy steel construction with high-quality enamel coating, fronts made of MCPB (melamine coated particle board) as standard, available in steel (double-walled and insulated)
- Standard top cover made of MCPB (melamine coated particle board)
- Slotted shelves in black gray on the inside
 1 slot-in binder support in black gray per shelf
- Cabinet floor also slotted with
 1 slot-in binder support
- + 1 open compartment with felt mat above
- High load capacity of each shelf of 50 kg, adjustable shelves

- Allows for quick access to personal files when pulled out, standing height cabinet provides visual and acoustic screening and acts as a central contact area for visitors
- + Metal cabinet handle, matt nickel-plated
- + Safety lock with exchangeable cylinder and 2 keys
- + Appealing design and narrow edges
- Level adjustment as standard, incl. wide front support roll for optimal floor protection
- + Pleasant sound levels thanks to body sound absorption
- + High-quality drawer guide with soft-close



On left Table on right



Order no. 148466-00L & 148436-704

Pull-out cabinet

Width: 430 | Depth: 800 incl. MCPB top, 25 mm thick, for use on left or right next to the desk

Standing height

On left or right, steel body with MCPB front wood decor

Sitting height

On left or right, steel body with MCPB front wood decor

ion or right make to this door.	oteer zeay mar mer z nem meed deeer	otee. Souly man more a nome mode accor	
Height	1259	740	
Interior fittings	Basic version with top open compartment with felt mat, 2 adjustable shelves for 3 binder heights, with 1 slot-in binder support each	Basic version with top open compartment with felt mat, 1 adjustable shelf for 1 binder height & extra compartment, with 1 slot-in binder support each	
Order no. for left	148436-00L	148466-00L	
Order no. for right	148436-00R	148466-00R	
Price	1.713,-	1.411,-	
& optional steel front			
Order no.	+ 148436-710	+ 148466-710	
& addtl. charge	+ 71,-	+ 57,-	
& alternative top cover as solid-core/HPL top			
Order no.	+ 148436-130	+ 148436-130	
& addtl. charge + 120,-		+ 120,-	









Security compartment

Interior dimensions, (HxWxD)	57 x 385 x 307/292	
Order no.	148436-704	
Price	126,-	



Small part trays

Made of plastic, to be placed on the felt mat	Mini-version fits on the smaller surface next to the security compartment	Large version also fits in the security compartment
Order no.	148436-708	148436-709
Price	14,-	17,-



Additional binder supports

For insertion into the slotting of the cabinet floor and the shelves

Height x depth	185 x 340
Order no.	148436-701
Price	15

Asisto

Mobile pedestals.

Features of the mobile pedestals:

- + Mobile pedestal with 4 casters, front casters with lock
- + Body and drawers made of steel
- + Central locking system with 2 flap keys and exchangeable cylinder
- + Drawers and interior fittings in black
- + User-friendly, full-width handle bar on the side
- Optimum tilt resistance thanks to counterweight and drawer with anti-tilt mechanism
- + Long-lasting and durable steel drawers:
 - 3 HU on roller guide, with 4/5 pull-out
 - 6 HU on telescopic guide, with full extension slide
- + Horizontal partitions in the middle drawers



Order no. 054530-000



Order no. 054510-000



Order no. 054230-000



Order no. 054210-000

Dimensions and version

Width: 430 Height: 570

M = Material drawer HU = Height units (1 HU = 50 mm) Drawer 6 HU incl. add-on hanging frame









Depth	581	581	781	781
Drawers	M 3/6	M 3/3/3	M 3/6	M 3/3/3
Order no.	054530-000	054510-000	054230-000	054210-000
Price	866,-	866,-	941,-	941,-

Only available in the following colors:





Pure white RAL 9010

Deep black RAL 9005

Special colors from 10 pieces per order please ask us.



Asisto

Fridge caddies and caddies with trash can.

The fridge caddies offer:

- + Excellent mobility thanks to 4 large casters (front casters with lock)
- Steel body, double-walled, with body sound absorption for pleasant sound behavior
- Drawers with load-bearing precision rails, all drawers fully extendable, with self-closing system and soft-stop for gentle closure
- Drawers with versatile interior fittings
- With cable flap above, 2 x power* connections (up to 230 V/50 Hz), e.g. for coffee maker etc., incl. 3 meter supply line
- Refrigerator with lock (2 keys), 62 liter volume and 3 adjustable intermediate shelves (grates)

Models 54780-000 and 54780-150:

- Drawer with cutlery compartment and small part drawer made of stainless steel
- Drawer(s) with versatile configuration for cups and glasses
- Drawer for storing plates and saucers



Dimensions and versions

Incl. HPL top and intermediate shelf, 13 mm thick

Cabinet height: 1,157 Cabinet width: 500 Cabinet depth: 600



Drawers Version

With refrigerator and

Order no.

Price

2, 2, 23/4 HU

3 drawers incl. interior fittings for cutlery and dishes

54780-000

2.781,-

63/4 HU

With refrigerator and trash can 1x18 L, 2x8 L

54780-010

2.781,-

2, 3, 4, 4, 63/4 HU

Top drawer empty as standard, with trash can size 1x18 L, 2x8 L and drawers for dishes (interior fittings optional)

54780-150

2.982,-

*For socket strips to be used outside of Germany, please indicate the country of use (e.g. CH/Switzerland)

HPL top, large

For the use of larger coffee makers, also with integrated cable flap above, 2x power connections (230 V)

Width	502/666
Depth	499/689
& order no.	+ 5413-780
& addtl. charge	+ 85,-





Automatic opening with motion sensor

For caddy trash can, for hands-free opening, easy with a movement of the foot

For width 500 & order no. + 5400-760 & addtl. charge + 310,-



(o) Body color, panel/top decor and panel color

Color concept → p. 50







Order no. 54780-150



All caddies with integrated HPL cable flap above, connection: 2x power (230 V)



Drawer with cutlery compartment and small part drawer made of stainless steel



Drawer(s) with versatile configuration for cups and glasses



Drawer for storing plates and saucers





Notes










Notes





Notes





Order no.	Weight	Page
0		
00002-010R		161
00002-14		161, 201, 213
00006-00		160
00006-21		160
00008-70099R		160
00008-700R	- ——	160
00008-704R		160
00008-7099R 00008-70R		160
00008-70R		160
00010-01099R		160
00010-010R		160
00010-012R		160
00010-1099R		160
00010-10R		160
00010-11		160
00010-12R		160
00011-00		160
00012-00		160
00014-00		161
00018-00	0,080	95, 155, 185
00019-00	0,181	95, 155, 185
0002-10	0,195	161, 201, 213
0002-11	0,100	161, 201, 213
0003-00	0,100	201, 213, 240
0004-11		273, 283, 373
0005-00	- ——	437
0005-10		273, 283, 395, 418, 430
0006-00		213, 240
0006-21		201, 213
0006-50		273, 373
0010-11		213, 240
0011-00		201, 213, 240
0012-00		201, 213, 240
0102-00	0,040	436
0104-00	0,120	436
0108-00	0,200	436
0202-00	0,060	436
0204-00	0,140	436
0208-00	0,260	436
0216-00	0,420	436
04900-131		155
04900-132	- ——	155
04900-133		155
04900-134	- ——	155
04900-141	- ——	155
04900-142 04900-4920		155
04900-705		156
04900-705		95, 155 156
04900-7001		156
04900-742		97, 157
04900-744		97, 157
04900-770		95, 156
04900-7703		156
04900-772		95, 156
04900-7723		156
04900-7733		156
049000-10	21,90	100
049000-103	23,50	134
049000-104	23,90	136
049000-105	25,20	140

049000-106 25,20 142 049000-12 24,80 101 049000-123 26,90 135 049000-124 26,90 137 049000-125 28,30 141 049000-126 28,30 143 049000-20 36,90 100 049000-203 40,30 134 049000-204 40,80 136			
049000-12 24,80 101 049000-123 26,90 135 049000-124 26,90 137 049000-125 28,30 141 049000-20 36,90 100 049000-203 40,30 134 049000-204 40,80 136 049000-205 43,60 140 049000-208 43,00 125 049000-208 43,00 125 049000-22 43,30 101 049000-22 43,30 101 049000-223 47,80 135 049000-224 47,60 137 049000-225 50,50 141 049000-226 50,50 143 049000-228 47,50 125 049000-303 52,50 10 049000-304 58,50 136 049000-305 62,60 142 049000-306 62,60 142 049000-32 62,20 10 049000-32 6	Order no.	_Weight_	Page
049000-123 26,90 135 049000-124 26,90 137 049000-125 28,30 141 049000-20 36,90 100 049000-203 40,30 134 049000-204 40,80 133 049000-205 43,60 140 049000-208 43,00 125 049000-22 43,30 101 049000-223 47,80 135 049000-224 47,60 137 049000-225 50,50 141 049000-226 50,50 143 049000-227 47,60 137 049000-228 49,50 125 049000-229 49,50 125 049000-303 62,20 134 049000-304 58,50 136 049000-305 62,60 140 049000-306 62,60 142 049000-322 62,20 101 049000-323 68,90 135 049000-324	049000-106	25,20	142
049000-124 26,90 137 049000-125 28,30 141 049000-20 36,90 100 049000-203 40,30 134 049000-204 40,80 136 049000-205 43,60 140 049000-206 43,60 142 049000-228 43,30 125 049000-223 47,80 135 049000-224 47,60 137 049000-225 50,50 141 049000-226 50,50 143 049000-228 47,60 137 049000-228 47,60 137 049000-228 49,50 125 049000-30 52,50 100 049000-30 52,50 100 049000-303 62,20 134 049000-304 58,50 136 049000-325 62,60 142 049000-326 62,60 142 049000-327 68,60 137 049000-328	049000-12	24,80	101
049000-125 28,30 141 049000-20 36,90 100 049000-203 40,30 134 049000-204 40,80 136 049000-205 43,60 140 049000-206 43,60 142 049000-208 43,00 125 049000-223 47,80 135 049000-224 47,60 137 049000-225 50,50 141 049000-226 50,50 143 049000-228 49,50 125 049000-228 49,50 125 049000-30 52,50 100 049000-30 52,50 100 049000-30 52,50 100 049000-304 58,50 136 049000-305 62,60 142 049000-326 62,20 101 049000-326 73,00 141 049000-326 73,00 143 049000-326 73,00 143 049000-404 <	049000-123	26,90	135
049000-126 28,30 143 049000-20 36,90 100 049000-204 40,80 136 049000-205 43,60 140 049000-206 43,60 142 049000-208 43,00 125 049000-22 43,30 101 049000-223 47,80 135 049000-224 47,60 137 049000-225 50,50 141 049000-226 50,50 143 049000-228 49,50 125 049000-300 52,50 100 049000-30 52,50 100 049000-303 62,20 134 049000-304 58,50 136 049000-305 62,60 142 049000-306 62,60 142 049000-323 68,90 135 049000-324 68,60 137 049000-325 73,00 141 049000-326 73,00 143 049000-403	049000-124		137
049000-20 36,90 100 049000-203 40,30 134 049000-204 40,80 136 049000-205 43,60 140 049000-208 43,60 142 049000-228 43,30 101 049000-223 47,80 135 049000-224 47,60 137 049000-225 50,50 141 049000-226 50,50 143 049000-228 49,50 125 049000-30 52,50 100 049000-30 52,50 100 049000-303 62,20 134 049000-304 58,50 136 049000-305 62,60 140 049000-32 62,20 101 049000-32 62,60 142 049000-32 62,60 142 049000-324 68,60 137 049000-325 73,00 143 049000-326 73,00 143 049000-403 <td< td=""><td>049000-125</td><td>28,30</td><td>141</td></td<>	049000-125	28,30	141
049000-203 40,30 134 049000-204 40,80 136 049000-205 43,60 140 049000-206 43,60 142 049000-208 43,00 125 049000-223 47,80 135 049000-224 47,60 137 049000-225 50,50 141 049000-226 50,50 143 049000-228 49,50 125 049000-30 52,50 100 049000-30 52,50 100 049000-303 62,20 134 049000-304 58,50 136 049000-305 62,60 140 049000-326 62,60 142 049000-327 62,20 101 049000-328 62,20 101 049000-324 68,60 137 049000-325 73,00 143 049000-326 73,00 143 049000-326 73,00 143 049000-404		28,30	143
049000-204 40,80 136 049000-205 43,60 140 049000-206 43,60 142 049000-208 43,00 125 049000-223 47,80 135 049000-224 47,60 137 049000-225 50,50 141 049000-226 50,50 143 049000-228 49,50 125 049000-30 52,50 100 049000-303 62,20 134 049000-304 58,50 136 049000-305 62,60 142 049000-306 62,60 142 049000-326 62,60 142 049000-326 73,00 141 049000-326 73,00 143 049000-326 73,00 143 049000-326 73,00 143 049000-404 68,20 101 049000-405 81,70 141 049000-406 81,70 143 049000-407			100
049000-205 43,60 140 049000-206 43,60 142 049000-20B 43,00 125 049000-22 43,30 101 049000-223 47,80 135 049000-225 50,50 141 049000-226 50,50 143 049000-228 49,50 125 049000-30 52,50 100 049000-30 52,50 100 049000-303 62,20 134 049000-304 58,50 136 049000-305 62,60 140 049000-306 62,60 142 049000-32 62,20 101 049000-324 68,60 137 049000-325 73,00 143 049000-326 73,00 143 049000-327 68,20 101 049000-328 73,00 143 049000-329 73,00 143 049000-320 75,00 135 049000-405 <			
049000-206 43,60 142 049000-20B 43,00 125 049000-22 43,30 101 049000-223 47,80 135 049000-225 50,50 141 049000-226 50,50 143 049000-228 49,50 125 049000-30 52,50 100 049000-303 62,20 134 049000-304 58,50 136 049000-305 62,60 140 049000-306 62,60 142 049000-32 62,20 101 049000-324 68,60 137 049000-325 73,00 141 049000-326 73,00 143 049000-327 68,60 137 049000-328 73,00 143 049000-329 73,00 143 049000-326 73,00 143 049000-327 75,00 135 049000-408 81,70 141 049000-409			136
049000-20B 43,00 125 049000-22 43,30 101 049000-223 47,80 135 049000-224 47,60 137 049000-225 50,50 141 049000-226 50,50 143 049000-30 52,50 100 049000-303 62,20 134 049000-304 58,50 136 049000-305 62,60 140 049000-306 62,60 142 049000-32 62,20 101 049000-323 68,90 135 049000-324 68,60 137 049000-325 73,00 141 049000-326 73,00 143 049000-326 73,00 143 049000-40 68,20 101 049000-403 75,00 135 049000-404 76,10 137 049000-405 81,70 141 049000-406 81,70 143 049000-5-10			140
049000-22 43,30 101 049000-223 47,80 135 049000-224 47,60 137 049000-225 50,50 141 049000-226 50,50 143 049000-30 52,50 100 049000-303 62,20 134 049000-304 58,50 136 049000-305 62,60 140 049000-306 62,60 142 049000-326 62,20 101 049000-323 68,90 135 049000-324 68,60 137 049000-325 73,00 141 049000-326 73,00 143 049000-326 73,00 143 049000-40 68,20 101 049000-403 75,00 135 049000-404 76,10 137 049000-405 81,70 141 049000-406 81,70 143 049000-5-10 96,90 204 049000-5-20			
049000-223 47,80 135 049000-224 47,60 137 049000-225 50,50 141 049000-226 50,50 143 049000-228 49,50 125 049000-300 52,50 100 049000-303 62,20 134 049000-304 58,50 136 049000-305 62,60 140 049000-306 62,60 142 049000-32 62,20 101 049000-324 68,60 137 049000-325 73,00 141 049000-326 73,00 143 049000-326 73,00 143 049000-326 73,00 143 049000-326 73,00 143 049000-403 75,00 135 049000-404 76,10 137 049000-405 81,70 141 049000-406 81,70 143 049000-5-10 96,90 204 049000-5-20			
049000-224 47,60 137 049000-225 50,50 141 049000-226 50,50 143 049000-30 52,50 100 049000-303 62,20 134 049000-304 58,50 136 049000-305 62,60 140 049000-306 62,60 142 049000-32 62,20 101 049000-323 68,90 135 049000-324 68,60 137 049000-325 73,00 141 049000-326 73,00 143 049000-326 73,00 143 049000-40 68,20 101 049000-403 75,00 135 049000-404 76,10 137 049000-405 81,70 141 049000-406 81,70 141 049000-406 81,70 143 049000-406 81,70 143 049000-5-10 96,90 204 049000-5-20			
049000-225 50,50 141 049000-226 50,50 143 049000-30 52,50 100 049000-303 62,20 134 049000-304 58,50 136 049000-305 62,60 140 049000-306 62,60 142 049000-32 62,20 101 049000-323 68,90 135 049000-324 68,60 137 049000-325 73,00 141 049000-326 73,00 143 049000-40 68,20 101 049000-403 75,00 135 049000-404 76,10 137 049000-405 81,70 141 049000-406 81,70 143 049000-5-10 96,90 204 049000-5-20 104,30 204 049005-30 111,70 204 049005-20 33,20 114 049002-20 33,20 14 049002-22 <			
049000-226 50,50 143 049000-22B 49,50 125 049000-30 52,50 100 049000-303 62,20 134 049000-304 58,50 136 049000-305 62,60 140 049000-32 62,20 101 049000-323 68,90 135 049000-324 68,60 137 049000-325 73,00 141 049000-326 73,00 143 049000-40 68,20 101 049000-403 75,00 135 049000-405 81,70 141 049000-405 81,70 141 049000-406 81,70 143 049000-406 81,70 143 0490005-10 96,90 204 0490005-20 104,30 204 0490005-30 111,70 204 049005-30 111,70 204 049002-20 33,20 114 049002-20			
049000-22B 49,50 125 049000-30 52,50 100 049000-303 62,20 134 049000-304 58,50 136 049000-305 62,60 140 049000-32 62,20 101 049000-323 68,90 135 049000-324 68,60 137 049000-325 73,00 141 049000-326 73,00 143 049000-40 68,20 101 049000-403 75,00 135 049000-405 81,70 141 049000-405 81,70 141 049000-406 81,70 143 0490005-10 96,90 204 0490005-20 104,30 204 0490005-30 111,70 204 049005-30 111,70 204 049002-20 33,20 114 049002-20B 40,00 125 049002-21 37,70 114 049003-302			
049000-30 52,50 100 049000-303 62,20 134 049000-304 58,50 136 049000-305 62,60 140 049000-32 62,20 101 049000-323 68,90 135 049000-324 68,60 137 049000-325 73,00 141 049000-326 73,00 143 049000-403 75,00 135 049000-404 76,10 137 049000-405 81,70 141 049000-406 81,70 143 049000-406 81,70 143 049000-5-10 96,90 204 0490005-20 104,30 204 049005-30 111,70 204 049005-30 111,70 204 049002-20 33,20 114 049002-20 33,20 114 049002-20 37,70 114 049002-22 37,70 114 049003-122 <			
049000-303 62,20 134 049000-304 58,50 136 049000-305 62,60 140 049000-326 62,60 142 049000-32 62,20 101 049000-323 68,90 135 049000-324 68,60 137 049000-325 73,00 141 049000-326 73,00 143 049000-403 75,00 135 049000-404 76,10 137 049000-405 81,70 141 049000-406 81,70 143 049000-406 81,70 143 049000-5-10 96,90 204 0490005-20 104,30 204 0490005-30 111,70 204 0490005-30 111,70 204 049002-20 33,20 114 049002-20 33,20 114 049002-22 37,70 114 049002-22 37,70 114 049003-122			
049000-304 58,50 136 049000-305 62,60 140 049000-306 62,60 142 049000-32 62,20 101 049000-323 68,90 135 049000-324 68,60 137 049000-325 73,00 141 049000-40 68,20 101 049000-403 75,00 135 049000-404 76,10 137 049000-405 81,70 141 049000-406 81,70 143 0490005-10 96,90 204 0490005-20 104,30 204 0490005-30 111,70 204 049005-30 111,70 204 049005-20 33,20 114 049002-20 33,20 114 049002-20 33,20 114 049002-22 37,70 114 049002-22 37,70 114 049003-122 99,30 147 049003-224 <t< td=""><td></td><td></td><td></td></t<>			
049000-305 62,60 140 049000-306 62,60 142 049000-32 62,20 101 049000-323 68,90 135 049000-324 68,60 137 049000-325 73,00 141 049000-326 73,00 143 049000-40 68,20 101 049000-403 75,00 135 049000-404 76,10 137 049000-405 81,70 141 049000-406 81,70 143 049000-10 96,90 204 0490005-10 96,90 204 0490005-20 104,30 204 049005-30 111,70 204 049005-30 111,70 204 049005-40 119,10 204 049002-20 33,20 114 049002-22B 44,30 125 049002-22B 44,30 125 049003-122 99,30 147 049003-224			
049000-306 62,60 142 049000-32 62,20 101 049000-323 68,90 135 049000-324 68,60 137 049000-325 73,00 141 049000-40 68,20 101 049000-403 75,00 135 049000-404 76,10 137 049000-405 81,70 141 049000-406 81,70 143 0490005-10 96,90 204 0490005-20 104,30 204 0490005-30 111,70 204 049002-20 33,20 114 049002-20 33,20 114 049002-20 33,20 114 049002-20 37,70 114 049002-20 37,70 114 049002-22 37,70 114 049002-22 37,70 114 049003-102 97,30 146 049003-122 99,30 147 049003-224			
049000-32 62,20 101 049000-323 68,90 135 049000-324 68,60 137 049000-325 73,00 141 049000-40 68,20 101 049000-403 75,00 135 049000-404 76,10 137 049000-405 81,70 141 0490005-10 96,90 204 0490005-20 104,30 204 0490005-30 111,70 204 0490005-30 111,70 204 049002-20 33,20 114 049002-20B 40,00 125 049002-20B 40,00 125 049002-22B 44,30 125 049003-102 97,30 146 049003-102 97,30 146 049003-224 105,10 146 049003-224 105,10 146 049003-306 113,00 146 049003-306 113,00 146 04901-303			
049000-323 68,90 135 049000-324 68,60 137 049000-325 73,00 141 049000-326 73,00 143 049000-40 68,20 101 049000-403 75,00 135 049000-404 76,10 137 049000-405 81,70 141 0490005-10 96,90 204 0490005-20 104,30 204 0490005-30 111,70 204 0490005-30 111,70 204 049002-20 33,20 114 049002-20 33,20 114 049002-20 37,70 114 049002-22 37,70 114 049002-28 44,30 125 049002-29 44,30 125 049003-102 97,30 146 049003-102 97,30 146 049003-224 105,10 146 049003-224 109,00 147 049003-306			
049000-324 68,60 137 049000-325 73,00 141 049000-326 73,00 143 049000-40 68,20 101 049000-403 75,00 135 049000-405 81,70 141 049000-406 81,70 143 0490005-10 96,90 204 0490005-20 104,30 204 0490005-30 111,70 204 0490005-40 119,10 204 049002-20 33,20 114 049002-20B 40,00 125 049002-22B 44,30 125 049002-22B 44,30 125 049003-102 97,30 146 049003-122 99,30 147 049003-224 109,00 147 049003-224 109,00 147 049003-306 113,00 146 049003-306 113,00 146 04901-0601 157 157 04901-303			
049000-325 73,00 141 049000-326 73,00 143 049000-40 68,20 101 049000-403 75,00 135 049000-404 76,10 137 049000-405 81,70 141 0490005-10 96,90 204 0490005-20 104,30 204 0490005-30 111,70 204 0490005-40 119,10 204 049002-20 33,20 114 049002-20B 40,00 125 049002-22B 44,30 125 049002-22B 44,30 125 049003-102 97,30 146 049003-122 99,30 147 049003-224 105,10 146 049003-224 105,10 146 049003-306 113,00 146 049003-306 113,00 146 04901-0601 157 157 04901-303 154 159 04901-308			
049000-326 73,00 143 049000-40 68,20 101 049000-403 75,00 135 049000-404 76,10 137 049000-405 81,70 141 0490005-10 96,90 204 0490005-20 104,30 204 0490005-30 111,70 204 0490005-40 119,10 204 049002-20 33,20 114 049002-20B 40,00 125 049002-22B 44,30 125 049002-22B 44,30 125 049003-102 97,30 146 049003-122 99,30 147 049003-224 109,00 147 049003-224 109,00 146 049003-306 113,00 146 049003-306 118,80 147 04901-0601 157 04901-303 154 04901-308 154 04901-308 154 04901-308			
049000-40 68,20 101 049000-403 75,00 135 049000-404 76,10 137 049000-405 81,70 141 0490005-10 96,90 204 0490005-20 104,30 204 0490005-30 111,70 204 0490005-40 119,10 204 049002-20 33,20 114 049002-20B 40,00 125 049002-22B 44,30 125 049002-22B 44,30 125 049003-102 97,30 146 049003-122 99,30 147 049003-224 109,00 147 049003-224 109,00 147 049003-306 113,00 146 049003-306 113,00 146 049003-306 118,80 147 04901-0601 157 04901-303 154 04901-308 154 04901-308 154 04901-308			
049000-403 75,00 135 049000-404 76,10 137 049000-405 81,70 141 049000-406 81,70 143 0490005-10 96,90 204 0490005-20 104,30 204 0490005-30 111,70 204 049002-20 33,20 114 049002-20B 40,00 125 049002-22B 44,30 125 049002-22B 44,30 125 049002-22B 44,30 125 049003-102 97,30 146 049003-122 99,30 147 049003-204 105,10 146 049003-224 109,00 147 049003-224 109,00 147 049003-326 118,80 147 04901-0601 157 04901-0601 157 04901-303 154 04901-308 154 04901-308 154 04901-308 154 <td></td> <td></td> <td></td>			
049000-404 76,10 137 049000-405 81,70 141 049000-406 81,70 143 0490005-10 96,90 204 0490005-20 104,30 204 0490005-30 111,70 204 049002-20 33,20 114 049002-20B 40,00 125 049002-22B 44,30 125 049002-22B 44,30 125 049002-22B 44,30 125 049003-102 97,30 146 049003-102 97,30 146 049003-204 105,10 146 049003-224 109,00 147 049003-306 113,00 146 049003-326 118,80 147 04901-0601 157 04901-0601 157 04901-303 154 04901-308 154 04901-308 154 04901-308 154 049010-10 22,50 100 <td></td> <td></td> <td></td>			
049000-405 81,70 141 049000-406 81,70 143 0490005-10 96,90 204 0490005-20 104,30 204 0490005-30 111,70 204 049002-20 33,20 114 049002-20B 40,00 125 049002-22B 44,30 125 049002-22B 44,30 125 049002-22B 44,30 125 049003-102 97,30 146 049003-122 99,30 147 049003-204 105,10 146 049003-224 109,00 147 049003-306 113,00 146 049003-326 118,80 147 04901-0601 157 157 04901-0601 157 157 04901-303 154 154 04901-308 154 154 04901-308 154 154 04901-103 24,10 134 049010-104 24			
049000-406 81,70 143 0490005-10 96,90 204 0490005-20 104,30 204 0490005-30 111,70 204 0490005-40 119,10 204 049002-20 33,20 114 049002-20B 40,00 125 049002-22B 44,30 125 049002-22B 44,30 125 049002-240 60,70 114 049003-102 97,30 146 049003-122 99,30 147 049003-204 105,10 146 049003-224 109,00 147 049003-306 113,00 146 049003-306 113,00 146 049003-408 120,80 147 04901-0601 157 157 04901-0601 157 159 04901-303 154 154 04901-308 154 154 04901-308 154 154 049010-10			
0490005-10 96,90 204 0490005-20 104,30 204 0490005-30 111,70 204 0490005-40 119,10 204 049002-20B 40,00 125 049002-22B 40,00 125 049002-22B 44,30 125 049002-22B 44,30 125 049002-40 60,70 114 049003-102 97,30 146 049003-204 105,10 146 049003-204 105,10 146 049003-224 109,00 147 049003-306 113,00 146 049003-326 118,80 147 04901-0601 157 157 04901-0601 157 157 04901-303 154 154 04901-308 154 154 04901-308 154 154 049010-10 22,50 100 049010-104 24,50 136 049010-105			
0490005-20 104,30 204 0490005-30 111,70 204 0490005-40 119,10 204 049002-20 33,20 114 049002-20B 40,00 125 049002-22 37,70 114 049002-22B 44,30 125 049002-40 60,70 114 049003-102 97,30 146 049003-122 99,30 147 049003-204 105,10 146 049003-224 109,00 147 049003-306 113,00 146 049003-326 118,80 147 04901-0601 157 157 04901-0601 157 157 04901-303 154 154 04901-304 155 154 04901-308 154 154 04901-308 154 154 049010-10 22,50 100 049010-105 25,80 140 049010-106 25,80<			
0490005-30 111,70 204 0490005-40 119,10 204 049002-20 33,20 114 049002-20B 40,00 125 049002-22 37,70 114 049002-22B 44,30 125 049002-40 60,70 114 049003-102 97,30 146 049003-122 99,30 147 049003-204 105,10 146 049003-224 109,00 147 049003-306 113,00 146 049003-326 118,80 147 04901-0601 157 157 04901-0601 157 157 04901-303 154 154 04901-304 155 154 04901-308 154 155 04901-308 154 154 049010-10 22,50 100 049010-103 24,10 134 049010-105 25,80 140 049010-106 25,80 </td <td></td> <td></td> <td></td>			
0490005-40 119,10 204 049002-20 33,20 114 049002-20B 40,00 125 049002-22 37,70 114 049002-22B 44,30 125 049002-40 60,70 114 049003-102 97,30 146 049003-122 99,30 147 049003-204 105,10 146 049003-224 109,00 147 049003-306 113,00 146 049003-326 118,80 147 04901-0601 157 157 04901-0601 157 157 04901-303 154 154 04901-303 154 155 04901-308 154 154 04901-308 154 154 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 <td></td> <td></td> <td></td>			
049002-20 33,20 114 049002-20B 40,00 125 049002-22 37,70 114 049002-22B 44,30 125 049002-40 60,70 114 049003-102 97,30 146 049003-122 99,30 147 049003-204 105,10 146 049003-224 109,00 147 049003-306 113,00 146 049003-326 118,80 147 04901-0601 157 157 04901-0601 157 154 04901-303 154 154 04901-304 155 154 04901-308 154 154 04901-308 154 154 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-106 25,80 <td></td> <td></td> <td></td>			
049002-20B 40,00 125 049002-22 37,70 114 049002-22B 44,30 125 049002-40 60,70 114 049003-102 97,30 146 049003-122 99,30 147 049003-204 105,10 146 049003-224 109,00 147 049003-306 113,00 146 049003-326 118,80 147 04901-0601 157 157 04901-0601 157 154 04901-303 154 154 04901-308 154 155 04901-308 154 154 04901-308 154 154 04901-10 22,50 100 049010-10 24,10 134 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-106 25,80			
049002-22 37,70 114 049002-22B 44,30 125 049002-40 60,70 114 049003-102 97,30 146 049003-122 99,30 147 049003-204 105,10 146 049003-224 109,00 147 049003-306 113,00 146 049003-326 118,80 147 04901-0601 157 04901-0601 157 04901-303 154 04901-304 159 04901-308 154 04901-308 154 04901-308 154 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-106 25,40 101			
049002-22B 44,30 125 049002-40 60,70 114 049003-102 97,30 146 049003-122 99,30 147 049003-204 105,10 146 049003-224 109,00 147 049003-306 113,00 146 049003-326 118,80 147 04903-408 120,80 147 04901-0601 157 157 04901-303 154 04901-303 154 04901-308 155 04901-308 154 04901-308D 154 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-106 25,40 101			
049002-40 60,70 114 049003-102 97,30 146 049003-122 99,30 147 049003-204 105,10 146 049003-224 109,00 147 049003-306 113,00 146 049003-326 118,80 147 04901-0601 157 157 04901-0611 157 154 04901-303 154 154 04901-308 155 154 04901-308 154 157 04901-308 154 154 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-102 25,40 101			
049003-102 97,30 146 049003-122 99,30 147 049003-204 105,10 146 049003-224 109,00 147 049003-306 113,00 146 049003-326 118,80 147 04901-0601 157 04901-0611 157 04901-303 154 04901-304 155 04901-308 154 04901-308D 154 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-102 25,40 101			
049003-122 99,30 147 049003-204 105,10 146 049003-224 109,00 147 049003-306 113,00 146 049003-326 118,80 147 04901-0601 157 04901-0611 157 04901-303 154 04901-304 155 04901-308 154 04901-308 154 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-102 25,40 101			
049003-204 105,10 146 049003-224 109,00 147 049003-306 113,00 146 049003-326 118,80 147 049003-408 120,80 147 04901-0601 157 157 04901-303 154 154 04901-303D 154 155 04901-308 155 154 04901-308 154 154 04901-308 154 154 049010-10 22,50 100 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 142 049010-106 25,80 142 049010-12 25,40 101			
049003-224 109,00 147 049003-306 113,00 146 049003-326 118,80 147 04901-0601 157 157 04901-0611 157 154 04901-303 154 155 04901-306 155 155 04901-308 154 154 04901-308 154 154 04901-308 154 154 04901-308 154 154 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-12 25,40 101			
049003-306 113,00 146 049003-326 118,80 147 049003-408 120,80 147 04901-0601 157 157 04901-0611 157 154 04901-303 154 154 04901-308D 155 154 04901-308 154 154 04901-308D 154 154 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-12 25,40 101			
049003-326 118,80 147 049003-408 120,80 147 04901-0601 157 04901-0611 157 04901-303 154 04901-306 155 04901-308 154 04901-308D 154 04901-308D 154 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-12 25,40 101			
049003-408 120,80 147 04901-0601 157 04901-0611 157 04901-303 154 04901-306 155 04901-308 154 04901-308D 154 04901-308D 154 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-12 25,40 101			
04901-0601 157 04901-0611 157 04901-303 154 04901-303D 154 04901-306 155 04901-308 154 04901-308D 154 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-12 25,40 101			
04901-0611 157 04901-303 154 04901-303D 154 04901-306 155 04901-308 154 04901-308D 154 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-12 25,40 101			
04901-303 154 04901-303D 154 04901-306 155 04901-308 154 04901-308D 154 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-12 25,40 101			
04901-303D 154 04901-306 155 04901-308 154 04901-308D 154 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-12 25,40 101			
04901-306 155 04901-308 154 04901-308D 154 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-12 25,40 101	-		
04901-308 154 04901-308D 154 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-12 25,40 101			
04901-308D 154 049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-12 25,40 101			
049010-10 22,50 100 049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-12 25,40 101			
049010-103 24,10 134 049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-12 25,40 101		22 50	
049010-104 24,50 136 049010-105 25,80 140 049010-106 25,80 142 049010-12 25,40 101			
049010-105 25,80 140 049010-106 25,80 142 049010-12 25,40 101			
049010-106 25,80 142 049010-12 25,40 101			
049010-12 25,40 101			
049010-124 27,50 137			137
			141

Order no.	Weight	Page
049010-126	28,90	143
049010-20	37,50	100
049010-203	40,90	134
049010-204	$\frac{41,50}{44,00}$	136
049010-205	$=\frac{44,20}{44,20}=$	140
049010-206 049010-20B	$=\frac{44,20}{42,60}=$	142
049010-208	<u> 43,60</u> <u> </u>	125 101
049010-223	— 43,70 — 48,40	135
049010-224	— 40,40 — 48,20	137
049010-225	— 40,20 — 51,20	141
049010-226	<u> 51,20</u>	143
049010-22B	50,20	125
049010-30	53,10	100
049010-303	62,80	134
049010-304	59,10	136
049010-305	63,30	140
049010-306	63,30	142
049010-32	62,80	101
049010-323	69,50	135
049010-324	69,20	137
049010-325	73,60	141
049010-326	73,60	143
049010-40	68,80	101
049010-403	75,60	135
049010-404	76,70	137
049010-405	82,30	141
049010-406	82,30	143
0490105-10	97,50	204
0490105-20	104,90	204
0490105-30	112,40	204
0490105-40	119,80	204
049012-20	33,70	114
049012-20B	40,60	125
049012-22	38,30	114
049012-22B	44,90	125
049012-40	61,30	114
049013-102	$-\frac{97,90}{0000}$	146
049013-122	$-\frac{99,90}{105,00}$	147
049013-204	$\frac{105,80}{100,60}$	146
049013-224	$-\frac{109,60}{113,60}$	147
049013-306 049013-326	<u>113,60</u> 119,40	147
049013-408	121,40	147
04902-0601		157
04902-0611		157
049020-10	21,40	100
049020-103	23,90	134
049020-104	24,30	136
049020-105	25,60	140
049020-106	25,60	142
049020-12	25,40	101
049020-123	27,50	135
049020-124	27,50	137
049020-125	28,90	141
049020-126	28,90	143
049020-20	37,90	100
049020-203	41,30	134
049020-204	41,80	136
049020-205	44,60	140
049020-206	44,60	142
049020-20B	44,00	125
049020-22	44,60	101
049020-223	49,10	135

049020-224

48,90

137

Order no.	Weight	Page	Order no.	Weight	Page	Order no.	Weight	Page
049020-225	51,80	141	0490407-10	28,70	102	0490507-22	49,30	103
049020-226	_ 51,80	143	0490407-10 + 08510	28,70	104	0490507-22 + 08522	49,30	105
049020-22B	50,80	125	0490407-10 + 08510-004	28,70	106	0490507-22 + 08522-004	49,30	107
049020-30	54,10	100	0490407-12	29,90	103	0490507-30	61,80	102
049020-303	$-\frac{63,70}{63,00}$	134	0490407-12 + 08512	29,90	105	0490507-30 + 08530	61,80	104
049020-304	_ 60,00	136	0490407-12 + 08512-004	29,90	107	0490507-30 + 08530-004	61,80	106
049020-305	_ 64,20	140	0490407-20	44,30	102	0490507-32	70,40	103
049020-306	_ 64,20	142	0490407-20 + 08520	44,30	104	0490507-32 + 08532	70,40	105
049020-32	- 64,40 —	101	0490407-20 + 08520-004	44,30	106	0490507-32 + 08532-004	70,40	107
049020-323	- 71,10 —	135	0490407-22	50,00	103	0490507-40	79,30	103
049020-324	- 70,80 —	137	0490407-22 + 08522 0490407-22 + 08522-004	50,00	105	0490507-40 + 08540	79,30	105
049020-325	- 75,20 —	141		50,00	107	0490507-40 + 08540-004	79,30	107
049020-326	- 75,20	143	0490407-30	60,80	102	0490527-20	48,00	116
049020-40 049020-403	77,10	101 135	0490407-30 + 08530 0490407-30 + 08530-004	60,80	104	0490527-20 + 08520 0490527-20 + 08520-004	48,00 48,00	118
049020-403	- 77,10 78,30		0490407-30 + 06530-004			0490527-20 + 06520-004		
049020-404		137 141	0490407-32 + 08532	68,00	103	0490527-22 + 08522	50,60 50,60	116
049020-406	- 83,80	143	0490407-32 + 08532-004	68,00	105	0490527-22 + 08522-004	50,60	120
0490205-10	- 03,00 - 97,30	204	0490407-32 + 06532-004	77,00	107	0490527-22 + 06522-004	86,40	116
0490205-20	- 97,30 - 105,30	204	0490407-40 + 08540	77,00	105	0490527-40 + 08540	86,40	118
0490205-30	- 103,30	204	0490407-40 + 08540-004	77,00	107	0490527-40 + 08540-004	86,40	120
0490205-40	121,30	204	049042-20	48,00	122	0490537-102	102,20	148
049022-20	34,10	114	049042-20 + 08520-004	48,00	123	0490537-102 + 08510	102,20	150
049022-20B	41,00	125	049042-22	50,60	122	0490537-102 + 08510-004	102,20	152
049022-208	39,00	114	049042-22 + 08522-004	50,60	123	0490537-102 + 00310-004	105,70	149
049022-22B	45,60	125	049042-40	86,40	122	0490537-122 + 08512	105,70	151
049022-228	62,80	114	049042-40 + 08540-004	86,40	123	0490537-122 + 08512-004	105,70	153
049023-102	97,70	146	0490427-20	47,80	116	0490537-204	111,10	148
049023-102	- 91,10 — 99,90	147	0490427-20 + 08520	47,80	118	0490537-204 + 08520	111,10	150
049023-204	106,10	146	0490427-20 + 08520-004	47,80	120	0490537-204 + 08520-004	111,10	152
049023-224	110,30	147	0490427-22	51,20	116	0490537-224	115,40	149
049023-306	114,60	146	0490427-22 + 08522	51,20	118	0490537-224 + 08522	115,40	151
049023-326	120,90	147	0490427-22 + 08522-004	51,20	120	0490537-224 + 08522-004	115,40	153
049023-408	123,00	147	0490427-40	84,10	116	0490537-306	119,70	148
0490307-10	25,50	102	0490427-40 + 08540	84,10	118	0490537-306 + 08530	119,70	150
0490307-12	27,70	103	0490427-40 + 08540-004	84,10	120	0490537-306 + 08530-004	119,70	152
0490307-20	42,90	102	0490437-102	103,50	148	0490537-326	127,20	149
0490307-22	47,10	103	0490437-102 + 08510	103,50	150	0490537-326 + 08532	127,20	151
0490307-30	57,60	102	0490437-102 + 08510-004	103,50	152	0490537-326 + 08532-004	127,20	153
0490307-32	65,00	103	0490437-122	104,80	149	0490537-408	83,70	149
0490307-40	73,90	103	0490437-122 + 08512	104,80	151	0490537-408 + 08540	83,70	151
0490327-20	46,40	116	0490437-122 + 08512-004	104,80	153	0490537-408 + 08540-004	83,70	153
0490327-22	48,30	116	0490437-204	111,00	148	049090-10	59,34	144
0490327-40	81,10	116	0490437-204 + 08520	111,00	150	049090-12	59,34	145
0490337-102	100,40	148	0490437-204 + 08520-004	111,00	152	049090-20	59,34	144
0490337-122	102,50	149	0490437-224	116,00	149	049090-22	59,34	145
0490337-204	109,60	148	0490437-224 + 08522	116,00	151	049090-30	59,34	144
0490337-224	113,10	149	0490437-224 + 08522-004	116,00	153	049090-32	59,34	145
0490337-306	115,50	148	0490437-306	118,60	148	049090-40	59,34	145
0490337-326	121,90	149	0490437-306 + 08530	118,60	150	0490910-730		144
0490337-408	78,30	149	0490437-306 + 08530-004	118,60	152	0490912-730		145
049040-10	27,40	108	0490437-326	124,90	149	049092-20	59,34	144
049040-10 + 08510-004	27,40	110	0490437-326 + 08532	124,90	151	049092-22	59,34	144
049040-12	30,90	109	0490437-408	81,40	149	049092-40	59,34	144
049040-12 + 08512-004	30,90	111	0490437-408 + 08540	81,40	151	0490920-730		144
049040-20	44,40	108	0490437-408 + 08540-004	81,40	153	0490922-730		144, 145
049040-20 + 08520-004	44,40	110	0490507-10	27,40	102	0490930-730		144
049040-22	49,30	109	0490507-10 + 08510	27,40	104	0490932-730		145
049040-22 + 08522-004	49,30	111	0490507-10 + 08510-004	27,40	106	0490940-730		144, 145
049040-30	61,80	108	0490507-12	30,90	103	049100-00	33,10	124
049040-30 + 08530-004	61,80	110	0490507-12 + 08512	30,90	105	049100-02	37,80	124
049040-32	70,40	109	0490507-12 + 08512-004	30,90	107	049110-00	33,70	124
049040-32 + 08532-004	70,40	111	0490507-20	44,40	102	049110-02	38,40	124
	79,30	109	0490507-20 + 08520	44,40	104	049110-730		100, 102, 104,
049040-40 049040-40 + 08540-004	- 79,30 - 79,30	111	0490507-20 + 08520-004	44,40	104	047110-730		106, 102, 104,

Order no.	Weight	Page
049110-750	Weight	100, 102, 104, 106, 108, 110
049112-730		101, 103, 105, 107, 109, 111
049112-750		101, 103, 105, 107, 109, 111
049120-00	34,10	124
049120-02	39,10	124
049120-730		100, 102, 104,
047120 700		106, 108, 110,
		114, 116, 118,
		120, 122, 123, 124, 125
049120-750		100, 102, 104,
		106, 108, 110,
		114, 116, 118,
		120, 122, 123, 124, 125
049122-730		101, 103, 105,
		107, 109, 111,
		114, 116, 118, 120, 122, 123,
		124, 125
049122-750		101, 103, 105,
		107, 109, 111,
		114, 116, 118, 120, 122, 123,
		124, 125
049130-730		100, 102, 104, 106, 108, 110
049130-750		100, 102, 104, 106, 108, 110
049132-730		101, 103, 105, 107, 109, 111
049132-750		101, 103, 105, 107, 109, 111
049140-730		101, 103, 105, 107, 109, 111,
		114, 116, 118,
		120, 122, 123
049140-750		101, 103, 105,
		107, 109, 111, 114, 116, 118,
		120, 122, 123
049210-730		126, 128, 130, 132, 146, 148,
0.40040.750		150, 152
049210-750		126, 128, 130,
049212-730		126, 128, 130, 132, 147, 149, 151, 153
049212-750		126, 128, 130, 132
049220-730		126, 128, 130,
		132, 146, 148, 150, 152
049220-750		126, 128, 130, 132
049222-730		126, 128, 130,
		132, 147, 149, 151, 153
049222-750		126, 128, 130,
		132

Order no.	Weight	Page
049230-730		126, 128, 130, 132, 146, 148,
		150, 152
049230-750		126, 128, 130,
047230-730		132
049232-730		126, 128, 130,
017202 100		132, 147, 149,
		151, 153
049232-750		126, 128, 130,
		132
049240-730		126, 128, 130,
		132, 147, 149,
		151, 153
049240-750		126, 128, 130,
		132
049300-10	18,60	126
049300-12	24,00	126
049300-20	30,40	126
049300-22	41,80	126
049300-30	42,80	126
049300-32	59,90	126
049300-40	55,20	126
0493005-10 0493005-20	95,10	205
0493005-20	100,80	205
0493005-40	106,40	205
049310-10	19,30	126
049310-12	24,60	126
049310-20	31,00	126
049310-22	42,40	126
049310-30	43,40	126
049310-32	60,50	126
049310-730		134
0493105-10	95,80	205
0493105-20	101,40	205
0493105-30	107,00	205
0493105-40	112,70	205
049312-730	10.40	135
049320-10 049320-12	$-\frac{18,40}{24,50}$	126
049320-20	31,30	126
049320-22	43,10	126
049320-30	44,30	126
049320-32	61,90	126
049320-40	54,40	126
049320-730		134
0493205-10	95,50	205
0493205-20	101,80	205
0493205-30	108,00	205
0493205-40	114,20	205
049322-730		135
049330-730		134
0493307-10	100,80	128
0493307-12	29,70	128
0493307-20	47,70	128
0493307-22	50,20	128
0493307-30	- 64,80	128
0493307-32 0493307-40	- 69,70 83.50	128
0493307-40	83,50	128
049340-730		135
0493407-10	104,00	128
0493407-10 + 08510		130
0493407-10 + 08510-004		132
0493407-12	31,90	128

Order no.	Weight	Page
0493407-12 + 08512		130
0493407-12 + 08512-004		132
0493407-20 0493407-20 + 08520	49,10	128
0493407-20 + 08520-004		130
0493407-22	53,10	128
0493407-22 + 08522		130
0493407-22 + 08522-004		132
0493407-30	68,00	128
0493407-30 + 08530		130
0493407-30 + 08530-004	72.70	132
0493407-32 0493407-32 + 08532	72,70	128
0493407-32 + 08532-004		132
0493407-40	86,60	128
0493407-40 + 08540		130
0493407-40 + 08540-004		132
0493507-10	102,70	128
0493507-10 + 08510		130
0493507-10 + 08510-004 0493507-12	32,80	132
0493507-12 + 08512	32,00	130
0493507-12 + 08512-004		132
0493507-20	49,20	128
0493507-20 + 08520		130
0493507-20 + 08520-004		132
0493507-22	52,50	128
0493507-22 + 08522		130
0493507-22 + 08522-004 0493507-30	69,00	132
0493507-30 + 08530		130
0493507-30 + 08530-004		132
0493507-32	75,10	128
0493507-32 + 08532		130
0493507-32 + 08532-004		132
0493507-40	88,90	128
0493507-40 + 08540 0493507-40 + 08540-004	- — —	130
049410-730	- — –	136
049412-730		137
049420-730		136
049422-730		137
049430-730		136
049432-730		137
049440-730 049510-730	· —— —	137
049512-730		141
049520-730		140
049522-730		141
049530-730		140
049532-730		141
049540-730		141
049600-20	36,20	124
049600-22	40,60 —	124
049610-20 049610-22	36,80 41,20	124
049610-730		142
049612-730		143
049620-20	37,10	124
049620-22	41,90	124
049620-730		142
049622-730		143
049630-730		142
049632-730		143

0.84919-000	Order no.	Weight	Page	Order no.	Weight	Page	Order no.	Weight	Page
Sesting Sest									96, 156
0.6459-0.00									156
									96, 156
09000-291									156
				080002-40			08002-80350		156
98000-293								21,90	62
Section Sect				-			-		80
0.0000-211	-			-					82
08000-212									84
08000-218									63
98000-24									81
80000-266 96 96001-3030 94 960002-12F 30,80 8									83
									85
									64
									256
	-			-					62
08000-340800				-	21.60				80
08000-348900				-					82
08000-48402									84
0,000-1072									75
08000-1073		0 228							63
08000-80									81
08000-8020 96									83
							-		85
									75
									64
				-					
B80000-10									
B80000-103 23.90 80									62 80
B80000-104									82
B80000-105									
080000-12 24,60 62 080010-223 45,70 81 080020-323 67,00 6 080000-124 29,20 83 080010-225 49,10 85 080020-325 75,70 8 080000-125 30,40 85 080010-228 50,40 75 080020-325 62,10 6 080000-126 24,60 64 080010-228 50,40 75 080020-32F 62,10 6 080000-19 21,60 266 08010-29 36,60 266 080020-40 66,70 6 080000-20 35,40 62 080010-30 49,20 62 080020-403 69,70 1 080000-203 39,90 80 080010-303 55,70 80 080020-404 77,30 8 080000-204 41,80 82 08010-304 56,60 82 080020-405 81,90 8 080000-225 41,20 84 08010-324 57,20 63 080022-20 35,80									63
080000-123 27,40 81 080010-224 49,20 83 080020-324 72,20 8 080000-125 39,00 83 080010-228 54,10 85 080020-325 75,70 8 080000-125 30,40 85 080010-228 50,40 75 080020-325 62,10 6 080000-127 24,60 64 080010-229 36,60 256 080020-39 50,90 25 080000-20 35,60 256 080002-40 66,70 6 66,70 6 080000-20 35,60 256 080020-40 66,70 6 66,70 6 080000-203 39,90 80 080010-303 55,70 80 080020-404 77,30 8 080000-205 44,20 44,20 84 080010-305 52,10 84 080020-405 81,90 8 080000-226 44,20 42 080010-32 57,20 63 080022-20 35,80 7									
080000-124 29,20 83 080010-225 49,10 85 080020-325 75,70 8 080000-12F 30,40 85 080010-228 50,40 75 080020-32F 62,10 6 080000-12F 24,60 44 080010-22F 41,20 64 080020-39 50,90 22 080000-19 21,60 256 080010-29 36,60 256 080020-40 66,70 6 080000-203 39,90 80 080010-303 55,70 80 080020-403 69,70 1 080000-204 41,80 82 080010-304 58,60 82 080020-405 81,90 8 080000-205 44,20 84 080010-32 57,20 63 080022-20 35,80 7 66,70 22 080000-22 41,20 62 080010-323 65,20 81 080022-20 35,80 7 080000-23 45,70 81 08010-324 70,40 83 <									81
080000-125 30,40 85 080010-22B 50,40 75 080020-32F 62,10 6 080000-12F 24,60 64 080010-2P 41,20 64 080020-39 50,90 25 080000-19 21,60 256 080010-2P 36,60 256 080020-40 66,70 6 080000-20 35,40 62 080010-30 49,20 62 080020-404 77,30 8 080000-203 39,90 80 080010-304 58,60 82 080020-404 77,30 8 080000-205 44,80 82 080010-305 62,10 84 080020-405 81,90 8 080000-208 35,40 75 080010-32 57,20 63 080022-20 35,80 7 080000-22 41,20 62 080010-323 65,20 81 080022-20B 44,00 7 080000-23 45,70 81 080010-32 57,20 63 08022-22B 41,70				-					83
080000-12F 24,60 64 080010-22F 41,20 64 080020-39 50,90 25 080000-19 21,60 256 080010-29 36,60 256 080020-40 66,70 6 080000-20 35,40 62 080010-30 49,20 62 080020-403 69,70 1 080000-203 39,90 80 080010-303 55,70 80 080020-405 81,90 8 080000-204 41,80 82 080010-305 62,10 84 080020-49 66,70 25 080000-208 35,40 75 080010-32 57,20 63 080022-20 35,80 7 080000-22 41,20 62 080010-323 65,20 81 080022-20 35,80 7 080000-224 49,20 83 080010-324 70,40 83 080022-22 41,70 7 080000-224 49,20 83 080010-39 54,50 64 080022-35 51,50									85
080000-19 21,60 256 080010-29 36,60 256 080020-40 66,70 66 080000-20 35,40 62 080010-303 49,20 62 080020-403 69,70 3 080000-204 41,80 82 080010-304 55,70 80 080020-405 81,90 8 080000-205 44,20 84 080010-305 62,10 84 080020-49 66,70 25 080000-208 35,40 75 080010-32 57,20 63 080022-20 35,80 7 080000-22 41,20 62 080010-323 65,20 81 080022-208 44,00 7 080000-223 45,70 81 080010-325 73,90 85 080022-228 41,70 7 080000-224 49,20 83 08010-325 73,90 85 080022-228 51,50 7 080000-225 49,10 85 08010-325 73,90 85 080022-228 51,50									64
080000-20 35,40 62 080010-30 49,20 62 080020-403 69,70 8 080000-203 39,90 80 080010-303 55,70 80 080020-404 77,30 8 080000-204 41,80 82 080010-304 58,60 82 080020-405 81,90 8 080000-205 44,20 84 080010-305 62,10 84 080020-49 66,70 22 080000-208 35,40 75 080010-32 57,20 63 080022-20 35,80 7 080000-22 41,20 62 080010-32 65,20 81 080022-20 35,80 7 080000-224 49,20 83 080010-32 70,40 83 080022-22 41,70 7 080000-225 49,10 85 080010-32 73,90 85 080022-22 41,70 7 080000-226 41,20 75 080010-32 75,20 64 080022-32 51,50									256
080000-203 39,90 80 080010-303 55,70 80 080020-404 77,30 8 080000-204 41,80 82 080010-304 58,80 82 080020-405 81,90 8 080000-205 44,20 84 080010-305 62,10 84 080020-49 66,70 22 080000-208 35,40 75 080010-32 57,20 63 080022-20 35,80 7 080000-22 41,20 62 080010-323 65,20 81 080022-22 41,70 7 080000-224 49,20 83 080010-325 73,90 85 080022-22B 51,50 7 080000-225 49,10 85 080010-32F 57,20 64 080022-22B 51,50 7 080000-228 41,20 75 080010-39 54,50 256 080023-102 21,90 8 080000-22F 41,20 64 08010-403 71,50 81 080023-102 25,30									63
080000-204 41,80 82 080010-304 58,60 82 080020-405 81,90 88 080000-205 44,20 84 080010-305 62,10 84 080020-49 66,70 25 080000-208 35,40 75 080010-323 65,20 81 080022-20 35,80 7 080000-223 45,70 81 080010-323 65,20 81 080022-22 41,70 7 080000-224 49,20 83 080010-325 73,90 85 080022-22B 51,50 7 080000-225 49,10 85 080010-32F 57,20 64 080022-22B 51,50 7 080000-228 41,20 75 080010-39 54,50 256 080023-102 21,90 8 080000-29 35,40 256 08010-403 71,50 81 080023-204 36,60 8 080000-30 49,20 62 08010-403 71,50 81 080023-204 36,60 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>81</td>									81
080000-205 44,20 84 080010-305 62,10 84 080020-49 66,70 25 080000-20B 35,40 75 080010-32 57,20 63 080022-20 35,80 7 080000-22 41,20 62 080010-323 65,20 81 080022-20B 44,00 7 080000-223 45,70 81 080010-324 70,40 83 080022-22B 41,70 7 080000-224 49,20 83 080010-32F 57,20 64 080022-22B 51,50 7 080000-225 49,10 85 080010-32F 57,20 64 080022-40 63,70 7 080000-22B 41,20 75 08010-40 63,50 63 080023-102 21,90 8 080000-29 35,40 256 080010-40 63,50 63 080023-204 36,60 8 080000-30 49,20 62 080010-40 75,30 83 080023-204 36,60									83
080000-20B 35,40 75 080010-32 57,20 63 080022-20 35,80 77 080000-22 41,20 62 080010-323 65,20 81 080022-20B 44,00 77 080000-223 45,70 81 080010-324 70,40 83 080022-22B 51,50 77 080000-224 49,20 83 080010-32F 57,20 64 080022-22B 51,50 77 080000-225 49,10 85 080010-32F 57,20 64 080022-40 63,70 7 080000-22B 41,20 75 080010-39 54,50 256 080023-102 21,90 8 080000-29 35,40 256 08010-40 63,50 63 080023-122 25,30 8 080000-30 49,20 62 08010-403 71,50 81 080023-204 36,60 8 080000-303 55,70 80 08010-404 75,30 83 080023-306 50,90									85
080000-22 41,20 62 080010-323 65,20 81 080022-20B 44,00 77 080000-223 45,70 81 080010-324 70,40 83 080022-22 41,70 77 080000-224 49,20 83 080010-325 73,90 85 080022-22B 51,50 7 080000-225 49,10 85 080010-32F 57,20 64 080022-40 63,70 7 080000-228 41,20 75 080010-39 54,50 256 080023-102 21,90 8 080000-22F 41,20 64 080010-40 63,50 63 080023-102 21,90 8 080000-29 35,40 256 080010-403 71,50 81 080023-204 36,60 8 080000-30 49,20 62 080010-404 75,30 83 080023-324 42,80 8 080000-303 55,70 80 080010-49 72,20 256 080023-326 62,10 <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>256</td>	-								256
080000-223 45,70 81 080010-324 70,40 83 080022-22 41,70 7 080000-224 49,20 83 080010-325 73,90 85 080022-22B 51,50 7 080000-225 49,10 85 080010-32F 57,20 64 080022-40 63,70 7 080000-22B 41,20 75 080010-39 54,50 256 080023-102 21,90 8 080000-22F 41,20 64 080010-40 63,50 63 080023-122 25,30 8 080000-29 35,40 256 080010-403 71,50 81 080023-204 36,60 8 080000-30 49,20 62 080010-404 75,30 83 080023-224 42,80 8 080000-303 55,70 80 080010-405 79,90 85 080023-306 50,90 8 080000-304 58,60 82 080010-499 72,20 256 080023-326 62,10 <td>·</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>70</td>	·								70
080000-224 49,20 83 080010-325 73,90 85 080022-22B 51,50 7 080000-225 49,10 85 080010-32F 57,20 64 080022-40 63,70 7 080000-22B 41,20 75 080010-39 54,50 256 080023-102 21,90 8 080000-22F 41,20 64 080010-40 63,50 63 080023-102 25,30 8 080000-29 35,40 256 080010-403 71,50 81 080023-204 36,60 8 080000-30 49,20 62 080010-404 75,30 83 080023-224 42,80 8 080000-303 55,70 80 080010-405 79,90 85 080023-326 62,10 8 080000-304 58,60 82 080010-49 72,20 256 080023-340 66,70 8 080000-32 57,20 62 080012-20B 42,60 75 080037-10 26,20									75
080000-225 49,10 85 080010-32F 57,20 64 080022-40 63,70 7 080000-22B 41,20 75 080010-39 54,50 256 080023-102 21,90 8 080000-22F 41,20 64 080010-40 63,50 63 080023-122 25,30 8 080000-30 49,20 62 080010-404 75,30 81 080023-204 36,60 8 080000-303 55,70 80 08010-404 75,30 85 080023-306 50,90 8 080000-304 58,60 82 080010-409 72,20 256 080023-326 62,10 8 080000-305 62,10 84 080012-20 34,80 70 080023-326 62,10 8 080000-32 57,20 62 080012-20B 42,60 75 0800307-10 26,20 6 080000-323 65,20 81 080012-22B 50,10 75 0800307-12 29,80									70
080000-22B 41,20 75 080010-39 54,50 256 080023-102 21,90 8 080000-22F 41,20 64 080010-40 63,50 63 080023-122 25,30 8 080000-29 35,40 256 080010-403 71,50 81 080023-204 36,60 8 080000-30 49,20 62 080010-404 75,30 83 080023-224 42,80 8 080000-303 55,70 80 080010-405 79,90 85 080023-306 50,90 8 080000-304 58,60 82 080010-49 72,20 256 080023-326 62,10 8 080000-305 62,10 84 080012-20 34,80 70 080023-408 66,70 8 080000-32 57,20 62 080012-20B 42,60 75 0800307-10 26,20 6 080000-324 70,40 83 080012-22 40,60 70 0800307-20 41,10									75
080000-22F 41,20 64 080010-40 63,50 63 080023-122 25,30 8 080000-29 35,40 256 080010-403 71,50 81 080023-204 36,60 8 080000-30 49,20 62 080010-404 75,30 83 080023-224 42,80 8 080000-303 55,70 80 080010-405 79,90 85 080023-306 50,90 8 080000-304 58,60 82 080010-49 72,20 256 080023-326 62,10 8 080000-305 62,10 84 080012-20 34,80 70 080023-408 66,70 8 080000-32 57,20 62 080012-20B 42,60 75 0800307-10 26,20 6 080000-323 65,20 81 080012-22B 50,10 75 0800307-12 29,80 6 080000-325 73,90 85 080012-40 61,50 70 0800307-20 41,10									70
080000-29 35,40 256 080010-403 71,50 81 080023-204 36,60 8 080000-30 49,20 62 080010-404 75,30 83 080023-224 42,80 8 080000-303 55,70 80 080010-405 79,90 85 080023-306 50,90 8 080000-304 58,60 82 080010-49 72,20 256 080023-326 62,10 8 080000-305 62,10 84 080012-20 34,80 70 080023-408 66,70 8 080000-32 57,20 62 080012-20B 42,60 75 0800307-10 26,20 6 080000-323 65,20 81 080012-22 40,60 70 0800307-12 29,80 6 080000-325 73,90 83 080012-22B 50,10 75 0800307-20 41,10 6 080000-325 73,90 85 080013-102 21,90 88 0800307-22 47,80 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>88</td>									88
080000-30 49,20 62 080010-404 75,30 83 080023-224 42,80 8 080000-303 55,70 80 080010-405 79,90 85 080023-306 50,90 8 080000-304 58,60 82 080010-49 72,20 256 080023-326 62,10 8 080000-305 62,10 84 080012-20 34,80 70 080023-408 66,70 8 080000-32 57,20 62 080012-20B 42,60 75 0800307-10 26,20 6 080000-323 65,20 81 080012-22 40,60 70 0800307-12 29,80 6 080000-324 70,40 83 080012-42B 50,10 75 0800307-20 41,10 6 080000-325 73,90 85 080012-40 61,50 70 0800307-22 47,80 6 080000-327 57,20 64 080013-102 21,90 88 0800307-30 57,20									89
080000-303 55,70 80 080010-405 79,90 85 080023-306 50,90 8 080000-304 58,60 82 080010-49 72,20 256 080023-326 62,10 8 080000-305 62,10 84 080012-20 34,80 70 080023-408 66,70 8 080000-32 57,20 62 080012-20B 42,60 75 0800307-10 26,20 6 080000-323 65,20 81 080012-22 40,60 70 0800307-12 29,80 6 080000-324 70,40 83 080012-22B 50,10 75 0800307-20 41,10 6 080000-325 73,90 85 080012-40 61,50 70 0800307-22 47,80 6 080000-32F 57,20 64 080013-102 21,90 88 0800307-30 57,20 6 080000-39 49,20 256 080013-22 25,30 89 0800307-32 67,80			256						88
080000-304 58,60 82 080010-49 72,20 256 080023-326 62,10 8 080000-305 62,10 84 080012-20 34,80 70 080023-408 66,70 8 080000-32 57,20 62 080012-20B 42,60 75 0800307-10 26,20 6 080000-323 65,20 81 080012-22 40,60 70 0800307-12 29,80 6 080000-324 70,40 83 080012-22B 50,10 75 0800307-20 41,10 6 080000-325 73,90 85 080012-40 61,50 70 0800307-22 47,80 6 080000-32F 57,20 64 080013-102 21,90 88 0800307-30 57,20 6 080000-39 49,20 256 080013-122 25,30 89 0800307-32 67,80 6 080000-40 63,50 62 080013-204 36,60 88 0800327-20 40,50	080000-30			-	75,30		080023-224	42,80	89
080000-305 62,10 84 080012-20 34,80 70 080023-408 66,70 8 080000-32 57,20 62 080012-20B 42,60 75 0800307-10 26,20 6 080000-323 65,20 81 080012-22 40,60 70 0800307-12 29,80 6 080000-324 70,40 83 080012-22B 50,10 75 0800307-20 41,10 6 080000-325 73,90 85 080012-40 61,50 70 0800307-22 47,80 6 080000-32F 57,20 64 080013-102 21,90 88 0800307-30 57,20 6 080000-39 49,20 256 080013-122 25,30 89 0800307-32 67,80 6 080000-40 63,50 62 080013-204 36,60 88 080037-40 72,00 6 080000-403 71,50 81 080013-306 50,90 88 0800327-20 40,50	080000-303		80	080010-405		85	080023-306		88
080000-32 57,20 62 080012-20B 42,60 75 0800307-10 26,20 6 080000-323 65,20 81 080012-22 40,60 70 0800307-12 29,80 6 080000-324 70,40 83 080012-22B 50,10 75 0800307-20 41,10 6 080000-325 73,90 85 080012-40 61,50 70 0800307-22 47,80 6 080000-32F 57,20 64 080013-102 21,90 88 0800307-30 57,20 6 080000-39 49,20 256 080013-122 25,30 89 0800307-32 67,80 6 080000-40 63,50 62 080013-204 36,60 88 080037-40 72,00 6 080000-403 71,50 81 080013-224 42,80 89 0800327-20 40,50 7 080000-404 75,30 83 080013-326 50,90 88 0800327-40 72,10	080000-304	58,60	82	080010-49	72,20	256	080023-326	62,10	89
080000-323 65,20 81 080012-22 40,60 70 0800307-12 29,80 6 080000-324 70,40 83 080012-22B 50,10 75 0800307-20 41,10 6 080000-325 73,90 85 080012-40 61,50 70 0800307-22 47,80 6 080000-32F 57,20 64 080013-102 21,90 88 0800307-30 57,20 6 080000-39 49,20 256 080013-122 25,30 89 0800307-32 67,80 6 080000-40 63,50 62 080013-204 36,60 88 0800307-40 72,00 6 080000-403 71,50 81 080013-224 42,80 89 0800327-20 40,50 7 080000-404 75,30 83 080013-306 50,90 88 0800327-22 48,00 7 080000-405 79,90 85 080013-326 62,10 89 0800327-40 72,10 <td>080000-305</td> <td>62,10</td> <td>84</td> <td>080012-20</td> <td>34,80</td> <td>70</td> <td>080023-408</td> <td>66,70</td> <td>89</td>	080000-305	62,10	84	080012-20	34,80	70	080023-408	66,70	89
080000-324 70,40 83 080012-22B 50,10 75 0800307-20 41,10 6 080000-325 73,90 85 080012-40 61,50 70 0800307-22 47,80 6 080000-32F 57,20 64 080013-102 21,90 88 0800307-30 57,20 6 080000-39 49,20 256 080013-122 25,30 89 0800307-32 67,80 6 080000-40 63,50 62 080013-204 36,60 88 0800307-40 72,00 6 080000-403 71,50 81 080013-224 42,80 89 0800327-20 40,50 7 080000-404 75,30 83 080013-306 50,90 88 0800327-22 48,00 7 080000-405 79,90 85 080013-326 62,10 89 0800327-40 72,10 7	080000-32		62	080012-20B	42,60	75	0800307-10	26,20	66
080000-325 73,90 85 080012-40 61,50 70 0800307-22 47,80 66 080000-32F 57,20 64 080013-102 21,90 88 0800307-30 57,20 66 080000-39 49,20 256 080013-122 25,30 89 0800307-32 67,80 66 080000-40 63,50 62 080013-204 36,60 88 0800307-40 72,00 66 080000-403 71,50 81 080013-224 42,80 89 0800327-20 40,50 7 080000-404 75,30 83 080013-306 50,90 88 0800327-22 48,00 7 080000-405 79,90 85 080013-326 62,10 89 0800327-40 72,10 7	080000-323	65,20	81	080012-22	40,60	70	0800307-12	29,80	67
080000-32F 57,20 64 080013-102 21,90 88 0800307-30 57,20 6 080000-39 49,20 256 080013-122 25,30 89 0800307-32 67,80 6 080000-40 63,50 62 080013-204 36,60 88 0800307-40 72,00 6 080000-403 71,50 81 080013-224 42,80 89 0800327-20 40,50 7 080000-404 75,30 83 080013-306 50,90 88 0800327-22 48,00 7 080000-405 79,90 85 080013-326 62,10 89 0800327-40 72,10 7	080000-324	70,40	83	080012-22B	50,10		0800307-20	41,10	66
080000-39 49,20 256 080013-122 25,30 89 0800307-32 67,80 66 080000-40 63,50 62 080013-204 36,60 88 0800307-40 72,00 66 080000-403 71,50 81 080013-224 42,80 89 0800327-20 40,50 7 080000-404 75,30 83 080013-306 50,90 88 0800327-22 48,00 7 080000-405 79,90 85 080013-326 62,10 89 0800327-40 72,10 7	080000-325	73,90	85	080012-40	61,50	70	0800307-22	47,80	67
080000-40 63,50 62 080013-204 36,60 88 0800307-40 72,00 66 080000-403 71,50 81 080013-224 42,80 89 0800327-20 40,50 7 080000-404 75,30 83 080013-306 50,90 88 0800327-22 48,00 7 080000-405 79,90 85 080013-326 62,10 89 0800327-40 72,10 7	080000-32F	57,20	64	080013-102	21,90	88	0800307-30	57,20	66
080000-403 71,50 81 080013-224 42,80 89 0800327-20 40,50 7 080000-404 75,30 83 080013-306 50,90 88 0800327-22 48,00 7 080000-405 79,90 85 080013-326 62,10 89 0800327-40 72,10 7	080000-39	49,20	256	080013-122	25,30	89	0800307-32	67,80	67
080000-404 75,30 83 080013-306 50,90 88 0800327-22 48,00 7 080000-405 79,90 85 080013-326 62,10 89 0800327-40 72,10 7	080000-40	63,50	62	080013-204	36,60	88	0800307-40	72,00	67
080000-405 79,90 85 080013-326 62,10 89 0800327-40 72,10 7	080000-403	71,50	81	080013-224	42,80	89	0800327-20	40,50	70
	080000-404	75,30	83	080013-306	50,90	88	0800327-22	48,00	70
080000-49 63.50 256 080013-408 66.70 89 0800337-102 26.20 9	080000-405	79,90	85	080013-326	62,10	89	0800327-40	72,10	70
200000	080000-49	63,50	256	080013-408	66,70	89	0800337-102	26,20	90

Order no.	Weight	Page
0800337-122	29,80	91
0800337-204	40,50	90
0800337-224	48,00	91
0800337-306	57,20	90
0800337-326	67,80	91
0800337-408	72,10	91
0800407-10	26,20	66
0800407-10 + 08510	26,20	68
0800407-12	29,80	67
0800407-12 + 08512	29,80	69
0800407-20	41,10	66
0800407-20 + 08520	41,10	68
0800407-22	47,80	67
0800407-22 + 08522	47,80	69
0800407-30	57,20	66
0800407-30 + 08530	57,20	68
0800407-32	67,80	67
0800407-32 + 08532	67,80	69
0800407-40	72,00	67
0800407-40 + 08540	72,00	69
0800427-20	40,50	71
0800427-20 + 08520	40,50	72
0800427-22		71
0800427-22 + 08522	48,00	72
0800427-40	72,10	71
0800427-40 + 08540	72,10	72
0800437-102	$-\frac{26,20}{26,20}$ —	90
0800437-102 + 08510	$-\frac{26,20}{99,99}$ —	92
0800437-122	$-\frac{29,80}{20,00}$ —	91
0800437-122 + 08512	$-\frac{29,80}{40.50}$ —	93
0800437-204	$-\frac{40,50}{40,50}$ —	90 92
0800437-204 + 08520 0800437-224	40,50 48,00	92
0800437-224 + 08522		93
0800437-224 + 08322	<u>48,00</u> 57,20	90
0800437-306 + 08530		92
0800437-326	- 67,20	91
0800437-326 + 08532	- 67,80	93
0800437-408	- 72,10	91
0800437-408 + 08540	- 72,10	93
0800507-10	26,20	66
0800507-10 + 08510	26,20	68
0800507-12	29,80	67
0800507-12 + 08512	29,80	69
0800507-12F	29,80	65
0800507-20	41,10	66
0800507-20 + 08520	41,10	68
0800507-22	47,80	67
0800507-22 + 08522	47,80	69
0800507-22F	47,80	65
0800507-30	57,20	66
0800507-30 + 08530	57,20	68
0800507-32	67,80	67
0800507-32 + 08532	67,80	69
0800507-32F	67,80	65
0800507-40	72,00	67
0800507-40 + 08540	72,00	69
0800527-20	40,50	71
0800527-20 + 08520	40,50	72
0800527-22	48,00	71
0800527-22 + 08522	48,00	72
0800527-40	72,10	71
0800527-40 + 08540	72,10	72
0800537-102	26,20	90
0800537-102 + 08510	26,20	92

Order no.	_Weight_	Page
0800537-122	29,80	91
0800537-122 + 08512	29,80	93
0800537-204	40,50	90
0800537-204 + 08520	40,50	92
0800537-224	48,00	91
0800537-224 + 08522	48,00	93
0800537-306	57,20	90
0800537-306 + 08530	57,20	92
0800537-326	67,80	91
0800537-326 + 08532	67,80	93
0800537-408	72,10	91
0800537-408 + 08540	72,10	93
080090-10	59,46	86
080090-12	59,46	87
080090-20	88,87	86
080090-22	59,58	87
080090-30	59,70	86
080090-32	91,24	87
080090-40	59,82	87
080092-20	59,46	86
080092-22	59,46	86
080092-40	91,57	86
080100-00	37,80	74
080100-02	43,40	74
080110-00	37,80	74
080110-02	43,40	74
080120-00	37,70	74
080120-02	44,60	74
080300-10	22,20	76
080300-12	25,40	76
080300-19	22,20	257
080300-20	36,60	76
080300-22	41,90	76
080300-29	36,60	257
080300-30	50,50	76
080300-32	59,70	76
080300-39	50,50	257
080300-40	64,70	76
080300-49	64,70	257
080310-10		76
080310-12	25,40	76
080310-19	22,20	257
080310-20	36,60	76
080310-22	41,90	76
080310-29	36,60	257
080310-30	50,50	76
080310-32	59,70	76
080310-39	$-\frac{57,70}{50,50}$	257
080310-40	— 64,70 —	76, 126
080310-49	— 64,70 —	257
080320-10	<u> 22,40 </u>	76
080320-10	25,70	76
080320-12	22,40	
080320-19	37,30	257 76
080320-22	$-\frac{42,90}{27,20}$	76
080320-29	$-\frac{37,30}{51.80}$	257
080320-30	51,80	76
080320-32	61,50	76
080320-39	51,80	257
080320-40	68,00	76
080320-49		257
0803307-10	26,70	77
0803307-12	$\frac{30,50}{10,00}$	77
0803307-20	42,90	77
0803307-22	49,30	77

Order no.	Weight	Page
0803307-30	58,10	77
0803307-32	70,30	77
0803307-40	<u>73,40</u>	77
0803407-10	$\frac{26,70}{24,70}$	77
0803407-10 + 08510	$=\frac{26,70}{30.50}$	78
0803407-12 0803407-12 + 08512	$-\frac{30,50}{30,50}$	78
0803407-12 + 08312	42,90	77
0803407-20 + 08520	42,90	78
0803407-22	49,30	77
0803407-22 + 08522	49,30	78
0803407-30	58,10	77
0803407-30 + 08530	58,10	78
0803407-32	70,30	77
0803407-32 + 08532	70,30	78
0803407-40	73,40	77
0803407-40 + 08540	73,40	
0803507-10	$-\frac{26,70}{24,70}$	77
0803507-10 + 08510	26,70	78
0803507-12 0803507-12 + 08512	$-\frac{30,50}{30,50}$	77
0803507-12 + 08312	$-\frac{30,50}{42,90}$	77
0803507-20 + 08520	42,90	78
0803507-22	49,30	77
0803507-22 + 08522	49,30	78
0803507-30	58,10	77
0803507-30 + 08530	58,10	78
0803507-32	70,30	77
0803507-32 + 08532	70,30	78
0803507-40	73,40	77
0803507-40 + 08540	73,40	78
08050-70110	1,14	66, 68, 77, 78, 90, 92, 102, 104, 106, 128, 130, 132, 148, 150, 152
08050-70112	1,36	67, 69, 77, 78, 91, 93, 103, 105, 107, 128, 130, 132, 149, 151, 153
08050-70120	1,81	66, 68, 70, 71, 72, 77, 78, 90, 92, 102, 104, 106, 118, 120, 128, 130, 132, 148, 150, 152
08050-70122	14,25	67, 69, 70, 71, 72, 77, 78, 91, 93, 103, 105, 107, 118, 120, 128, 130, 132, 149, 151, 153
08050-70130	2,49	66, 68, 77, 78, 90, 92, 102, 104, 106, 128, 130, 132, 148, 150, 152
08050-70132	15,15	67, 69, 77, 78, 91, 93, 103, 105, 107, 128, 130, 132, 149, 151, 153
08050-70140	15,15	67, 69, 70, 71, 72, 77, 78, 91, 93, 103, 105, 107, 118, 120, 128, 130, 132, 149, 151, 153

149, 151, 153

Order no.	Weight	Page	Order no.	Weight	Page	Order no.	Weight	Page
080600-20	37,80	74	1040-83	2,28	373	133144-22	91,16	308
080600-22	44,40	74	1050-38	1,86	365, 372	133144-23	99,71	309
080610-20	37,80	74	1050-80	3,47	279, 361, 363,	133144-24	103,17	309
080610-22	44,40	74			364, 369	133144-25	98,01	309
080620-20	38,70	74	1050-811	10,48	372	133144-27	100,69	309
080620-22	45,60	74	1050-82	2,55	373	133144-28	114,93	309
08078-715		95, 155	1050-83	2,47	373	133144-29	112,31	309
08078-716		95, 155	1051-80	4,16	361, 363, 369	133413-20	42,23	307
08500-15	0,010	95	1060-80	5,21	361, 363, 369	133413-210	100,62	307
08500-718R		161	1060-811	9,42	372	133413-22	59,31	306
08500-719R	0,101	161	1060-82	2,96	373	133413-23	61,81	306
08500-731R		164	1060-83	2,99	373	133413-24	105,77	306
08500-738		162	1061-80	6,18	361, 369	133413-25	65,55	307
08500-741		162	1118-00-20	0,100	372, 395	133413-27	82,78	306
08500-7450		165	1124-110	5,28	370	133413-28	59,31	306
-			1125-110		370	-		307
08500-745R		165		6,24		133413-29	67,84	
08500-764SR		162	1128-3399	0,001	384	133944-21	36,35	306
08500-765SR		162	1131-02	0,730	384	133944-22	52,66	306
08500-767R		162	1160-000	69,70	382	133944-23	54,18	306
08500-768R		162	1160-80	2,66	382	133944-24	58,26	306
08500-7721R		163	1161-000	94,89	382	133944-25	59,54	306
08500-7722R		163	1170-00	113,51	383	133944-701	1,50	307
08500-774		163	1170-100	120,07	383	134013-02	17,18	274
08500-7821R		163	1170-200	122,44	383	134013-20	27,37	305
08500-784		163	1170-701	0,340	384	134013-21	32,39	305
08500-7871R		162	1170-80	3,12	382, 383	134013-22	22,65	274, 305
08500-7930R		162	1170-8110	4,64	384	134013-23	27,81	305
08500-7931R		162	1170-82	2,55	384	134013-24	31,14	305
08500-797R		162	1170-83	2,57	384	134013-701	1,75	307
08500-798R		162	1171-00	88,22	382	140000-701	1,20	381, 398, 412
08501-06		97, 157	1180-00	138,54	383	140001-000	62,28	379
08501-0611		97	1180-80	4,01	382, 383	140001-110		380, 398, 412
08501-071		95, 155	1180-8110	5,03	384	140001-130	11,70	380, 398,
08501-40R		164	1180-82	2,88	384		,	412, 430
08501-4101		164	1180-83	2,76	384	140001-580	6,68	380
08501-4102		164	1181-00	105,36	382	140001-80	2,92	380, 398
08501-430		164	12412-311	30,01	416	140001-811	3,29	381
08501-55		164	12423-311	40,07	416	140002-000	58,32	379
08502-0611		97	12423-321	45,76	417	140002-000		380, 398, 412
08504-10	2,70	94, 154	12434-311	50,31	416	140002-110	11,25	380, 398,
08504-10	$\frac{2,70}{3,00}$ -	94, 154	12434-311	57,90	417	140002-130	11,25	412
08504-12	3,60		12736-322	88,99	417	140002 500	<u></u>	380
		94, 154				140002-580	5,58	
08504-22	4,10	94, 154	12912-312	44,71	416	140002-80	$\frac{4,77}{2,00}$	380, 398
08504-30	4,80	94, 154	12923-312	59,58	416	140002-811	2,92	381
08504-32	6,60	94, 154	12923-322	70,27	417	140003-000	51,57	379
08504-40	6,60	94, 154	12934-312	74,73	416	140003-110		380, 412
08505-02		95	12934-322	88,98	417	140003-130	7,28	380, 412, 430
08511-00		164	12936-323	114,59	417	140003-580	4,39	380
08511-20		165	130013-81	1,57	307	140003-80	2,54	380
08511-21		165	130044-81	3,52	307	140003-811	2,73	381
08511-22		165	130076-5713	2,80	310	140003-88	3,22	381
	1		130276-61	198,85	310	140011-000	61,35	379
1000-53	0,283	391	130276-613	97,06	311	140012-000	52,12	379
1000-841	0,131	372	130276-62	197,10	310	140013-000	43,92	379
1000-842	0,190	372	130276-63	231,15	310	140031-000	52,01	378
1034-80	1,98	360, 362	130276-64	235,87	310	140032-000	47,96	378
1035-80	2,29	360, 362	130276-65	173,49	310	140033-000	40,05	378
1036-80	2,54	360, 362	130276-66	180,92	310	140052-000	37,75	378
1037-80	3,12	360, 362	130276-67	194,96	310	140053-000	31,76	378
1040-38	1,48	365, 372	130276-68	196,61	310	141000-701	7,42	377, 398
1040-49	3,13	372	133113-20	51,51	308	141001-000	100,98	376
1040-80	2,93	361, 363,	133113-21	69,49	308	141001-710	100,70	376
10 10 00	2,70	364, 369	133113-22	75,52	308	141001-710		376
1040-811	9,59		133113-22	79,27			O1 41	376
		372			308	141002-000	91,41	
1040-82	2,36	373	133144-20	62,01	309	141002-710		376

Order no.	Weight	Page
141002-750	_vveigiit	376
141003-000	79,05	376
141003-710		376
141003-750		376
141010-701	6,83	377, 398
141011-000	91,66	376
141011-710		376
141011-750		376
141012-000	55,83	376
141012-710		376
141012-750		376
141013-000	50,55	376
141013-710		376
141013-750	· -	376
141030-701	5,28	377, 398
141031-000	55,29	376
141031-710		376
141031-750		376
141032-000	51,24 _	376
141032-710 141032-750		376
141032-750	43,32	376
141033-000	43,32	376
141033-710		376
141050-701	3,55	377, 398
141051-000	60,87	376
141051-710		376
141051-750		376
141052-000	40,71	376
141052-710		376
141052-750		376
141053-000	35,11	376
141053-710		376
141053-750	. ——— —	376
142001-000	101,46	397
142001-710		397
142002-000	91,02	397
142002-710		397
142011-000	65,49	397
142011-710		397
142012-000	56,11 _	397
142012-710		397
142031-000	56,13	396
142031-710		396
142032-000 142032-710	69,03 _	396 396
142051-000	62,65	396
142051-710	. 02,03 _	396
142052-000	44,58	396
142052-710	- 11,00	396
143001-000	77,49	409
143001-716		409
143001-80	4,18	412
143001-811	· <u></u> -	412
143002-000	55,70	409
143002-80	0,025	412
143002-811	2,72	412
143003-000	61,94	409
143003-80	2,77	412
143003-811	2,41	412
143003-88	3,09	412
143011-000	78,02	411
143011-716		411
143012-000	50,85	411
143013-000	69,82	411

Order no.	Weight	Page
143031-000	61,80	411
143031-716		411
143032-000	58,23	411
143033-000	63,74	411
143051-000	51,88	410
143051-716		410
143052-000	51,31	410
143053-000	47,51	410
146000-703		431
146000-704 146000-705		431
146000-705	1,35	430
146000-707	0,130	430
146000-740	0,500	430
146000-750	0,500	430
146021-413	130,93	420
146023-412	99,46	420
146023-422	111,28	421
146023-623	150,80	421
146041-313	104,39	420
146043-312	83,70	420
146043-322	92,67	421
146200-700	3,18	431
146200-701	3,57	431
146200-702	4,22	431
146200-710	0,101	431
146223-412	100,79	423
146223-422	117,00	425
146223-623	146,49	426
146223-624	154,57	428
146223-800	197,69	428
146223-824	179,66	427
146224-301	79,13	422
146224-321	99,85	425
146224-322	99,45	425
146224-622	123,31	426
146225-411 146225-421	<u>77,79</u> —	422
146225-822	<u>79,02</u>	424
146243-312	88,90	423
146243-322	101,06	425
146243-600	161,64	428
146243-624	148,11	427
146245-311	61,96	422
146245-321	66,49	424
146245-622	103,16	426
146273-212	61,74	423
146273-222	69,78	425
146273-323	83,88	426
146273-324	88,69	428
146273-424	101,23	426
146274-322	70,72	426
146275-211	43,56	422
146275-221	46,59	424
146275-422	71,64	426
148436-00L	121,14	470
148436-00R	121,14	470
148436-130		470
148436-701	0,258	471
148436-704	2,96	471
148436-708	0,300	471
148436-709	0,300	471
148436-710 148466-00L	O/ 11	470 470
148466-00L	94,11 — 94,11	470
TROTOG OUIN	74,11	410

Order no.		Weight	Page
148466-710	2		470
2016-000		9,94	317, 390
2016-110		5,74	370
2017-000		12,42	317, 390
2017-110		6,49	370
2018-000		13,25	317, 391
2019-000		16,56	317, 391
2025-02		0,028	418, 430
2025-021		0,028	395
2025-026		0,001	395
2025-03		0,028	395
2025-031		0,001	395
2026-00		3,83	393
2027-00		4,81	267, 363, 371, 393, 395
2028-00		5,07	267, 363, 371, 395
2029-00		6,04	393, 395
2030-00		6,30	395
2031-00		5,07	393
2032-00		5,00	267
2033-00		11,55	267
2034-00		5,72	267
2040-00		73,49	388
2040-200		82,50	388
2040-80		3,61	394
2044-00		17,39	316, 390
2045-00		26,42	390
2045-09		26,97	316
2046-00		47,63	390
2046-055		42,92	322
2046-09		46,07	318
2046-1200		47,63	392
2047-055		50,20	323
2047-09		50,13	319
2047-1200		57,48	392
2048-1200		71,45	392
2049-00		75,81	314
2049-055		91,58	320
2049-80		4,15	314, 318, 320, 322
2050 00		02.02	
2050-00		83,02	388
2050-200		92,38	388
2050-60		82,73	389
2050-80		4,39	394
2050-82 2050-83		2,88	394
		2,90 30,66	
2054-00 2055-00		30,66 44,47	316, 390
2055-00 2055-09		44,47 45,07	390
2056-09			390
2056-00 2056-055		52,35 47,33	390
2056-055 2056-09		41,33 50,48	318
2056-092			318
2056-092 2056-1200		51,03 52,35	392
2056-1200		52,35 55,61	323
2057-055 2057-09		54,10	319
2057-092		55,15	325
2057-1200		63,41	392
2058-1200		72,16	392
2059-00		84,46	314
2057-00		86.50	324

2059-002

2059-055

86,50

100,23

324

320

2099-90 34, 7 34, 318, 318, 318, 320, 320, 320, 320, 320, 320, 320, 320	Order no.	Weight	Page	Order no.	Weight	Page	Order no.	Weight	Page
2985-802	2059-80	4,97					4500-766		184
2640-00			320, 322				4500-7703R	0,114	185
2006-095	2059-802		324	3200-00L		402	4500-770R		185
2964-09 3-6.43 318 3200-701 1.05 407 4900-7732 0.114	2060-00	99,48	388	3200-00R	55,43	402	4500-7713R		185
2057-0565		50,98	322	-		402		0,114	185
2009-709	2066-09	56,63	318	3200-701	1,05	407	4500-7733	0,114	185
2009-000	2067-055	61,99	323	3200-7021	0,003	407	4500-773R	0,114	185
2049-055	2067-09	62,98	319	3200-7027	0,001	407	4500-775	0,115	185
240-98	2069-00	99,56	314	3200-80	1,98	407	4500-776	0,115	185
140-00	2069-055	115,33	320	3200-82	1,61	407	4500-777	0,115	185
2440-00 95.00 3898 3201-00 66.41 402 4501-020 70.91 2440-80 2.28 3944 3201-801 7.57 407 4501-401 55.90 2140-90 3.59 317,391 3201-802 1.64 407 4502-6010 47.55 2145-00 35.07 3971 3201-802 1.64 407 4502-6010 42.75 2145-00 58.07 3971 3201-808 2.95 407 4502-6010 42.87 2146-00 65.75 3971 3201-808 2.95 407 4502-6010 42.87 2146-00 65.75 3972 3202-80 3.22 407 4502-401 66.55 2146-90 65.46 318 3202-80 3.12 407 4503-000 95.40 2146-90 65.76 3982 3202-80 2.15 407 4503-000 95.41 2147-90 67.94 339 3203-80 83.60 402 4503-000	2069-80	5,97	314, 318,	3200-83	1,62	407	4500-778	0,115	185
240-9100 97,49 389 3201-80 2,42 407 4501-40 55.0			320, 322	3200-88	2,31	407	4501-010	36,90	328
244-90	2140-00	95,10	389	3201-00	66,41	402	4501-020	70,91	328
244-00	2140-100	97,49	389	3201-80	2,62	407	4501-140	55,90	328
2145-00 \$8.07 391 3201-83 1186 407 4502-00 21.24 2145-00 \$8.33 317 3201-88 295 407 4502-100 16.28 2146-00 \$6.575 391 3202-80 75.03 402 4502-140 66.56 2146-09 \$3.14 318 3202-81 818 407 4502-140 66.56 2146-100 \$6.575 392 3202-82 2.13 407 4503-00 93.51 2147-100 \$6.575 392 3202-82 2.13 407 4503-00 133,09 2147-09 \$6.744 319 3203-00 83.60 402 4503-100 97.07 2147-120 \$7.888 392 3203-81 911 407 4503-100 74.65 2148-100 101.12 392 3203-81 911 407 4500-100 79.07 2149-00 9.50 318 3203-83 2.45 407 45100-12 35.78	2140-80	2,28	394	3201-811	7,57	407	4502-010	47,55	328
2145-09 88.34 317 3201-88 295 407 4502-100 82.87 2146-09 65.75 391 3202-80 75.03 402 4502-100 62.88 2146-09 63.46 381 3202-80 3.22 407 4503-100 65.75 2146-1200 65.75 392 3202-82 213 407 4503-000 93.61 2147-095 71.31 323 3202-82 213 407 4503-000 93.61 2147-090 6764 319 3203-30 3.50 402 4503-100 174.65 2147-100 78.68 392 3203-80 3.74 407 4503-100 779.7 2147-100 78.68 392 3203-81 911 407 4503-100 78.40 2147-00 66.10 315 3203-81 91 407 4500-10 3225 2149-05 100.04 321 3203-81 2.41 407 4500-10 3235 </td <td>2144-00</td> <td>36,93</td> <td>317, 391</td> <td>3201-82</td> <td>1,84</td> <td>407</td> <td>4502-020</td> <td>81,66</td> <td>328</td>	2144-00	36,93	317, 391	3201-82	1,84	407	4502-020	81,66	328
2146-005 65,75 391 3020-00 75,03 402 4502-130 102,80 2146-095 64,54 322 302-801 8,18 407 4502-100 65,55 2146-090 63,46 318 3202-811 8,18 407 4503-000 93,61 2146-095 61,71 382 3202-82 2,13 407 4503-000 93,61 2147-090 67,74 319 3203-00 33,40 402 4503-100 99,07 2147-1200 78,88 392 3203-80 3,74 407 4503-100 79,07 2148-1200 101,12 392 3203-81 911 407 4503-140 78,40 2149-005 101,12 392 3203-81 911 407 4503-140 78,40 2149-005 101,12 315,18,18,21 321-00 55,18 405 4500-2 55,78 2149-00 10,14 400 4500-12 55,78 402 4500-2	2145-00	58,07	391	3201-83	1,86	407	4502-070	21,24	329
244-055	2145-09	58,34	317	3201-88	2,95	407	4502-100	82,87	329
244-100	2146-00	65,75	391	3202-00	75,03	402	4502-130	162,80	329
2144-1200 66,75 392 3902-82 213 407 4503-020 93,51 2147-055 71,31 323 3202-83 2,15 407 4503-070 133,09 2147-090 6794 319 3203-00 8,8,60 402 4503-100 99,07 2147-100 78,68 392 3203-81 9,11 407 4503-130 114,65 2149-00 96,10 315 3203-81 9,11 407 4503-140 78,40 2149-05 109,04 321 3203-83 2,45 407 45100-12 35,78 2149-05 109,04 321 3203-83 2,45 407 45100-12 35,78 2149-05 109,04 321 321-00 62,54 405 45100-22 64,85 17 2150-00 110,04 399 3212-100 1,34 404 45100-22 85,36 2150-00 109,73 389 3212-100 9,45 404 4510-14	2146-055	64,54	322	3202-80	3,22	407	4502-140	66,55	328
244-100	2146-09		318	3202-811		407	4503-010	59,40	328
2447-055 71,31 323 3202-83 2,15 407 4503-070 133,09 2447-1200 78,68 392 3203-80 3,94 407 4503-100 99,07 2447-1200 101,12 392 3203-80 3,94 407 4503-130 774,65 2449-00 96,10 315 3203-81 9,11 407 4503-140 78,40 2449-005 190,04 321 3203-83 2,45 407 4500-10 35,78 2449-80 2,40 315,318,311 3210-00 55,16 405 45100-2 58,85 1 2150-00 10,04 389 3212-1000 7,94 404 45100-2 60,42 17 2150-00 10,077 389 3212-1000 9,45 404 45100-30 75,14 2150-00 10,77 389 3212-100 11,34 404 4510-10 34,21 2150-00 10,73 389 3212-100 49,86	2146-1200		392	3202-82		407	4503-020	93,51	328
2447-1200 78,68 392 3203-80 3,94 407 4503-130 174,65 2148-1200 101,12 392 3203-811 9,11 407 4503-140 76,40 2149-00 96,10 315 3203-82 2,42 407 45100-10 32,35 2149-80 2,40 315,318,321 321-00 55,15 405 45100-20 56,85 17 2149-80 2,40 315,318,321 321-00 62,54 405 45100-22 60,42 17 2150-00 110,04 389 3212-1000 9,45 404 45100-32 85,36 2150-100 199,73 389 3212-100 11,34 404 45100-32 85,36 2150-40 110,77 389 3213-100 69,05 405 4510-10 34,21 2150-82 2,35 394 3222-00 45,73 404 4510-12 40,44 2150-82 2,36 394 3222-00 45,73	2147-055	71,31	323	3202-83	2,15	407	4503-070	133,09	329
248-1200 101.12 392 3203-811 9.11 407 4503-140 78.40 1249-00 66.10 315 3203-82 2.42 407 45100-10 32.35 32149-85 109.04 321 3203-83 2.45 407 45100-12 35.78 32149-80 2.40 315,318,321, 3211-00 55.15 405 45100-20 54.85 17 3212-00 62.54 405 45100-20 56.85 17 3212-000 62.54 405 45100-20 60.42 17 3212-000 62.54 405 45100-30 75.14 41505-10 100.04 3899 3212-1000 9.45 404 45100-30 75.14 41505-10 100.04 3899 3212-1000 9.45 404 45100-40 98.20 45105-60 100.77 389 3213-00 69.05 405 45101-10 34.21 40.64 45100-40 39.20 40.64 45100-40 40.64 45100-40 40.64 45105-80 40.64 40.64 40.64 40.64 40.64 40.64 40.64 40.64 40.64 40.64 40.64 40.64 40.64 40.64 40.64 40.64 40.64 40.64 40.65 40.64 40.65 40.64 40.65 40.64 40.65 40.64 40.65 40.64 40.65 40.64 40.65 40.64 40.65 40.64 40.65 40.64 40.65 40.64 40.65	2147-09		319	3203-00		402	4503-100	99,07	329
249-00 96.10 315 3203-82 2.42 407 45100-10 32.35 2149-055 109.04 321 3203-83 2.45 407 45100-12 35.78 32149-80 2.40 315, 318, 21, 321-00 55.15 405 45100-20 54.85 17 3212-000 62.54 405 45100-30 75.14 315, 318, 321-300 7.09 404 45100-30 75.14 315, 318, 321-300 7.09 404 45100-30 75.14 315, 318, 321-300 7.09 404 45100-30 75.14 405, 305, 305, 305, 305, 305, 305, 305, 3	2147-1200	78,68	392	3203-80	3,94	407	4503-130	174,65	329
2449-055 109,04 321 3203-83 2.45 407 45100-12 35.78 1498-00 2.40 3518,321 3211-00 55.15 405 45100-20 54.85 17 17 17 18 18 18 18 18	2148-1200	101,12	392	3203-811	9,11	407	4503-140	78,40	328
2149-80 2,40 315, 318, 321, 321 3211-00 65,15 405 4500-20 64,85 17 2150-00 10,04 389 3212-000 7,99 404 45100-32 85,36 2150-100 110,04 389 3212-1000 9,45 404 45100-32 85,36 2150-100 110,77 389 3212-100 69,05 405 4510-10 34,21 2150-80 3,38 394 3212-00 49,86 404 45101-10 34,21 2150-80 3,38 394 3221-00 49,86 404 45101-12 40,64 2150-83 2,27 394 3222-00 65,70 404 45101-22 69,16 2156-00 39,78 317,391 3231-00 42,93 404 45101-32 89,94 2156-00 37,55 391 3232-00 56,23 405 4510-40 105,44 2156-00 75,35 391 3241-00 40,81 400	2149-00	96,10	315	3203-82	2,42	407	45100-10	32,35	172
240-80	2149-055	109,04	321	3203-83	2,45	407	45100-12	35,78	172
Size	2149-80	2,40	315, 318, 321,	3211-00	55,15	405	45100-20		172, 183
150-00 110,04 389 3212-1000 7,09 404 45100-30 75,14 2150-100 109,73 389 3212-1000 11,34 404 45100-40 98,20 2150-60 110,77 389 3212-100 49,86 404 45101-10 34,21 2150-80 3,38 394 3222-00 49,86 404 45101-12 40,64 2150-82 2,35 394 3222-00 55,70 404 45101-12 40,64 2150-83 2,27 394 3222-00 62,93 404 45101-22 69,16 2150-83 2,27 394 3223-00 44,49 405 45101-30 80,71 2155-00 68,73 391 3232-00 50,43 405 45101-30 80,71 2155-09 67,94 317 3233-00 56,23 405 45101-30 39,78 317 3233-00 56,23 405 45101-30 39,66 2156-00 75,35 391 3240-00 40,81 404 45102-10 38,66 2156-09 71,48 322 3240-00 45,67 404 45102-10 38,66 2156-09 70,40 318 3243-00 51,48 404 45102-10 38,66 2156-092 72,94 325 3250-00 36,52 406 45102-20 66,44 2156-092 72,94 326 3250-00 36,52 406 45102-20 66,44 2156-092 77,35 323 325-00 36,52 406 45102-22 66,38 2156-090 73,98 319 3260-00 42,75 406 45102-32 95,77 2157-09 73,98 319 3260-00 77,55 406 45102-32 95,77 2157-09 73,98 319 3260-00 77,55 406 45102-32 95,77 2157-09 73,98 319 3260-000 77,55 406 45102-32 95,77 2157-09 73,98 319 3260-000 77,55 406 45103-12 42,61 21,39 2159-005 10,671 392 3260-000 77,55 406 45103-12 42,61 21,39 2159-00 106,71 392 3260-000 77,55 406 45103-30 32,60 33,14 319 422-25 51,20 37,394 45103-32 50,87 31,21 2159-005 12,02 321 422-25 51,20 37,394 45103-32 51,318 31 422-25 51,20 37,394 45103-32 51,318 31 4500-10 41,48 45100-10 41,48 45100-10 41,48 45100-10 41,48 45100-10 41,48 45100-10 41,48 45100-10 41,48 45100-10 41,48 45100-10 41,48 45100-10 41,48 45100-10 41,48 45100-10 41,48 45100-10 41,48 45100-10 41,48 45100-10 41,48 45100-10 41,				3212-00	62,54	405	45100-22		172, 183
2150-100 109,73 389 3212-1200 11,34 404 4510-40 98,20 2150-60 110,77 389 3213-00 69,05 405 4510-10 34,21 2150-80 3,38 394 322+00 49,86 404 45101-12 40,64 2150-82 2,35 394 3222-00 55,70 404 45101-20 58,56 2150-83 2,27 394 3223-00 62,93 404 45101-20 69,16 2155-00 39,78 317,391 3230-00 50,43 405 45101-30 80,71 2155-00 68,73 391 3232-00 50,43 405 45101-32 99,94 2155-09 67,94 317 3233-00 56,23 405 45101-40 105,64 2156-00 75,35 391 3241-00 40,81 404 45102-10 38,66 2156-055 71,48 322 3242-00 45,67 404 45102-12 40,53 2156-09 70,40 318 3243-00 51,48 404 45102-20 66,44 2156-092 72,94 325 3251-00 36,52 406 45102-20 66,44 2156-092 72,94 325 3251-00 36,52 406 45102-30 92,52 2157-095 73,98 319 3260-001 17,55 406 45102-30 92,52 2157-097 73,98 319 3260-001 17,55 406 45102-30 92,52 2157-097 73,98 319 3260-001 17,55 406 45102-40 121,39 2157-092 79,00 326 3260-008 17,55 406 45103-10 39,34 2157-000 108,08 315 3260-008 17,55 406 45103-20 66,83 2156-000 108,08 315 3260-008 17,55 406 45103-20 66,83 2159-00 108,08 315 3260-008 17,55 406 45103-20 66,83 2159-00 108,08 315 316,318,321 4222-25 12,00 373,394 45103-30 93,12 2159-005 12,02 321 4221-25 0,533 373,394 45103-30 93,12 2159-055 12,02 321 4200-000 4,15 184 45104-20 70,10 2166-055 79,26 322 4000-000 4,15 184 45104-20 70,10 2166-055 79,26 322 4000-000 4,15 184 45104-20 70,10 2166-055 32,48 319 4500-705 1,66 184 45104-20 70,10 2166-055 135,72 321 4500-715 0,450 184 45104-20 70,10 2167-09 33,44 319 4500-705 1,66 184 45104-20 70,10 2167-09 33,44 319 4500-705 1,66 184 45104-20 70,10 2167-09 33,44 319 4500-705 1,66 184				3212-0800	7,09	404	45100-30	75,14	173
2150-100 109,73 389 3212-1200 11,34 404 4510-40 98,20 2150-60 110,77 389 3213-00 69,05 405 4510-10 34,21 42150-80 3,38 394 3221-00 49,86 404 45101-12 40,64 42150-82 2,35 394 3222-00 55,70 404 45101-20 58,56 42150-83 2,27 394 3223-00 62,93 404 45101-20 69,16 42150-00 39,78 317,391 3231-00 44,49 405 45101-30 80,71 42150-00 66,73 391 3232-00 50,43 405 45101-32 99,94 42150-00 75,35 391 3232-00 50,43 405 45101-32 99,94 42150-00 75,35 391 3241-00 40,81 404 45102-10 38,66 42150-09 70,40 318 3243-00 51,48 404 45102-20 66,44 42150-09 70,40 318 3243-00 51,48 404 45102-20 66,44 42150-09 72,94 325 3251-00 36,52 406 45102-20 66,44 42150-09 73,35 323 3252-00 42,75 406 45102-30 92,52 42150-09 73,38 319 3260-001 17,55 406 45102-30 92,52 42157-095 73,98 319 3260-001 17,55 406 45102-30 92,52 42,61 42,61 42,61 42,61 42,61 42,61 42,61 42,61 42,61 42,61 42,61 42,61 42,61 42,61 42,61 42,61 42,61 42,60 43,60 44,	2150-00	110,04	389	3212-1000	9,45	404	45100-32	85,36	173
2150-60 110,77 389 3213-00 69,05 405 45101-10 34,21	2150-100	109,73	389	3212-1200		404	45100-40	98,20	173
2150-80 3,38 394 3221-00 49,86 404 45101-12 40,64 2150-82 2,35 394 3222-00 55,70 404 45101-20 58,56 2150-83 2,27 394 3222-00 62,93 404 45101-22 69,16 2154-00 39,78 317,391 3231-00 44,49 405 45101-30 80,71 2155-00 68,73 391 3232-00 50,43 405 45101-32 99,94 2156-00 67,94 317 3233-00 50,43 405 45101-32 99,94 2156-00 75,35 391 3241-00 40,81 404 45102-12 40,53 2156-09 70,40 318 3243-00 51,48 404 45102-20 66,44 2156-097 72,94 325 3251-00 36,52 406 45102-22 66,38 2157-055 73,35 392 3252-00 42,75 406 45102-22 66	2150-60		389	3213-00	69,05	405	45101-10		174
2150-82 2,35 394 3222-00 55,70 404 45101-20 58,56 2150-83 2,27 394 3223-00 62,93 404 45101-22 69,16 2154-00 39,78 317,391 3231-00 44,49 405 45101-30 80,71 2155-00 68,73 391 3232-00 50,43 405 45101-32 99,94 2155-09 67,94 317 3233-00 56,23 405 45101-40 105,64 2156-00 75,35 391 3241-00 40,81 404 45102-10 38,66 2156-09 70,40 318 3242-00 45,67 404 45102-12 40,53 2156-092 72,74 325 3251-00 36,52 406 45102-20 66,44 2156-1200 75,35 392 3252-00 42,75 406 45102-30 92,52 2157-092 77,35 323 3250-00 48,08 406 45102-32 <t< td=""><td>2150-80</td><td>3,38</td><td>394</td><td>3221-00</td><td></td><td></td><td>45101-12</td><td></td><td>174</td></t<>	2150-80	3,38	394	3221-00			45101-12		174
2150-83	2150-82		394	3222-00		404	45101-20	58,56	174
2154-00 39,78 317, 391 3231-00 44,49 405 45101-30 80,71 2155-00 68,73 391 3232-00 50,43 405 45101-32 99,94 2155-09 67,94 317 3233-00 56,23 405 45101-40 105,64 2156-00 75,35 391 3241-00 40,81 404 45102-10 38,66 2156-09 70,40 318 3243-00 51,48 404 45102-20 66,44 2156-092 72,94 325 3251-00 36,52 406 45102-20 66,44 2156-092 72,94 325 3251-00 36,52 406 45102-20 66,44 2156-090 75,35 392 3251-00 36,52 406 45102-30 92,52 2157-055 77,35 323 3250-00 48,08 406 45102-30 92,57 2157-092 73,98 319 3260-00 17,55 406 45103-10	2150-83		394	3223-00		404	45101-22		174
2155-00 68,73 391 3232-00 50,43 405 45101-32 99,94 2155-09 6794 317 3233-00 56,23 405 45101-40 105,64 2156-00 75,35 391 3241-00 40,81 404 45102-10 38,66 2156-055 71,48 322 3242-00 45,67 404 45102-12 40,53 2156-092 70,40 318 3243-00 51,48 404 45102-20 66,44 2156-092 72,94 325 3251-00 36,52 406 45102-22 66,38 2156-1200 75,35 392 3252-00 42,75 406 45102-30 92,52 2157-055 77,398 319 3260-00L 17,55 406 45102-40 121,39 2157-092 79,00 325 3260-00R 17,55 406 45103-10 39,34 2158-1200 106,71 392 3262-00 20,45 406 45103-12	2154-00		317, 391	3231-00		405			175
2155-09 67,94 317 3233-00 56,23 405 45101-40 105,64 2156-00 75,35 391 3241-00 40,81 404 45102-10 38,66 2156-055 71,48 322 3242-00 45,67 404 45102-12 40,53 2156-09 70,40 318 3249-00 51,48 404 45102-20 66,44 2156-092 72,94 325 3251-00 36,52 406 45102-20 66,38 2156-1200 75,35 392 3252-00 42,75 406 45102-30 92,52 2157-055 77,35 323 3259-00 48,08 406 45102-30 95,77 2157-092 79,00 325 3260-00L 17,55 406 45103-10 39,34 2157-1200 89,54 392 3261-00 20,45 406 45103-12 42,61 2159-00 106,71 392 3262-00 23,52 406 45103-20			391	3232-00		405			175
2156-00 75,35 391 3241-00 40,81 404 45102-10 38,66 2156-055 71,48 322 3242-00 45,67 404 45102-12 40,53 2156-09 70,40 318 3243-00 51,48 404 45102-20 66,44 2156-092 72,94 325 3251-00 36,52 406 45102-20 66,38 2156-1200 75,35 392 3252-00 42,75 406 45102-30 92,52 2157-055 77,35 323 3253-00 48,08 406 45102-32 95,77 2157-09 73,98 319 3260-00L 17,55 406 45102-32 95,77 2157-092 79,00 325 3260-00R 17,55 406 45103-10 39,34 2157-1020 89,54 392 3261-00 20,45 406 45103-12 42,61 2158-1200 106,71 392 3262-00 23,52 406 45103-22			317			405	45101-40	105,64	175
2156-055 71,48 322 3242-00 45,67 404 45102-12 40,53 2156-09 70,40 318 3243-00 51,48 404 45102-20 66,44 2156-092 72,94 325 3251-00 36,52 406 45102-22 66,38 2156-1200 75,35 392 3252-00 42,75 406 45102-30 92,52 2157-055 77,35 323 3253-00 48,08 406 45102-32 95,77 2157-099 73,98 319 3260-00L 17,55 406 45102-30 121,39 2157-1200 89,54 392 3260-00R 17,55 406 45103-10 39,34 2158-1200 106,71 392 3262-00 23,52 406 45103-20 66,83 2159-002 118,07 324 421-25 0,533 373,394 45103-32 105,87 2159-80 2,97 315,318,321 4222-25 1,20 373,394 4			391						176
2156-09 70,40 318 3243-00 51,48 404 45102-20 66,44 2156-092 72,94 325 3251-00 36,52 406 45102-22 66,38 2156-1200 75,35 392 3252-00 42,75 406 45102-30 92,52 2157-055 77,35 323 3253-00 48,08 406 45102-32 95,77 2157-099 73,98 319 3260-00L 17,55 406 45102-40 121,39 2157-092 79,00 325 3260-00R 17,55 406 45103-10 39,34 2157-1200 89,54 392 3261-00 20,45 406 45103-12 42,61 2158-1200 106,71 392 3262-00 23,52 406 45103-20 66,83 2159-00 180,80 315 3263-00 26,01 406 45103-22 73,12 2159-055 121,02 321 4221-25 0,533 373,394 45103-30 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>176</td>									176
2156-092 72,94 325 3251-00 36,52 406 45102-22 66,38 2156-1200 75,35 392 3252-00 42,75 406 45102-30 92,52 2157-055 77,35 323 3253-00 48,08 406 45102-32 95,77 2157-09 73,98 319 3260-00L 17,55 406 45102-40 121,39 2157-092 79,00 325 3260-00R 17,55 406 45103-10 39,34 2157-1200 89,54 392 3261-00 20,45 406 45103-12 42,61 2158-1200 106,71 392 3262-00 23,52 406 45103-22 73,12 2159-00 108,08 315 3263-00 26,01 406 45103-22 73,12 2159-002 118,07 324 4221-25 0,533 373,394 45103-30 93,12 2159-80 2,97 315,318,321, 4221-25 0,533 373,394 <td< td=""><td>2156-09</td><td></td><td></td><td></td><td></td><td>404</td><td>-</td><td>66.44</td><td>176</td></td<>	2156-09					404	-	66.44	176
2156-1200 75,35 392 3252-00 42,75 406 45102-30 92,52 2157-055 77,35 323 3253-00 48,08 406 45102-32 95,77 2157-09 73,98 319 3260-00L 17,55 406 45102-40 121,39 2157-092 79,00 325 3260-00R 17,55 406 45103-10 39,34 2157-1200 89,54 392 3261-00 20,45 406 45103-12 42,61 2158-1200 106,71 392 3262-00 23,52 406 45103-20 66,83 2159-00 108,08 315 3263-00 26,01 406 45103-22 73,12 2159-002 118,07 324 421-25 0,533 373,394 45103-30 93,12 2159-80 2,97 315,318,321 4222-25 1,20 373,394 45103-40 122,19 2159-802 4,22 324 4400-7006 0,200 183									176
2157-055 77,35 323 3253-00 48,08 406 45102-32 95,77 2157-09 73,98 319 3260-00L 17,55 406 45102-40 121,39 2157-092 79,00 325 3260-00R 17,55 406 45103-10 39,34 2157-1200 89,54 392 3261-00 20,45 406 45103-12 42,61 2158-1200 106,71 392 3262-00 23,52 406 45103-20 66,83 2159-00 108,08 315 3263-00 26,01 406 45103-20 66,83 2159-002 118,07 324 4 4 45103-30 93,12 2159-055 121,02 321 4221-25 0,533 373,394 45103-32 105,87 2159-80 2,97 315,318,321,422-25 1,20 373,394 45103-32 105,87 2169-80 4,22 324 4400-7006 0,200 183 45104-10 41,48 <									177
2157-09 73,98 319 3260-00L 17,55 406 45102-40 121,39 2157-092 79,00 325 3260-00R 17,55 406 45103-10 39,34 2157-1200 89,54 392 3261-00 20,45 406 45103-12 42,61 2158-1200 106,71 392 3262-00 23,52 406 45103-20 66,83 2159-00 108,08 315 3263-00 26,01 406 45103-22 73,12 2159-002 118,07 324 421-25 0,533 373,394 45103-30 93,12 2159-80 2,97 315,318,321, 422-25 1,20 373,394 45103-32 105,87 2159-802 4,22 324 4400-7002 0,200 183 45104-10 41,48 2159-802 4,22 324 4400-7006 0,200 183 45104-12 46,96 2160-00 126,66 389 4500-10 4,15 184 4									177
2157-092 79,00 325 3260-00R 17,55 406 45103-10 39,34 2157-1200 89,54 392 3261-00 20,45 406 45103-12 42,61 2158-1200 106,71 392 3262-00 23,52 406 45103-20 66,83 2159-00 108,08 315 3263-00 26,01 406 45103-22 73,12 2159-002 118,07 324 4 4 45103-30 93,12 2159-055 121,02 321 4221-25 0,533 373,394 45103-32 105,87 2159-80 2,97 315,318,321, 4222-25 1,20 373,394 45103-30 122,19 322 4400-7002 0,200 183 45104-10 41,48 2159-802 4,22 324 4400-7006 0,200 183 45104-12 46,96 2160-00 126,66 389 4500-10 4,15 184 45104-20 70,10 2166-09									177
2157-1200 89,54 392 3261-00 20,45 406 45103-12 42,61 2158-1200 106,71 392 3262-00 23,52 406 45103-20 66,83 2159-00 108,08 315 3263-00 26,01 406 45103-22 73,12 2159-002 118,07 324 4 45103-30 93,12 2159-055 121,02 321 4221-25 0,533 373, 394 45103-32 105,87 2159-80 2,97 315, 318, 321, 322 4222-25 1,20 373, 394 45103-40 122,19 322 4400-7002 0,200 183 45104-10 41,48 2159-802 4,22 324 4400-7006 0,200 183 45104-10 41,48 2160-00 126,66 389 4500-10 4,15 184 45104-20 70,10 2166-055 79,26 322 4500-11 184 45104-22 79,86 2167-055 86,52									176
2158-1200 106,71 392 3262-00 23,52 406 45103-20 66,83 2159-00 108,08 315 3263-00 26,01 406 45103-22 73,12 2159-002 118,07 324 4 45103-30 93,12 2159-055 121,02 321 4221-25 0,533 373,394 45103-32 105,87 2159-80 2,97 315,318,321, 322 4222-25 1,20 373,394 45103-40 122,19 2159-802 4,22 324 4400-7002 0,200 183 45104-10 41,48 2160-00 126,66 389 4500-10 4,15 184 45104-20 70,10 2166-055 79,26 322 4500-11 184 45104-22 79,86 2167-055 86,52 323 4500-700 173,175,177, 45104-30 97,58 2167-09 83,14 319 4500-705 1,66 184 45104-40 128,05 2169-00 122,									176
2159-00 108,08 315 3263-00 26,01 406 45103-22 73,12 2159-002 118,07 324 4 4 45103-30 93,12 2159-055 121,02 321 4221-25 0,533 373, 394 45103-32 105,87 2159-80 2,97 315, 318, 321, 322 4222-25 1,20 373, 394 45103-40 122,19 2159-802 4,22 324 4400-7002 0,200 183 45104-10 41,48 2160-00 126,66 389 4500-10 4,15 184 45104-20 70,10 2166-055 79,26 322 4500-11 184 45104-22 79,86 2167-055 86,52 323 173,175,177, 45104-30 97,58 2167-09 83,14 319 4500-705 1,66 184 45104-40 128,05 2169-00 122,78 315 4500-707 0,450 184 45105-10 44,17 2169-055 135,									176
2159-002 118,07 324 4 45103-30 93,12 2159-055 121,02 321 4221-25 0,533 373, 394 45103-32 105,87 2159-80 2,97 315, 318, 321, 322 4222-25 1,20 373, 394 45103-40 122,19 2159-802 4,22 324 4400-7002 0,200 183 45104-10 41,48 2160-00 126,66 389 4500-10 4,15 184 45104-22 70,10 2166-055 79,26 322 4500-11 184 45104-22 79,86 2167-055 86,52 323 173,175,177, 45104-30 97,58 2167-09 83,14 319 4500-705 1,66 184 45104-40 128,05 2169-00 122,78 315 4500-715 0,450 184 45105-10 44,17 2169-080 3,55 315, 318, 321, 4500-760 0,010 184 45105-20 71,88									176
2159-055 121,02 321 4221-25 0,533 373, 394 45103-32 105,87 2159-80 2,97 315, 318, 321, 322 4222-25 1,20 373, 394 45103-40 122,19 322 4400-7002 0,200 183 45104-10 41,48 2159-802 4,22 324 4400-7006 0,200 183 45104-12 46,96 2160-00 126,66 389 4500-10 4,15 184 45104-20 70,10 2166-055 79,26 322 4500-11 184 45104-22 79,86 2166-09 78,18 318 4500-700 173,175,177, 45104-30 97,58 2167-055 86,52 323 179,183 45104-32 112,77 2167-09 83,14 319 4500-705 1,66 184 45104-40 128,05 2169-00 122,78 315 4500-715 0,041 97,157,184 45105-10 44,17 2169-80 3,55				0200 00					177
2159-80 2,97 315, 318, 321, 322 4222-25 4400-7002 1,20 0,200 373, 394 145103-40 45103-40 122,19 41,48 2159-802 4,22 324 4400-7006 0,200 183 45104-12 46,96 2160-00 126,66 389 4500-10 4,15 184 45104-20 70,10 2166-055 79,26 322 4500-11 184 45104-22 79,86 2166-09 78,18 318 4500-700 173,175,177, 45104-30 97,58 2167-055 86,52 323 179,183 45104-32 112,77 2167-09 83,14 319 4500-705 1,66 184 45104-40 128,05 2169-00 122,78 315 4500-707 0,450 184 45105-10 44,17 2169-055 135,72 321 4500-715 0,041 97,157,184 45105-12 45105-12 47,60 2169-80 3,55 315, 318, 321, 4500-760 0,100 184 45105-20 71,88				4221-25		373 394			177
322 4400-7002 0,200 183 45104-10 41,48									177
2159-802 4,22 324 4400-7006 0,200 183 45104-12 46,96 2160-00 126,66 389 4500-10 4,15 184 45104-20 70,10 2166-055 79,26 322 4500-11 184 45104-22 79,86 2166-09 78,18 318 4500-700 173,175,177, 45104-30 97,58 2167-055 86,52 323 179,183 45104-32 112,77 2167-09 83,14 319 4500-705 1,66 184 45104-40 128,05 2169-00 122,78 315 4500-707 0,450 184 45105-10 44,17 2169-055 135,72 321 4500-715 0,041 97,157,184 45105-12 47,60 2169-80 3,55 315,318,321,400 4500-760 0,100 184 45105-20 71,88	2107 00	2,71							178
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2159-802	4 22	324						178
2166-055 79,26 322 4500-11 184 45104-22 79,86 2166-09 78,18 318 4500-700 173, 175, 177, 45104-30 97,58 2167-055 86,52 323 179, 183 45104-32 112,77 2167-09 83,14 319 4500-705 1,66 184 45104-40 128,05 2169-00 122,78 315 4500-707 0,450 184 45105-10 44,17 2169-055 135,72 321 4500-715 0,041 97,157,184 45105-12 47,60 2169-80 3,55 315, 318, 321, 4500-760 0,100 184 45105-20 71,88									178
2166-09 78,18 318 4500-700 173, 175, 177, 179, 183 45104-30 97,58 2167-055 86,52 323 179, 183 45104-32 112,77 2167-09 83,14 319 4500-705 1,66 184 45104-40 128,05 2169-00 122,78 315 4500-707 0,450 184 45105-10 44,17 2169-055 135,72 321 4500-715 0,041 97,157,184 45105-12 47,60 2169-80 3,55 315, 318, 321, 4500-760 0,100 184 45105-20 71,88									178
2167-055 86,52 323 179, 183 45104-32 112,77 2167-09 83,14 319 4500-705 1,66 184 45104-40 128,05 2169-00 122,78 315 4500-707 0,450 184 45105-10 44,17 2169-055 135,72 321 4500-715 0,041 97,157,184 45105-12 47,60 2169-80 3,55 315, 318, 321, 4500-760 0,100 184 45105-20 71,88									179
2167-09 83,14 319 4500-705 1,66 184 45104-40 128,05 2169-00 122,78 315 4500-707 0,450 184 45105-10 44,17 2169-055 135,72 321 4500-715 0,041 97,157,184 45105-12 47,60 2169-80 3,55 315, 318, 321, 4500-760 0,100 184 45105-20 71,88				+500-100					179
2169-00 122,78 315 4500-707 0,450 184 45105-10 44,17 2169-055 135,72 321 4500-715 0,041 97,157,184 45105-12 47,60 2169-80 3,55 315, 318, 321, 4500-760 0,100 184 45105-20 71,88				4500-705	1 4 4				179
2169-055 135,72 321 4500-715 0,041 97,157,184 45105-12 47,60 2169-80 3,55 315,318,321, 4500-760 0,100 184 45105-20 71,88									
2169-80 3,55 315, 318, 321, 4500-760 0,100 184 45105-20 71,88									178
									178
³²² 4500-765 1,41 184 45105-22 83,13	L107-0U	ა,ეე	315, 318, 321, 322						178 178

Ouder	Mainht	Dogo
Order no.	Weight_	Page
45105-30 45105-32	- 98,39	179 179
45105-40	127,69	179
45107-20	127,07	183
45107-22		183
45110-710		172
45110-730		172
45112-710		172
45112-730		172
45120-710		172
45120-730		172
45122-710		172
45122-730		172
45130-710		173
45130-730		173
45132-710		173
45132-730		173
45140-710		173
45140-730		173
45180-122	57,81	180
45180-132	51,48	180
45180-224	99,71	180
45180-234	90,30	180
45180-326	145,76	181
45180-336	126,85	181
45180-438	166,18	181
45181-326	140,16	180
45181-336	118,51	180
45210-710		174
45210-730		174
45212-710		174
45212-730		174
45220-710		174
45220-730		174
45222-710		174
45222-730		174
45230-710		175
45230-730		175
45232-710		175
45232-730		175
45240-710		175
45240-730		175
4531-70	4,64	183
4532-70	3,94	183
4533-70	_ 5,17	183
4534-70	6,39	183
4541-70	_ 3,50	183
45410-710		176
45410-730		176
45412-710		176
45412-730	- 	176
4542-70		183
45420-710		176
45420-730		176
45422-710		176
45422-730	- 4 20	176
4543-70	_ 6,39	183
45430-710		177
45430-730		177
45432-710		177
45432-730		177
45440-710 45440-730		177
45440-730 45610-710		177
45610-710 45610-730		178
45610-730		178

Order no.	_Weight_	Page
45612-710		178
45612-730		178
45620-710		178
45620-730		178
45622-710		178
45622-730		178
45630-710		179
45630-730		179
45632-710		179
45632-730		179
45640-710		179
45640-730		179
46112-21181	143,95	191
46113-2118	<u>144,95</u> _	191
46121-730		191
4800-1210		251
4800-2210		251
4800-7871	0,400	252
48010-1210	45,76	251
48010-2210	80,54	251
480103-10	20,54	202
480103-20	27,97	202
480103-30	38,44	202
480103-40	50,79	202
48020-1204EB	39,13	252
48020-1210	49,04	251
48020-220404EB	68,94	252
48020-2210	87,87	251
480203-10	20,00	202, 203
480203-20	28,09	202
480203-30	39,46	202
480203-40	52,14	202
48060-105	40,81	250
48060-110	50,73	250
48060-205	67,60	250
48060-210	87,59	250
48070-210	40,47	250
48160-105	42,96	250
48160-110	52,88	250
48160-205	69,66	250
48160-210	89,65	250
48170-210	41,28	250
48270-7015	0,500	250
483103-10	21,44	203
483103-20	29,49	203
483103-30	39,57	203
483103-40	52,02	203
483203-20	29,80	203
483203-30	41,60	203
483203-40	54,46	203
4901-0601	0,048	201, 213
4901-0611	0,032	201, 213
4902-0601		201, 213
4902-0611	0,002	201, 213
	5	450
51022-1.1	35,59	452
51022-1.9	28,91	452
51022-2.10		452
5400-760		474
540490-1.1	<u> 62,04</u> –	446
540490-1.10	$\frac{64,44}{40.79}$	446
540490-1.8	<u>69,78</u> _	446
540700-707L	0,500	446
540700-707M	0,500	446
240700-7078	11500	// // 6

Order no.	Weight	
540700-7084	2,00	447
540700-7085 540700-7086	$\frac{2,00}{3,00}$	447
540700-713	0,248	447
540700-715	0,374	447
540700-717	0,334	447
540700-721L	0,250	446
540700-721M	0,250	446
540700-721R	0,250	446
540700-722L	0,250	446
540700-722M	0,250	446
540700-722R	0,250	446
540708-1.1		446
540708-1.10		446
540708-1.8		446
5413-780		474
54780-000	102,66	474
54780-010	79,05	474
54780-150	116,51	474
5722-00	24,47	393
5722-80	2,57	393
5723-00	38,90	393
5723-80	0,013	393
5724-00	53,90	393
5724-80	2,57	393
5725-00	32,04	393
5725-80		393
57700-701	2,26	407
6103-10	6	
6103-10	6 0,001	418, 437
6103-11	6 0,001 0,001	418, 437 418, 430, 437
	6 0,001 0,001 0,001	418, 437
6103-11 6103-12	6 0,001 0,001	418, 437 418, 430, 437 418, 430, 437
6103-11 6103-12 6103-13	6 0,001 0,001 0,001	418, 437 418, 430, 437 418, 430, 437 418, 430, 437
6103-11 6103-12 6103-13 6400-01	6 0,001 0,001 0,001	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423
6103-11 6103-12 6103-13 6400-01 6400-401	6 0,001 0,001 0,001	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420
6103-11 6103-12 6103-13 6400-01 6400-401 6400-402	6 0,001 0,001 0,001	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420
6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410	6 0,001 0,001 0,001	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 422, 424, 426
6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411	6 0,001 0,001 0,001	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 422, 424, 426
6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412	6 0,001 0,001 0,001	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 422, 424, 426 422, 424, 426
6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 6401-000	0,001 0,001 0,001 0,010	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 422, 424, 426 422, 424, 426 431
6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 6402-00 6492-00 6493-10	0,001 0,001 0,001 0,010	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 422, 424, 426 422, 424, 426 431 418
6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 6401-000 6402-00 6492-00 6493-10 6494-10	0,001 0,001 0,001 0,010 0,010	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 422, 424, 426 422, 424, 426 431 418 431
6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 6402-00 6492-00 6493-10	0,001 0,001 0,001 0,010 0,010 3,27 1,03 1,96	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 422, 424, 426 422, 424, 426 431 418 431 431 431
6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6493-10 6494-10 6494-10 6495-10	0,001 0,001 0,010 0,010 0,010 3,27 1,03 1,96 0,739	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 420 422, 424, 426 422, 424, 426 431 418 431 418, 431 418, 431
6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6494-10 6494-10 6496-10	0,001 0,001 0,001 0,010 0,010 3,27 1,03 1,96 0,739 0,741	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 422, 424, 426 422, 424, 426 421, 424, 426 431 418, 431 431 418, 431 431 431 431 431 431
6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6494-10 6494-10 6496-10 6700-01	0,001 0,001 0,010 0,010 0,010 3,27 1,03 1,96 0,739 0,741 0,305	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 422, 424, 426 422, 424, 426 421, 424, 426 431 418, 431 418, 431 418, 431 418, 431 418, 431 418, 431 417, 421, 423
6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6493-10 6494-10 6494-10 6496-10 6700-01 6700-410	0,001 0,001 0,010 0,010 0,010 3,27 1,03 1,96 0,739 0,741 0,305	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 422, 424, 426 422, 424, 426 421, 424, 426 431 418, 431 418, 431 418, 431 418, 431 418, 431 417, 421, 423 426
6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6494-10 6494-10 6496-10 6700-01 6700-412	0,001 0,001 0,010 0,010 0,010 3,27 1,03 1,96 0,739 0,741 0,305	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 422, 424, 426 422, 424, 426 431 418, 431 431 418, 431 418, 431 418, 431 417, 421, 423 426 422, 425, 426
6103-11 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6494-10 6494-10 6496-10 6700-01 6700-412 67011-000	3,27 1,03 0,739 0,776	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 422, 424, 426 422, 424, 426 421, 424, 426 431 418, 431 418, 431 418, 431 418, 431 417, 421, 423 426 422, 425, 426 431
6103-11 6103-12 6103-13 6400-01 6400-401 6400-401 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6493-10 6494-20 6494-10 6700-01 6700-410 6700-412 67011-000 67020-00	0,001 0,001 0,010 0,010 0,010 3,27 1,03 1,96 0,739 0,741 0,305	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 422, 424, 426 422, 424, 426 421, 424, 426 431 418, 431 418, 431 418, 431 417, 421, 423 426 422, 425, 426 431 418
6103-11 6103-12 6103-12 6103-13 6400-01 6400-401 6400-402 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6493-10 6494-20 6494-10 6496-10 6700-01 6700-410 6700-410 6700-00 67020-00 6900-01	3,27 1,03 0,739 0,776	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 422, 424, 426 422, 424, 426 423, 424, 426 431 418, 431 418, 431 417, 421, 423 426 422, 425, 426 431 417, 421, 423 418 417, 421, 423
6103-11 6103-12 6103-12 6103-13 6400-01 6400-401 6400-401 6400-410 6400-411 6400-412 64011-000 6492-00 6492-00 6493-10 6494-10 6496-10 6700-01 6700-410 6700-410 67020-00 6900-01 6900-401	3,27 1,03 0,739 0,776	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420 422, 424, 426 422, 424, 426 423, 424, 426 431 418, 431 418, 431 417, 421, 423 426 421, 425, 426 431 418 417, 421, 423 420, 421
6103-11 6103-12 6103-12 6103-13 6400-01 6400-401 6400-401 6400-410 6400-411 6400-412 64011-000 6492-00 6493-10 6494-20 6494-10 6496-10 6700-01 6700-412 67011-000 67020-00 6900-01 6900-401	3,27 1,03 0,739 0,776	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420, 424, 426 422, 424, 426 423, 424, 426 431 418, 431 418, 431 417, 421, 423 426, 425, 426 431 417, 421, 423 420, 421 420, 421 420, 421
6103-11 6103-12 6103-13 6400-01 6400-401 6400-401 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6493-10 6494-10 6494-20 6496-10 6700-412 67011-000 67020-00 6900-01 6900-402	3,27 1,03 0,739 0,776	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 418, 430, 437 420 420 420 422, 424, 426 422, 424, 426 431 418, 431 418, 431 418, 431 417, 421, 423 426 422, 425, 426 431 417, 421, 423 420, 421 420, 421 420, 421 420, 421 420, 428
6103-11 6103-12 6103-13 6400-01 6400-401 6400-401 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6494-10 6494-10 6496-10 6700-01 6700-412 67011-000 67020-00 6900-01 6900-401	3,27 1,03 0,739 0,776	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420, 424, 426 422, 424, 426 421, 424, 426 431 418, 431 431 418, 431 418, 431 417, 421, 423 426, 425, 426 431 418, 431 417, 421, 423 420, 421 420, 421 420, 421 420, 421
6103-11 6103-12 6103-13 6400-01 6400-401 6400-401 6400-410 6400-411 6400-412 64011-000 64020-00 6492-00 6493-10 6494-10 6494-20 6496-10 6700-412 67011-000 67020-00 6900-01 6900-402	3,27 1,03 0,739 0,776	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420, 424, 426 422, 424, 426 421, 424, 426 431 418, 431 418, 431 418, 431 417, 421, 423 420, 421 420, 421 420, 421 420, 421 420, 421 420, 425 420, 425 420, 425 420, 425 420, 421 420, 425 420, 425 420, 425 420, 425 420, 425 420, 425 420, 425 420, 425 420, 425 420, 425 420, 425 420, 425 420, 425 420, 425 420, 425
6103-11 6103-12 6103-12 6103-13 6400-01 6400-401 6400-401 6400-410 6400-411 6400-412 64011-000 6492-00 6492-00 6494-10 6494-10 6494-10 6700-01 6700-410 6700-410 6700-01 6900-01 6900-401	3,27 1,03 0,739 0,776	418, 437 418, 430, 437 418, 430, 437 418, 430, 437 417, 423 420, 424, 426 422, 424, 426 421, 424, 426 431 418, 431 418, 431 418, 431 417, 421, 423 420, 421 420, 421 420, 421 420, 421 420, 421 420, 421 420, 421 420, 421 420, 421 420, 421 420, 421 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 426 423, 425, 428

0,010

446

Order no.	Weight	Page	Order no.	Weight	Page	Order no.	Weight	Page
7000-20	0,010	436	7825-40	35,07	349	8000-9010	<u>_</u>	225
7000-80		436	7825-41	24,50	349	8050-000	10,29	224
7100-000	96,39	435	7825-42	34,46	349	8050-010	12,98	224
7100-100	74,67	435	7825-43	24,05	349	8050-100	22,97	226
7100-5051	3,10	437	7825-50	38,51	349	8050-110	24,05	226
7100-704	0,114	437	7825-51	27,38	349	8050-200	35,51	227
7100-705	0,161	437	7825-52	37,84	349	8050-210	40,89	227
7100-706	0,280	437	7825-53	26,87	349	8050-7100	2,69	225
7100-709	3,01	437	7825-60	41,96	349	8051-000	13,70	224
7101-000	— 3,01 —	437	7825-61	30,26	349	8051-010	17,62	224
7101-100		435	7825-62	41,23	349	8051-100	26,10	226
	112,48							
7101-200	147,99	435	7825-63	29,71	349	8051-110	30,02	226
7103-000	7,15	436	7830-704	0,052	343, 345, 347, 349	8051-200	44,99	227
7104-000	16,46	436	7000 705			8051-210	52,83	227
7105-000	17,49	436	7830-705	0,052	343, 345,	8051-7100	3,92	225
7106-000	6,00	436			347, 349	8052-000	15,40	224
7200-000	125,62	435	7830-706	0,052	343, 345,	8052-010	24,40	224
7200-100	94,84	435	-		347, 349	8052-100	37,42	226
7200-706	0,445	437	7830-707	0,052	343, 345,	8052-110	42,80	226
7201-000	221,93	435			347, 349	8052-200	63,92	227
7201-100	144,98	435	7840-80	3,43	349	8052-210	74,68	227
7201-200	191,15	435	7842-80	3,41	348	8052-7100	5,38	225
7203-000	8,86	436	7850-80	4,01	349	8060-000	12,80	228
7204-000	22,14	436	7852-80	3,98	348	8060-010	15,50	228
7205-000	26,90	436	7860-80	4,59	349	8060-100	26,24	230
7206-000	7,00	436	7862-80	4,55	348	8060-110	28,93	230
781120-40	76,02	350	78820-40	27,56	344	8060-200	45,28	230
781120-60	98,49	350	78820-41	21,25	344	8060-210	50,67	230
781120-80	98,15	350	78820-42	26,78	344	8060-300	23,87	228
781130-40	82,05	350	78820-43	20,53	344	8060-310	26,56	228
781130-60	<u> </u>	350	78820-50	31,22	344	8060-400	40,54	229
	104,52 -		78820-51				45,93	229
781130-80		350		24,53	344	8060-410		
781140-80	15,87	350	78820-52	30,31	344	8060-7100	2,69	231
781160-80	21,49	350	78820-53	23,68	344	8061-000	18,19	228
781180-80	16,48	350	78820-60	34,87	345	8061-010	22,11	228
781220-40	85,99	350	78820-61	27,81	345	8061-100	38,37	230
781220-60	111,65	350	78820-62	33,83	345	8061-110	42,29	230
781220-80	137,30	350	78820-63	26,83	345	8061-200	65,93	230
781230-40	92,02	350	78825-40	34,80	345	8061-210	73,77	230
781230-60	117,68	350	78825-41	26,36	345	8061-300	34,92	228
781230-80	143,33	350	78825-42	33,85	345	8061-310	38,84	228
781240-80	18,37	350	78825-43	25,49	345	8061-400	58,81	229
781260-80	24,78	350	78825-50	39,41	345	8061-410	66,66	229
781280-80	31,19	350	78825-51	30,41	345	8061-7100	3,92	231
781320-40	102,58	350	78825-52	38,30	345	8062-000	24,07	228
781320-60	133,56	350	78825-53	29,38	345	8062-010	26,76	228
781320-80	164,52	350	78825-60	44,02	345	8062-100	47,17	230
781330-40	108,60	350	78825-61	34,46	345	8062-110	49,87	230
781330-60	139,58	350	78825-62	42,75	345	8062-200	83,42	230
781330-80	170,55	350	78825-63	33,28	345	8062-210	88,81	230
781340-80	22,51	350	78840-80	2,98	345	8062-300	42,92	228
781360-80	30,26	350	78842-80	2,83	344	8062-310	45,62	228
781380-80	38,00	350	78850-80		345	8062-400	74,07	229
			78852-80	3,43				
7820-40	$\frac{29,77}{21.75}$	348		3,38	344	8062-410	79,46	229
7820-41	21,75	348	78860-80	3,99	345	8062-7100	2,70	231
7820-42	29,44	348	78862-80	3,93	344	8070-01	13,41	238
7820-43	21,54	348		8		8070-02	9,50	238
7820-50	32,84	348	8000-001	0,100	201, 240	8070-3720	86,32	210
7820-51	24,44	348	8000-01	0,054	201, 240	8070-3721	96,50	210
7820-52	32,45	348	8000-061	0,127	238	8070-3722	93,81	210
7820-53	24,18	348	8000-063	0,400	238	8070-3723	96,77	210
7820-60	35,91	349	8000-25		238	8070-3730	113,34	210
7820-61	27,13	349	8000-7021		225	8070-3731	127,04	210
7820-62	35,47	349	8000-7035		225	8070-3732	115,95	210
7820-63	26,83	349	8000-718	0,121	201	8070-3733	119,78	210

Order no.	Weight	Page
80700-00	49,94	236
80700-10	27,54	239
80700-20	46,79	239
80700-201	41,35	254
80700-203	35,39	254
80700-221	26,76	254
80700-223	23,18	254
80700-231	19,46	254
80700-233	15,24	254
80700-30	67,58	239
80700-40	85,83	239
8071-01	19,22	238
8071-02	16,28	238
8071-03	53,56	237
80710-00	74,24	236
80720-00	74,98	237
8073-01	19,12	238
8073-02	16,28	238
80730-00	93,35	237
80730-20	140,12	237
8074-00	0,001	238
8077-30	0,100	201, 240
8077-300	0,100	240
8078-2101	1,30	225
8078-2111	1,77	225
8078-4101	2,29	231
8078-4111	3,44	231
8170-111	40,04	255
8170-201	53,87	194
8170-211	73,34	255
8170-301	79,37	194
8170-311	108,42	255
8170-401	99,59	194
8270-172	36,80	210
8270-173	50,44	210
8270-201	53,42	194
8270-202	66,86 75,12	196 196
8270-203 8270-272	64,22	210
8270-273	74,86	210
8270-301	79,26	194
8270-302	93,71	196
8270-303	102,81	196
8270-372	90,49	211
8270-373	99,51	211
8270-401	99,42	194
82700-00	60,55	236
82700-10	38,18	239
82700-20	68,40	239
8271-272	41,33	206
8271-273	57,58	206
8271-372	57,22	206
8271-373	63,62	206
82710-00	95,45	236
8370-201	54,94	194
8370-202	68,77	197
8370-203	75,93	197
8370-301	81,55	194
8370-302	93,87	197
8370-303	107,42	197
8370-401	102,38	194
8370A202	44,90	198
8370A302	75,72	198
8470-172	40,22	208
8470-173	52,14	208

Order no.	Weight	Page
8470-201	62,97	194
8470-202	72,46	196
8470-203	80,50	196
8470-272	70,30	208
8470-273	85,52	208
8470-301	92,43	194
8470-302	102,66	196
8470-303	114,28	196
8470-372	98,72	209
8470-373	120,00	209
8470-401	115,40	194
8470A202	46,02	198
8470A302	80,83	198
8472-272	44,38	207
8472-273	59,79	207
8472-372	69,80	207
8472-373	66,20	207
8500-718	0,062	213
8501-04	0,010	184
8501-04251	0,400	184
8501-0551	0,001	201, 213, 240
8501-06	0,017	201, 213
8501-4651	0,001	165
8504-172	4,27	212
8504-173	4,98	212
8504-201	5,51	195
8504-272	4,82	212
8504-273	7,92	212
8504-301	4,95	195
8504-372	6,38	212
8504-373	7,94	212
8504-401	8,17	195
8505-02	0,084	203
8520-000	42,91	275
8521-000	49,30	275
8521-052	48,96	289
8521-055	51,50	285
8521-0552	54,62	294
8530-000	58,08	275
8531-000	60,76	275
8531-052	59,90	289
8531-055	60,14	285
8531-0552	66,94	294
8550-000	9,63	222
8551-000	13,23	222
8552-000	16,80	222
8570-172	39,42	208
8570-173	11,17	208
8570-201	65,14	194
8570-202	80,42	197
8570-203	88,21	197
8570-272	72,89	208
8570-273	22,20	208
8570-301	96,88	194
8570-302	113,64	197
8570-303	126,67	197
8570-372	98,62	209
8570-373	33,22	209
8570-401	120,76	194
8570-70	0,100	213
	0,101	213
8570-710	0,101	
		213
8570-711		213
8570-710 8570-711 8573-201 8573-272	48,25	

Order no.	Weight	Page
8573-301	74,03	200
8573-372	76,92	207
8573-373	94,20	207
8573-7201 8573-7272		200
8573-7273		212
8573-7301		200
8573-7372		212
8573-7373		212
8670-201	65,04	194
8670-301	100,08	194
8670-401	126,10	194
8721-315	31,07	301
8721-316	30,28	301
8721-7010	0,878	277
8721-713	2,38	277
8721-71656	6,80	277
8721-80	2,78	276
87210-00	30,35	276
8750-00	0,780	277
8751-00	1,00	301
8820-000	37,73	275
8821-000	39,99	275
8821-052	40,79	289
8821-055	43,84	285
8821-0552	44,89	294
8821-315	47,53	301
8821-316	46,16	301
8821-5035	72,12	282
8821-5235	83,94	290
8821-713	4,75	277
88210-00 88210-80	<u>51,03</u> 4,78	276
8830-000	45,12	275
8830-5035	79,54	282
8831-000	51,65	275
8831-052	48,76	289
8831-055	53,37	285
8831-0552	55,31	294
8831-5035	86,59	282
8831-5235	99,29	290
88500-00	1,75	277
8851-00	1,50	301
8900-00	41,60	266
8900-02	33,48	268
8900-052	44,80	288
8900-055	44,68	284
8900-7131	0,001	273, 283, 373
8900-721	0,050	273, 283, 373
8900-7211	0,050	273, 275, 283, 368, 373
8900-723	0,078	273, 283, 373
8900-740	0,071	265
8900-750	0,071	265
8900-80	2,49	266, 268, 284
8900-802	3,64	288
8901-00	46,02	266
8901-02	37,91	268
8901-052	52,05	288
8901-055	48,34	284
8901-315	47,94	300
8901-316	49,73	300
8901-3725	3,37	300
8901-3726	4,23	300
DOM: OA	0.40	0// 0/0 004

266, 268, 284

Order no.	Weight	Page	Order no.	Weight	Page	Order no.	Weight	Page
8901-802	4,49	288	8921-055E1	78,23	298	8924-0552	95,62	292
8910-00	49,51	266	8921-055E3	92,02	298	8924-80	4,83	267, 269, 285
8910-02	37,19	268	8921-05E1	70,06	298	8924-802	5,33	289
8910-055	55,74	284	8921-05E3	83,74	298	8930-00	71,78	267
8910-80		266, 268, 284	8921-301	139,04	272	8930-02	54,98	269
8911-00	56,73	266	8921-302	187,59	273	8930-052	72,32	289
8911-02		268	8921-303	184,08	273	8930-055	82,65	285
	44,41							
8911-055	62,96	284	8921-3041	100,15	270	8930-0552	84,65	293
8911-80		266, 268, 284	8921-3042	95,68	270	8930-503	77,83	280
8920-00	57,57	266	8921-305	116,67	271	8930-5030	73,64	281
8920-02	43,54	268	8921-306	121,19	272	8930-5713	2,50	283, 295
8920-052	58,28	288	8921-311	72,16	278	8930-5718	5,48	283, 295
8920-055	64,75	284	8921-313	73,52	278	8930-701	0,130	283, 295
8920-0552	66,75	292	8921-315	72,65	300	8930-80	4,23	267, 269, 279,
8920-313	65,36	278	8921-316	75,97	300			280, 281, 285
8920-314	68,05	278	8921-3707	1,86	270, 272,	8930-802	4,73	289
8920-3707	1,44	279			278, 279	8931-00	81,86	267
8920-59101	0,240	304	8921-3713	1,10	271, 272	8931-02	65,06	269
8920-59104		304	8921-3716	2,28	271, 272	8931-052	82,40	289
8920-59105	0,005	304	8921-3722	18,00	270, 272	8931-055	92,73	285
8920-59153	35,40	304	8921-3723	13,54	270, 272	8931-0552	94,72	293
8920-59155	35,40	304	8921-3725	5,41	300	8931-301	163,42	273
8920-59201	0,456	304	8921-3726	7,27	300	8931-302	218,01	273
8920-59204	0,430	304	8921-503	95,65	280	8931-303	213,83	273
						8931-3041	118,03	271
8920-59205	0,010	304	8921-5030	91,60	281			
8920-59253	4,80	304	8921-523	110,80	290	8931-3042	112,30	270
8920-59255	4,80	304	8921-5230	106,27	291	8931-305	136,41	271
8920-59301	0,957	304	8921-553	102,54	286	8931-306	140,91	272
8920-59304	0,050	304	8921-5530	98,51	287	8931-311	86,47	278
8920-59305		304	8921-55302	114,55	292	8931-3707	2,36	270, 272,
8920-59353	6,20	304	8921-5532	119,08	293			278
8920-59355	6,20	304	8921-5702	31,97	299	8931-3713	1,60	271, 272
8920-59401	2,04	304	8921-5713	2,80	283, 291,	8931-3716	2,85	271, 272
8920-59402	0,010	304			295, 299	8931-3722	20,87	270, 272
8920-59404	0,060	304	8921-5718	4,78	283, 291,	8931-3723	15,24	270, 272
8920-59405	0,018	304			295, 299	8931-501	225,94	311
8920-59453	5,90	304	8921-700	0,083	271, 273	8931-502	198,44	311
8920-59455	5,90	304	8921-701	1,00	283, 290,	8931-503	113,66	280
8920-59501	2,04	304		,	295, 299	8931-5030	108,43	281
8920-59502	0,010	304	8921-703	1,00	299	8931-523	131,27	290
8920-59504	0,020	304	8921-80	4,07	267, 269, 278,	8931-5230	125,54	291
8920-59505	0,025	304	0721 00	4,01	279, 280, 281,	8931-553	124,51	286
8920-59553	7,90				285, 287, 298	8931-5530	119,28	287
8920-59555	7,90	304	8921-802	4,57	288, 291	8931-55302	137,69	292
-		304				-		
8920-59601	4,36	304	8921-80E1	7,89	299	8931-5532	143,42	293
8920-59604	0,034	304	8922-00	75,19	267	8931-5713	2,80	283, 291, 295, 310
8920-59605	0,030	304	8922-02	61,16	269			
8920-59606	0,600_	304	8922-052	75,90	289	8931-5718	6,43	283, 291, 295
8920-59653	9,20	304	8922-055	82,37	285	8931-700		271, 273
8920-59655	9,20	304	8922-0552	83,55	292	8931-701	1,00	283, 290, 295
8920-59701	6,42	304	8922-503	104,44	280	8931-80	5,27	267, 269, 279,
8920-59702	0,020	304	8922-5030	99,63	281			280, 281,
8920-59704	0,034	304	8922-523	119,95	290			285, 287
8920-59705	0,030	304	8922-5230	114,64	291	8931-802	5,77	289, 291
8920-59706	0,600	304	8922-553	111,64	286	8932-00	89,31	267
8920-59753	8,88	304	8922-5530	106,83	287	8932-02	72,51	269
8920-59755	8,88	304	8922-55302	122,11	292	8932-052	89,85	289
8920-80	2,92	266, 268,	8922-5532	127,42	293	8932-055	100,18	285
.	-,· -	278, 284	8922-80	4,83	267, 269, 280,	8932-0552	102,18	293
8920-802	3,42	288	3722 00	7,00	281, 285, 287	8932-503	122,35	280
8921-00	67,40	267	8922-802	5,33	289, 291	8932-5030	116,31	281
			8924-00	<u>5,33</u> 82,58		8932-523	140,06	290
8921-02	53,37	269	8924-00 8924-02	73,23	267 269	8932-5230	133,42	290
					260	A 4 4 7 - 5 7 4 1 1	133/12	291
8921-052	68,11	288						
8921-052 8921-055 8921-0552	68,11 74,58 76,58	285 292	8924-052 8924-055	87,96 94,44	289	8932-553 8932-5530	133,31	286

Order no.	Weight	Page
8932-55302	145,58	292
8932-5532	152,22	293
8932-80	6,18	267, 269, 280,
0702 00	0,10	281, 285, 287
8932-802	6,68	289, 291
8934-00	110,34	267
8934-02	88,63	269
8934-052	113,22	289
8934-055	121,56	285
8934-0552	125,56	293
8934-80	8,32	267, 269, 285
8934-802	9,32	289
9	,,02	207
9134-000	31,09	362
9135-000	27,37	362
9136-000	37,11	362
9137-000	44,89	362
9160-000	43,46	363
9160-410	60,11	367
9160-600	45,91	367
9164-000	13,51	368
9165-000	20,01	369
9166-1200	29,65	370
9167-1200	35,81	371
9180-000	50,85	363
9184-000	16,38	368
9185-000	23,91	369
9186-1200	35,16	370
9187-1200	43,71	371
9190-000	58,36	363
9234-000	38,44	360
9235-000	45,35	360
9236-000	49,42	360
9237-000	57,20	360
9260-000	57,48	361
9260-100	65,25	364
9260-30	60,59	365, 372
9260-410	74,13	366
9260-600	59,93	366
9264-000	17,43	274
9265-000	26,39	369
9265-009	26,36	274
9266-1200	39,45	370
9267-1200	47,41	371
9280-000	64,87	361
9280-088	56,49	365
9280-100	71,58	364
9280-30	67,21	365, 372
9284-000	20,30	274
9285-000	30,30	369
9285-009	30,88	274
9286-1200	42,49	370
9287-1200	55,31	371
9290-000	72,38	361
9294-000	27,52	274
9295-000	32,29	369
9295-009	32,95	274
9360-000	54,90	363
9360-80	4,24	361, 363, 369
9360-811	7,10	372
9364-000	16,74	368
9365-000	25,01	369
9366-1200	38,25	370
9367-1200	45,13	371
9380-000	64,70	363
	0 1,10	

Order no.	Weight	Page
9384-000	20,10	368
9385-000	29,83	369
9386-1200	45,99	370
9460-000	71,70	361
9464-000	22,05	274
9465-000	33,71	369
9465-009	29,48	274
9466-1200	48,07	370
9467-1200	47,84	371
9480-000	81,50	361
9484-000	19,05	274
9485-000	38,53	369
9485-009	33,33	274
9486-1200	54,09	370
9487-1200	52,30	371
9490-000	89,19	361
9494-000	25,20	274
9495-000	40,31	369
9495-009	42,09	274
99001-0001-183		448
99001-0002-183		448
99001-0003-183		448
99001-0004-183		448
99001-0005-183		448
99001-0006-183		448
99001-0007-183		448
99001-0008-183		448
99001-0009-183		448
99001-0010-183		449
99001-0011-183		449
99001-0012-183		449
99001-0013-183		449
99001-0014-183		449
99001-0015-183		449
99001-0016-183		449
99001-0017-183		449
99001-0018-183		449
99001-0019-183		450
99001-0020-183		450
99001-0021-183		450
99001-0022-183		450
99001-0023-183		451
99001-0024-183		451
99001-0025-183		442
99001-0026-183		442
99001-0027-183		442
99001-0030-001		460
99001-0030-002		460
99001-0031-803		466
99001-0032-240		464
99001-0033-240		464
99001-0034-057		466
99001-0034-820		466
99001-0035-240		466
99001-0036-240		466
99001-0037-000		468
99001-0037-240		468
99001-0038-001		468
99001-0038-260		468
99001-0039-000		468
99001-0039-001		468
99001-0040-010		456
99001-0040-014		456
99001-0040-016		456
99001-0041-023		458

Order no.	Weight	Page
99001-0041-025		458
99001-0041-026		458
99001-0042-023		458
99001-0042-025		458
99001-0042-026		458
99001-0043-086		454
99001-0044-086		454
99001-0045-086 99001-0046-086		454 454
99001-0047-086		454
99001-0048-086		454
99001-0049-086		454
99001-0050-086		454
99001-0051-086		454
99001-0141-042		444
99001-0241-042		444
99001-0341-042		444
99001-0452-012		445
99001-0552-012		445
99001-0652-012		445
99001-3104-K02		462
99001-3104-N02		462
99001-3105-K01		463
99001-3105-N01		463
99001-3108-K03 99001-3108-N03		462 462
99001-3121-K05		463
99001-3121-N05		463
99001-3122-K04		463
99001-3122-N04		463
99001-3505-N01		465
99001-3505-N02		465
99001-3505-N03		465
99001-3505-N04		465
99001-3505-N05		465
99002-000001	3,11	346
99002-000002	3,62	346
99002-000003	$-\frac{4,12}{20.55}$	346
99002-000010	23,55	342
99002-000011	40,92	342
99002-000012 99002-000013	$\frac{29,91}{49.30}$	342
99002-000013	<u>49,30</u> <u>23,42</u>	342
99002-000014	40,82	342
99002-000016	30,30	342
99002-000017	50,00	342
99002-000018	2,32	343
99002-000019	2,21	343
99002-000020	3,87	343
99002-000021	3,69	343
99002-000022	3,26	347
99002-000023	3,79	347
99002-000024	4,33	347
99002-000031	22,62	346
99002-000032	21,78	346
99002-000033	25,66	346
99002-000034	$-\frac{24,69}{20,70}$	346
99002-000035	$-\frac{28,70}{27,60}$	347
99002-000036	$-\frac{27,60}{20,01}$	347
99002-000043	28,01	347
99002-000044 99002-000045	<u>26,99</u> <u> </u>	347 347
99002-000045	30,60	347
99002-000047	35,53	347
.,,,,,,		341

34,20

Order no.	Weight	Page
99002-000055 99002-000056	<u>28,94</u> <u>28,02</u> —	346
99002-000057	32,35	346
99002-000058	31,31	346
99002-000059	35,76	347
99002-000060	34,59	347
99002-000067	36,45	347
99002-000068	35,34	347
99002-000069	40,76	347
99002-000070	39,51	347
99002-000071	45,08	347
99002-000072	43,67	347
99003-0001	0,800	328
99003-0002	1,18	328
99003-0003	0,750	328
99003-0004	1,33	328
99003-0005	2,17	328
99003-0006	2,99	328
99003-0007	0,800	330
99003-0008	1,39	330
99003-0009	2,27	330
99003-0010	3,14	330
99003-0011	9,93	329
99003-0012	15,78	329
99003-0013	21,62	329
99003-0014	16,08	329
99003-0015	21,92	329
99003-0016	2,02	329
99003-0017	$\frac{2,70}{100,000}$ —	329
99003-0018-002	126,00	330
99003-0019-002	133,19	330
99003-0020-002	97,00	330
99003-0021-002 99003-0022	81,60 0,760	330
99003-0023	1,02	330
99003-0024	1,39	330
99003-0025	2,65	330
99003-0026	4,60	330
99003-0027-002	115,60	330
99003-0028-002	168,67	330
99003-0029-002	219,36	330
99003-0030-002	210,90	330
99003-0031-002	185,03	332
99003-0032-002	171,91	332
99003-0033-002	189,68	332
99003-0034-002	227,74	332
99003-0035	1,06	332
99003-0036	1,40	332
99003-0037	3,66	332
99003-0038	2,97	332
99003-0039	4,93	332
99003-0040	7,15	332
99003-0041	2,66	332
99003-0042	4,45	332
99003-0043	6,71	332
99003-0044-002	74,87	333
99003-0045-002	80,44	333
99003-0046-002	84,76	333
99003-0047	4,18	333
99003-0048	7,76	333
99003-0049	3,70	333
99003-0050	16,68	333
99003-0051	12,86	333
99003-0052-002	103,60	334
99003-0053-002	108,93	334

Order no.	_Weight_	Page
99003-0054-002	113,91	334
99003-0055	6,31	334
99003-0056	11,77	334
99003-0057	4,60	334
99003-0058 99003-0059	21,44	334 334
99003-0069-002	<u>15,45</u> <u>138,03</u> —	334
99003-0061-002	131,28	334
99003-0062-002	146,37	334
99003-0063	7,57	335
99003-0064	14,05	335
99003-0065	6,39	335
99003-0066	26,20	335
99003-0067	20,75	335
99003-0068	1,05	336
99003-0069	1,56	336
99003-0070	0,920	336
99003-0071	2,49	336
99003-0072	4,16	336
99003-0073	6,01	336
99003-0074	1,72	336
99003-0075	3,37	336
99003-0076	7,19	336
99003-0077	10,49	336
99003-0078	0,720	336
99003-0079	1,57	336
99003-0080	2,15	336
99003-0081	1,84	336
99003-0082 99003-0083	4,09 —	336 336
99003-0084	<u> 6,76</u>	336
99003-0085	4,63	336
99003-0086	7,67	336
99003-0087	11,18	336
99003-0088	1,08	336
99003-0089-002	49,50	337
99003-0090-002	65,41	337
99003-0094	0,030	338
99003-0095	0,030	338
99003-0096	0,040	338
99003-0097	0,060	338
99003-0098	0,030	338
99003-0099	0,040	338
99003-0100	0,040	338
99003-0101	0,090	338
99003-0102	0,470	338
99003-0103	0,060	338
99003-0104	0,070	338
99003-0105	0,100	338
99003-0106 99003-0107	0,020	339
99003-0107	0,020	339
99003-0109	<u>0,020</u>	339 339
99003-0110	0,020	339
99003-0111	0,020	339
99003-0112	0,040	339
99003-0113	0,040	339
99003-0114	0,040	339
99003-0115	0,040	339
99003-0116	0,060	338
99003-0117	0,050	338
99003-0118	0,060	338
99003-0119	0,070	338
99003-0120	0,140	339
99003-0121	0,170	339

Order no.	Weight	Page
99003-0122	0,140	339
99003-0123	0,280	339
99003-0124	0,180	339
99003-0125	0,350	339
99003-0126	0,070	339
99003-0127	0,120	339
99003-0128	0,170	339
99003-0129	0,010	338
99003-0130	0,040	338
99003-0131	0,300	339
99003-0132	1,13	339
99003-0133	1,69	339
99003-0134	2,01	339
99003-0135	0,030	338
99003-0136	0,040	338
99003-0137	0,050	338
99003-0138	0,030	338
99003-0139	0,060	338
99003-0140	0,000	338
99003-0141	0,070	338
99003-0142	0,110	338
99003-0143	0.040	339
99003-0144		
99003-0145	0,060	339
	0,060	339
99003-0146 99003-0147	0,040	339
	0,050	
99003-0148	0,590	339
99003-0149	0,890	339
99003-0150	2,01	338
99003-0151	4,05	338
99003-0152	6,11	338
99003-0153	8,17	338
99003-0154	0,040	331
99003-0155	0,060	331
99004-000001		235
99004-000002	- ——	235
99004-000003	- ——	235
99004-000004		235
99004-000005		235
99004-000012		234
99004-000039		234
99004-000060		234
99004-000061		234
99004-000062		234
99004-000063		234
99004-000064		234
9964-00	4,01	266, 361, 363, 371
00400 00001	27.00	363, 371
99699-00001	27,00	452
99699-00002	33,00	452
99699-00003	37,00	452
9984-00	4,35	267, 363, 371
9994-00	4,35	267, 363

Index

А	
A brief portrait of C+P	8-9
Acoustic tambour, Asisto	408-411
Acurado cabinet systems 360-373	3, 388–395, 416–419
Acurado drawer and filing cabinets	416-419
Acurado hinged-door cabinets	360-373
Acurado sliding-door cabinets	388-395
Asisto desks	446-447
Asisto drawer and filing cabinets	420-431
Asisto fridge caddy	474-475
Asisto hinged-door cabinets	374-382
Asisto occasional tables	448-449
Asisto pull-out cabinets	470-471
Asisto sit/stand tables	446-447
Asisto sliding-door cabinets	396-399
Asisto tambour cabinets	408-413
Assembled box lockers 80-8 176-179, 192-20	5, 134–143, 5, 206–213
Assembled box lockers with acrylic glass doors	198–199

В	
Bar stools	468-469
Basic benches and benches with coat	rack 224-227
Basic benches with coat rack	224-227
Battery charging cabinets	298-299
Benches and benches with coat rac	k 220-231
Benches, stackable	222-223
Benches with coat rack for wet roor	ms 228-231
Binder supports 373, 381, 394	, 398, 407, 412
Boltless file shelving	342-343
Boltless long shelving units	350
Boltless shelving	340-351

C	
C+P added value	4-7
C+P cleaner	23
Cabinets with hinged doors (office)	356-385
Cabinets with hinged doors (workshop)	262-279,
280-29	5, 296–311
Cabinets with tambour doors	400-413
Cabinets with tambour doors (Asisto)	408-413
Cabinets with tambour doors (Omnispace)	402-407
Caddy with trash can	474-475
Cafeteria tables	452-453
Cambio lockers	166-185
Card-index cabinets	416-431
Certos hinged-door cabinets,	
flame-resistant	382-385
Chairs	460-469
Changing room rails 225	5, 231, 234
Changing room systems	232-241
Changing room systems and	
assembled box lockers	236-241
Classic PLUS accessories	94-97
Classic PLUS lockers	60-97
Classic PLUS top lockers (changing roo	m) 86-87
Cleaning equipment lockers	74, 124
Cleaning supply lockers	74, 124
Climate Office plant and water walls	42-43
Coat hangers for	
changing room systems 155, 184	, 234, 238
Color concept	44-49

Combination lock	161, 163, 217
Comfort benches and benches	
with coat rack (HPL)	228-231
Comfort benches with coat rack (HPL	_) 228-231
Compartmentalized loading lockers	252-253
Computer cabinets	337
Conference chairs	464-467
Conference solutions	450-453
Conference tables	450-453
Contents	3
Corrosion protection and quality assu	irance 22
Counters	440-441

D	
Decor concept	50-53
Decor tables	51, 53
Delivery conditions	20-21
Desks, Asisto	446-447
Dirty/clean separation lockers	64-65, 70-73,
	114-123
Dispensing lockers for laundry	250
Double-tier lockers 76-79	, 126–133, 174–175,
195–196	, 203, 205, 210–211
Drawer cabinets (office/archive	414-437
Drawer cabinets (workshop)	333-336
Drawing cabinets for horizontal	storage 432-437
Drying and ventilation (lockers)	170-171, 190-191
Drying lockers, Flex PLUS	190-191

Е	
Electronic locking systems	162-163, 214-218,
	265, 359
Ergo-Lock grip lock	264-265, 358-359
EURO-LOCKS PIN code lock	162-163, 216
Evolo PLUS accessories	154-157
Evolo PLUS lockers	98-157
Exhaust air ventilation system	for lockers 170-171
Extra-large assembled box loc	ckers 196-197,
	210-211
Extra-large assembled box loc	kers
with acrylic glass doors	198–199
Extra-large tool cabinets	267

F	
Filing cabinets	416-423, 416-431
Fire service lockers	244-249
Flame-resistant cabinets	382-385
Flex PLUS drying lockers	190-191
Floor lamps	456-457
Folding tables	450-453
Free-standing wardrobes	235
Fridge caddy, Asisto	474-475

G	
Gantner, electronic locking systems	214-215
Green walls	42-43

Н	
Hangers for changing room systems	95
Hanging cabinet/Hanging shelf	274
Hazardous substance cabinets	300-301
Hedge elements	42-43
Hinged-door cabinets, flame-resistant	382-385

y loads	288-295
	356-385
284-287,	292-295
	338-339
	432-437
	yy loads 284–287,

Intro ass	embled box locke	ers	194-201

	K	
Kindergarten lockers		202-203

	L		
Labels for multi-draw	er cabine	ts	437
Lamps			456-457
Laptop lockers			251
Laundry bags			250
Laundry collection lo	cker		250
Laundry dispensing lo	ocker		250
Laundry lockers			74, 124
Laundry storage lock	ers 74	4-75, 124	1–125, 250
Loading assembled b	ox lockers	3	252-253
Loading cabinets			298-299
Loading lockers			252-253
Lockers 60-	97, 98–15	7, 166–18	5, 186–19
Lockers, double-tier			3, 174–175
Laslana Fuela DILIC	195-196,	, 203, 20	5, 210–21
Lockers, Evolo PLUS		•	98-157
Lockers for dirty/clea	an separat		64-65 3, 114-123
Lockers for schools a	and kinder		202-205
Lockers for street and			64-65
		70-7	'3, 114–123
Lockers for wet room	IS	9.	4, 154, 160
Lockers, Prefino			186–191
Lockers, slim			256-257
Lockers, space-savin	g		256-257
Lockers with compar	tment		
width of 250 mm			256-257
Locking systems for I and assembled box I		158–16	5, 216–219
Locks for changing ro		.=0	
and assembled box lo	ockers	158–16	5, 216–219
Logistics			16-21
Logistics services			20-21
Long shelving units			350
Lounge furniture			442-445

М	
Master key systems	160
Mechanical combination lock	161, 163, 217
Meeting tables	450-453
Mobile conference tables	450-451
Mobile folding tables	450-451
Mobile pedestals, Asisto	472-473
Monitor arms	458-459
Monitor holders	458-459
Mounting elements for	
perforated plate systems	338-339
Multi-drawer cabinets	432-437
Multi-purpose lockers	74-75, 124-125

0	
Occasional bookcases	370-371
Occasional cabinets for desks	393, 406
Occasional cabinets for heavy loads	289, 325
Occasional cabinets for workbenches	275-277
Occasional cabinets with viewing window doors 285, 294,	322-323
Occasional sliding-door cabinets	392-393
Occasional tables	448-449
Occasional tambour cabinets	406
Office bookcases 342-343, 362-363, 367	7, 378–379
Office coat stands	234-235
Open changing room systems	236-241
Open-front container cabinets	302-311
Open-front containers, loose	304
Order number and weight register	482-495

	Р
Partition systems	40-41
pCon planning support	11
Perforated plate system	ns 338–339
Pharmacists cabinets	470-471
PIN code locks	162–163, 216–218, 265, 359
Planning support, pCoi	n 11
Prefino lockers	186-191
Privacy elements for de	esks 454–455

	Y	
Quality assurance	and corrosion protection	22

R	
Reception counters	440-441
Reference examples	24-35
Resisto assembled box loc	kers 206-213
RFID locks	162-163, 218, 265, 359

S	
Safe deposit box lockers	255
SAFE-O-MAT locks	164-165, 219
SAFE-O-TRONIC locks	162, 218
School and kindergarten lockers	s 202–205, 206–213
Shelving for binders	342-343, 362-363
Shelving for warehouse/archiv	
268–269	, 340–351, 362–363
Single perforated plates	338-339
Sit/stand workstations, Asisto	446-447
Sliding-door cabinets	315-316, 321-322,
	324-325
Sliding-door cabinets (office)	386-399
Sliding-door cabinets	
(warehouse/workshop)	312-325
Sliding-door cabinets	
with viewing window doors	320-323
Slim lockers	256–257
Sloping top for lockers	94, 154, 183, 212
Small-compartment lockers	254-255
Smart locker	34-35, 38-39
Sofas	444-445
Space-saving lockers 88-8	9, 146–153, 180–181,
	25/ 257
	256-257
Stackable benches	222-223
Stackable benches Stackable chairs	

Storage cabinets	279, 365
Storage lockers for laundry	74-75, 124-125, 250
Storage shelving	340-351
Street and work clothing lock	kers 64–65, 70–73, 114–123
Suspension bars (Elba/Leitz or Zippel system)	373, 384, 394, 407
Swivel chairs	460-463

Tabletop lectern for tool cabine	ets 277
Tambour cabinets, Asisto	408-413
Tambour cabinets, Omnispace	402-407
Task chairs	464-467
Tool cabinets for heavy loads	288-295,
	324-325
Tool cabinets with drawers	
and security compartments	270-273
Tool cabinets with hinged doors	
	280–295, 296–311
Tool cabinets with hinged doors and drawers 280–283, 286–	s 287, 290–291, 293
Tool cabinets with hinged doors	
	284–287, 292–295
	201 201, 272 270
Lool cabinets with open-tront co	ontainers 302-311
Tool cabinets with open-front co	
Tool cabinets with sliding doors	
Tool cabinets with sliding doors Tool cabinets with	312–325
Tool cabinets with sliding doors Tool cabinets with viewing window sliding doors	312–325 320–323
Tool cabinets with sliding doors Tool cabinets with viewing window sliding doors Tool top cabinets	312–325 320–323 274
Tool cabinets with sliding doors Tool cabinets with viewing window sliding doors Tool top cabinets Top bookcases (office) Top cabinets for tools	312–325 320–323 274 368–369
Tool cabinets with sliding doors Tool cabinets with viewing window sliding doors Tool top cabinets Top bookcases (office) Top cabinets for tools	312–325 320–323 274 368–369 274, 316–317 369, 390–391, 406
Tool cabinets with sliding doors Tool cabinets with viewing window sliding doors Tool top cabinets Top bookcases (office) Top cabinets for tools Top cabinets (office) 368-	312–325 320–323 274 368–369 274, 316–317 369, 390–391, 406
Tool cabinets with sliding doors Tool cabinets with viewing window sliding doors Tool top cabinets Top bookcases (office) Top cabinets for tools Top cabinets (office) Top cabinets with sliding doors	312–325 320–323 274 368–369 274, 316–317 369, 390–391, 406 (office) 390–391 51, 53
Tool cabinets with sliding doors Tool cabinets with viewing window sliding doors Tool top cabinets Top bookcases (office) Top cabinets for tools Top cabinets (office) Top cabinets with sliding doors Top decors Top lockers, Evolo PLUS (change)	312–325 320–323 274 368–369 274, 316–317 369, 390–391, 406 (office) 390–391 51, 53
Tool cabinets with sliding doors Tool cabinets with viewing window sliding doors Tool top cabinets Top bookcases (office) Top cabinets for tools Top cabinets (office) Top cabinets with sliding doors Top decors Top lockers, Evolo PLUS (change)	312–325 320–323 274 368–369 274, 316–317 369, 390–391, 406 (office) 390–391 51, 53 ing room) 144–145
Tool cabinets with sliding doors Tool cabinets with viewing window sliding doors Tool top cabinets Top bookcases (office) Top cabinets for tools Top cabinets (office) Top cabinets with sliding doors Top decors Top lockers, Evolo PLUS (changitransponder locks 162–163,	312–325 320–323 274 368–369 274, 316–317 369, 390–391, 406 (office) 390–391 51, 53 ing room) 144–145 217–218, 265, 359

U	
Umbrella stands	235
Underframes 266-267, 360-363,	371, 393, 395, 418, 431, 436
Universal cabinets (office)	360-361
Universal cabinets (warehouse/workshop)	266–267

V	
Ventilation according to the	
SVL concept	170-171
Ventilation and drying (lockers) 170–171, 190–191
Viewing window cabinets	284-287, 292-295,
	298-299, 320-323
Visitor chairs	464-465

W	
Wall-mounted wardrobes	234
Wardrobe systems	234-241
Water walls	42-43
Weight register	482-495
Wet room benches with coat rack	228-231
Workbenches	328-332
Workbenches with cabinet	330-332
Workbench occasional cabinets	275–277


Workshop shelving units	268-269, 344-35
Workstation dividers	454-455

	Z
Z lockers	88-93, 146-153, 180-181

4-foot tables	452
78-series boltless shelving (for moderately heavy loads)	346-347
78-series shelving (for moderately heavy loads)	346-347
788-series boltless shelving (for standard loads)	344-345
788-series shelving (for standard loads)	344-345
7800-series boltless shelving (for heavy loads)	348-349
7800-series shelving (for heavy loads)	348-349

Don't miss any news

Subscribe to our newsletter.



Always up to date

Subscribe to our newsletter and always be up to date!

Our newsletter enables you to receive informative and interesting content directly in your inbox on a regular basis. Be the first to learn about new products, exclusive offers and exciting events.



Subscribe to the newsletter now:

It's about more than just our steel lockers. We promise. Discover more furniture solutions.

Why should you subscribe to our newsletter? A few of the benefits you'll be able to enjoy:

- (+) Current information: You'll receive regular updates on new products, services and offers.
- (+) Events and workshops: When we organize special events or workshops, we inform our newsletter subscribers about them first.
- (+) Multiple languages: We offer our newsletter in multiple languages so each reader is able to understand and enjoy the content in their preferred language.
- (+) Flexibility: We respect your privacy and never pass your e-mail address on to third parties. You also have the option to unsubscribe from the newsletter at any time should you no longer wish to receive the information.

Be a part of our digital community

Follow us on social media.

Always be just one click away from the latest information and exciting offers. Follow us on our social media channels and stay connected to us around the clock. Gain inspiration from our posts, images and videos and discover exclusive insights behind the scenes. Become a part of our growing online family and never miss news again in the future.

C+P Möbelsysteme GmbH & Co. KG cp_derstahlschrank













General information

This publication is for informational purposes. It does not constitute a quotation as defined by law and is only intended for business customers. All items are supplied without any decorations shown in the illustrations. The trademark and product rights of any branded products which may appear in the decorations are reserved by the respective manufacturer. The specified dimensions are only approximate and may be larger or smaller. We reserve the right to make structural changes, changes to the assortment & availability and changes to the color, material & decor ranges, as well as to limit express availability if necessary (e.g. in case of larger quantities of a model or order).

All previous catalogs and price lists become invalid as of the publication of this catalog. All pricing information represents non-binding price recommendations from the manufacturer, does not include the value added tax applicable on the day of delivery and is intended for commercial customers. We reserve the right to make changes to pricing information, e.g. due to errors or increases in the price of raw materials or other materials.

Our General Terms and Conditions of Business apply (see www.cp.de/agb).

Issued: August 2023 - 1688742607 - Valid from October, 2023 until the publication of a new issue. Publisher/Copyright: C+P Möbelsysteme GmbH & Co. KG - www.cp.de

